55605-2-F

New Mexico

Behavioral Risk Factor Survey Data

1989


HYPERTENSION
WEIGHT
SMOKING
ALCOHOL
SEAT BELT USAGE
PHYSICAL ACTIVITY

NEW MEXICO DEPARTMENT OF HEALTH
Public Health Division
Health Promotion Bureau

A COMPILATION OF 1989 BEHAVIORAL RISK FACTOR SURVEY DATA FOR NEW MEXICO

Bruce King, Governor
State of New Mexico

Michael J. Burkhart, Secretary
New Mexico Department of Health

Pat Cleaveland, Director
Public Health Division

Lydia Pendley, Chief
Public Health Division
Health Promotion Bureau

Mary Ellen Watson
Public Health Division
Health Promotion Bureau

Charles R. Key, M.D. Ph.D.
Medical Director
New Mexico Tumor Registry

INTRODUCTION

The Health Promotion Bureau of the New Mexico Department of Health's Public Health Division, and the New Mexico Tumor Registry conducted the fifth year of a statewide behavioral risk factor telephone survey of New Mexicans during 1989. The purpose of this survey was to collect comparable data on certain health behaviors and aspects of lifestyle that have a significant impact on the major causes of death, disease, and disability. We have good information on what people die from, some information on what diseases our population has, but little comparable data on the risk factors associated with major health problems causing death and disease among New Mexicans. The information about the prevalence of certain behavioral risk factors is essential for developing appropriate intervention strategies for prevention and health promotion and for targeting health information and services to the segments of our population at greatest risk.

The funding for the survey and the questionnaire used were provided by the Centers for Disease Control (CDC), Center for Health Promotion and Education. New Mexico is one of 39 states and the District of Columbia that participated in the 1989 Behavioral Risk Factor Surveillance System and has thereby contributed to a better understanding of health behaviors and risk factors in the nation as a whole, as well as in New Mexico.

This survey provides data about the following health behaviors and risk factors: seat belt usage; smoking; hypertension; exercise/physical activity; alcohol use; weight and nutrition; preventive health practices regarding cholesterol, pap smears, and mammograms; pregnancy, income level, education, and other demographic data.

Survey information on the above risk factors was obtained statewide by telephone from 1171 New Mexicans 18 years of age or older. The sample households were chosen by the clustered random digit dialing method. Questionnaires were available in Spanish and bilingual interviewers were available to Spanish-speaking participants.

The following table compares the New Mexico population distribution (1989 estimates) with that of the unweighted telephone survey sample.

	MALE		FEMALE		TOTAL	
Age Group	**Unweighted Survey Sample**	**1989 New Mexico Pop. Est.**	**Unweighted Survey Sample**	**1989 New Mexico Pop. Est.**	**Unweighted Survey Sample**	**1989 New Mexico Pop. Est.**
18-24 *PERCENT*	54 *10.9*	83,823 *16.0*	81 *12.0*	81,971 *14.7*	135 *11.5*	165,794 *15.4*
25-34 *PERCENT*	129 *26.0*	131,102 *25.1*	150 *22.3*	131,941 *23.7*	279 *23.8*	263,043 *24.4*
35-44 *PERCENT*	118 *23.7*	108,244 *20.8*	144 *21.4*	111,243 *20.0*	262 *22.4*	219,987 *20.4*
45-54 *PERCENT*	70 *14.1*	70,060 *13.4*	90 *13.4*	74,321 *13.3*	160 *13.7*	144,381 *13.4*
55-64 *PERCENT*	53 *10.7*	57,257 *11.0*	69 *10.2*	962 *11.5*	122 *10.4*	219 *11.2*
65+ *PERCENT*	73 *14.7*	70,382 *13.7*	140 *20.8*	93,629 *16.8*	213 *17.3*	164,011 *15.2*
TOTAL ***PERCENT***	**497** ***42.4***	**521,368** ***48.3***	**674** ***57.6***	**557,067** ***51.7***	**1,171** ***100.0***	**1,078,435** ***100.0***

The prevalence estimates which are printed under the percent categories in the tables include a weighted factor based upon the population estimates. As in any random sampling, the survey results are subject to sampling variations.

TABLE OF CONTENTS

DEMOGRAPHICS

1. AGE BY SEX . . . 1
1A. AGE BY SEX (UNWEIGHTED) . . . 2
2. AGE BY RACE . . . 3
2A. AGE BY RACE (UNWEIGHTED) . . . 4
3. INCOME BY SEX . . . 5
4. INCOME BY RACE . . . 6
5. INCOME BY AGE . . . 7
6. EDUCATION BY SEX . . . 8
7. EDUCATION BY RACE . . . 9
8. EDUCATION BY AGE . . . 10
9. MARITAL STATUS BY SEX . . . 11
10. MARITAL STATUS BY RACE . . . 12
11. MARITAL STATUS BY AGE . . . 13
12. EMPLOYMENT STATUS BY SEX . . . 14
13. EMPLOYMENT STATUS BY RACE . . . 15
14. EMPLOYMENT STATUS BY AGE . . . 16

BAR CHART OF RISK FACTORS . . . 17

RISK FACTOR DEFINITIONS . . . 18

RISK FACTOR PREVALENCES BY DEMOGRAPHICS

15. **SEATBELT**
BY AGE, SEX . . . 19 & 20
BY RACE, MARITAL STATUS . . . 21
BY INCOME . . . 22
BY EMPLOYMENT STATUS . . . 23
BY EDUCATION . . . 24

16. **HYPERTENSION (1)**
BY AGE, SEX . . . 25 & 26
BY RACE, MARITAL STATUS . . . 27
BY INCOME . . . 28
BY EMPLOYMENT STATUS . . . 29
BY EDUCATION . . . 30

17. **HYPERTENSION (2-3)**
BY AGE, SEX . . . 31 & 32
BY RACE, MARITAL STATUS . . . 33
BY INCOME . . . 34
BY EMPLOYMENT STATUS . . . 35
BY EDUCATION . . . 36

18. **OVERWEIGHT (PERCENT OF MEDIAN AND BODY MASS INDEX)**

BY AGE, SEX . . . 37 & 38
BY RACE, MARITAL STATUS . . . 39
BY INCOME . . . 40
BY EMPLOYMENT STATUS . . . 41
BY EDUCATION . . . 42

19. **PHYSICAL ACTIVITY**

BY AGE, SEX . . . 43 & 44
BY RACE, MARITAL STATUS . . . 45
BY INCOME . . . 46
BY EMPLOYMENT STATUS . . . 47
BY EDUCATION . . . 48

20. **SMOKING (TOBACCO USE)**

BY AGE, SEX . . . 49 & 50
BY RACE, MARITAL STATUS . . . 51
BY INCOME . . . 52
BY EMPLOYMENT STATUS . . . 53
BY EDUCATION . . . 54

21. **ACUTE DRINKING**

BY AGE, SEX . . . 55 & 56
BY RACE, MARITAL STATUS . . . 57
BY INCOME . . . 58
BY EMPLOYMENT STATUS . . . 59
BY EDUCATION . . . 60

22. **ALCOHOL - CHRONIC DRINKING/DRINKING AND DRIVING**

BY AGE, SEX . . . 61 & 62
BY RACE, MARITAL STATUS . . . 63
BY INCOME . . . 64
BY EMPLOYMENT STATUS . . . 65
BY EDUCATION . . . 66

SEAT BELT USAGE

23. **SEATBELT USAGE BY AGE AND SEX** . . . 67 & 68

HYPERTENSION BY AGE AND SEX

24. TOLD HAVE HIGH BLOOD PRESSURE . . . 69 & 70
25. TOLD BLOOD PRESSURE HIGH MORE THAN ONCE . . . 71 & 72
26. MEDICINE CURRENTLY PRESCRIBED FOR HIGH BLOOD PRESSURE . . . 73 & 74
27. CURRENTLY TAKING MEDICINE FOR HIGH BLOOD PRESSURE . . . 75 & 76
28. CURRENT BLOOD PRESSURE . . . 77 & 78

PHYSICAL ACTIVITY LEVEL BY AGE AND SEX

29. PHYSICAL ACTIVITY LEVEL . . . . . 79 & 80
30. FREQUENCY OF PRIMARY ACTIVITIES 81
31. FREQUENCY OF SECONDARY ACTIVITIES 82

WEIGHT CONTROL BY AGE AND SEX

32. WEIGHT FOR HEIGHT PERCENT OF MEDIAN . . . . . 83 & 84
33. NOW TRYING TO LOSE WEIGHT . . . . . 85 & 86
34. HOW LONG HAVE YOU ATTEMPTED WEIGHT LOSS? . . . . . 87 & 88
35. ARE YOU TRYING TO MAINTAIN CURRENT WEIGHT? . . . . . 89 & 90
36. EATING FEWER CALORIES TO LOSE WEIGHT? . . . . . 91 & 92
37. NUMBER OF CALORIES EATEN PER DAY? . . . . . 93 & 94
38. HOW LONG EATING THIS NUMBER OF CALORIES? . . . . . 95 & 96
39. PHYSICAL ACTIVITY TO CONTROL WEIGHT . . . . . 97 & 98
40. TAKING DIET PILL TO DECREASE APPETITE . . . . . 99 & 100
41. USING SPECIAL PRODUCTS TO DECREASE APPETITE . . . . . 101 & 102
42. FASTING AS PART OF A DIET . . . . . 103 & 104
43. ORGANIZED WEIGHT PROGRAM PARTICIPANT . . . . . 105 & 106
44. INDUCE VOMITING AFTER EATING . . . . . 107 & 108
45. DID DR ADVISE WEIGHT LOSS? . . . . . 109 & 110
46. HOW DO YOU CLASSIFY YOUR CURRENT WEIGHT STATUS? . . . . . 111 & 112

SMOKING BY AGE AND SEX

47. SMOKED AT LEAST 100 CIGARETTES IN LIFETIME . . . . . 113 & 114
48. CURRENTLY SMOKE . . . . . 115 & 116
49. AVERAGE NUMBER OF CIGARETTES DAILY . . . . . 117 & 118
50. STOPPED SMOKING FOR A WEEK OR MORE DURING PAST YEAR . . . . . 119 & 120
51. SMOKING STATUS . . . . . 121 & 122

ALCOHOL CONSUMPTION BY AGE AND SEX

52. ALCOHOL CONSUMPTION IN PAST MONTH . . . . . 123 & 124
53. TOTAL NUMBER OF DRINKS A MONTH . . . . . 125 & 126
54. HOW MANY TIMES DURING THE PAST MONTH DID YOU HAVE 5 OR MORE DRINKS ON AN OCCASION? . . . . . 127 & 128
55. HOW MANY TIMES DURING THE PAST MONTH HAVE YOU PERHAPS HAD TOO MUCH TO DRINK? . . . . . 129 & 130

PREVENTIVE HEALTH PRACTICES BY AGE AND SEX

56. HOW LONG SINCE VISITED DR FOR ROUTINE CHECKUP? . . . . . 131 & 132
57. WHAT TYPE OF DR DID YOU VISIT FOR ROUTINE CHECKUP? . . . . . 133 & 134
58. HAVE YOU EVER HAD BLOOD CHOLESTEROL CHECKED? . . . . . 135 & 136
59. HOW LONG SINCE HAD BLOOD CHOLESTEROL CHECKED? . . . . . 137 & 138
60. EVER TOLD CHOLESTEROL LEVEL? . . . . . 139 & 140

61. EVER TOLD YOUR BLOOD CHOLESTEROL IS HIGH? . . . . 141 & 142
62. ARE YOU NOW UNDER DR ADVICE TO REDUCE CHOLESTEROL? . . . . 143 & 144
63. DID DR PRESCRIBE MEDICINE TO LOWER CHOLESTEROL? . . . . 145 & 146
64. DID DR PROVIDE LOW FAT/LOS CHOLESTEROL DIET? . . . . 147 & 148
65. HAS DR REFERRED YOU TO DIETITIAN TO REDUCE FAT? . . . . 149 & 150
66. EVER TOLD BY DOCTOR YOU HAVE DIABETES? . . . . 151 & 152

FEMALES

MAMMOGRAPHY SECTION:

67. HAVE YOU EVER HAD A MAMMOGRAM?
AGE, RACE 153
EDUCATION 154
INCOME 155

68. ABOUT HOW LONG SINCE LAST MAMMOGRAM?
AGE, RACE 156
EDUCATION 157
INCOME 158

69. REASON MAMMOGRAM WAS NOT DONE LAST YEAR?
AGE, RACE 159
EDUCATION 160
INCOME 161

70. WHY WAS LAST MAMMOGRAM DONE?
AGE, RACE 162
EDUCATION 163
INCOME 164

71. WHOSE IDEA WAS IT TO HAVE MAMMOGRAM?
AGE, RACE 165
EDUCATION 166
INCOME 167

72. REASON NEVER HAD MAMMOGRAM
AGE, RACE 168
EDUCATION 169
INCOME 170

73. ARE YOU NOW PREGNANT? 171

CERVICAL CANCER MODULE:

1. **HAVE YOU EVER HEARD OF A PAP SMEAR?**

AGE, RACE 172
EDUCATION 173
INCOME 174

2. **HAVE YOU EVER HAD A PAP SMEAR?**

AGE, RACE 175
EDUCATION 176
INCOME 177

3. **WHEN DID YOU HAVE YOUR LAST PAP SMEAR?**

AGE, RACE 178
EDUCATION 179
INCOME 180

4. **HAVE YOU HAD A HYSTERECTOMY?**

AGE, RACE 181
EDUCATION 182
INCOME 183

AIDS MODULE:

1. **HOW MUCH WOULD YOU SAY YOU KNOW ABOUT AIDS?**

AGE BY SEX . . . 184
SEX, AGE, RACE . . . 185
EDUCATION . . . 186
INCOME . . . 187

2. **WHAT ARE YOUR CHANCES OF GETTING THE AIDS VIRUS?**

AGE BY SEX . . . 188
SEX, AGE, RACE . . . 189
EDUCATION . . . 190
INCOME . . . 191

3. **HAS CONCERN ABOUT AIDS CHANGED YOUR LIFE IN ANY WAY?**

AGE BY SEX . . . 192
SEX, AGE, RACE . . . 193
EDUCATION . . . 194
INCOME . . . 195

4. **HAVE YOU HAD YOUR BLOOD TESTED FOR THE AIDS VIRUS?**

AGE BY SEX . . . 196
SEX, AGE, RACE . . . 197
EDUCATION . . . 198
INCOME . . . 199

5. **WAS IT WHEN YOU DONATED BLOOD OR WAS IT SOME OTHER TIME?**

AGE BY SEX . . . 200
SEX, AGE, RACE . . . 201
EDUCATION . . . 202
INCOME . . . 203

6. **HAVE YOU EVER KNOWN ANYONE WITH THE AIDS VIRUS OR AIDS?**

AGE BY SEX . . . 204
SEX, AGE, RACE . . . 205
EDUCATION . . . 206
INCOME . . . 207

NEW MEXICO SPECIFIC ADD-ON QUESTIONS

1. DO YOU KNOW HOW TO EXAMINE YOUR BREAST FOR LUMPS?

AGE, RACE 208
EDUCATION 209
INCOME 210
EMPLOYMENT STATUS 211
MARITAL STATUS 212

2. HOW OFTEN DO YOU EXAMINE YOUR BREASTS FOR LUMPS?

AGE, RACE . . . . 213 & 214
EDUCATION . . . . 215 & 216
INCOME . . . . 217 & 218
EMPLOYMENT STATUS . . . . 219 & 220
MARITAL STATUS . . . . 221 & 222

3. ABOUT HOW OFTEN DO YOU HAVE A BREAST EXAM BY A HEALTH PROFESSIONAL?

AGE, RACE 223
EDUCATION 224
INCOME 225
MARITAL STATUS 226
EMPLOYMENT STATUS 227

4. IS THERE A WORKING SMOKE DETECTOR IN THIS HOUSEHOLD?

AGE, RACE 228
EDUCATION 229
INCOME 230
MARITAL STATUS 231
EMPLOYMENT STATUS 232

5. DO YOU HAVE ANY CHILDREN UNDER 11 YEARS OF AGE IN THIS HOUSEHOLD?

AGE, RACE 233
EDUCATION 234
INCOME 235
MARITAL STATUS 236
EMPLOYMENT STATUS 237

6. WHEN RIDING IN A CAR, HOW OFTEN IS THIS CHILD (THESE CHILDREN) BUCKLED IN A CAR SAFETY SEATBELT?

AGE, RACE 238
EDUCATION 239
INCOME 240
MARITAL STATUS 241
EMPLOYMENT STATUS 242

7. DO YOU KNOW HOW TO FIND THE TELEPHONE NUMBER FOR THE POISON CONTROL CENTER?

AGE, RACE 243
EDUCATION 244
INCOME 245
MARITAL STATUS 246
EMPLOYMENT STATUS 247

8. DO YOU HAVE ANY IPECAL SYRUP IN THIS HOUSEHOLD?

AGE, RACE 248
EDUCATION 249
INCOME 250
MARITAL STATUS 251
EMPLOYMENT STATUS 252

9. DO YOU BELIEVE A CHILD INFECTED WITH THE AIDS VIRUS SHOULD BE KEPT OUT OF SCHOOL?

AGE, RACE 253
EDUCATION 254
INCOME 255
MARITAL STATUS 256
EMPLOYMENT STATUS 257

10. DO YOU BELIEVE PEOPLE INFECTED WITH THE AIDS VIRUS SHOULD BE ALLOWED TO WORK AS A COOK?

AGE, RACE 258
EDUCATION 259
INCOME 260
MARITAL STATUS 261
EMPLOYMENT STATUS 262

11. SHOULD A SECRETARY WHO IS INFECTED WITH THE AIDS VIRUS FROM A BLOOD TRANSFUSION BE ALLOWED TO WORK?

AGE, RACE 263
EDUCATION 264
INCOME 265
MARITAL STATUS 266
EMPLOYMENT STATUS 267

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 1. AGE BY SEX

	SEX					
	MALE		FEMALE		***TOTAL***	
	************		************		************	
	N	%	N	%	N	%
AGE GROUP						
18-24	54	18.0	81	16.7	135	17.3
25-34	129	25.4	150	24.0	279	24.7
35-44	118	19.2	144	18.3	262	18.7
45-54	70	13.1	90	13.1	160	13.1
55-64	53	11.6	69	12.2	122	11.9
65 +	73	12.8	140	15.7	213	14.3
TOTAL	497	48.4	674	51.6	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - UNWEIGHTED

TABLE 1A. AGE BY SEX

	SEX					
	MALE		FEMALE		***TOTAL***	
	***********		***********		***********	
	N	%	N	%	N	%
AGE GROUP						
18-24	54	10.9	81	12.0	135	11.5
25-34	129	26.0	150	22.3	279	23.8
35-44	118	23.7	144	21.4	262	22.4
45-54	70	14.1	90	13.4	160	13.7
55-64	53	10.7	69	10.2	122	10.4
65 +	73	14.7	140	20.8	213	18.2
TOTAL	497	42.4	674	57.6	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 2. AGE BY RACE

RACE GROUPED

	WHITE		BLACK		HISPANIC		OTHER		UNK/REFUSED		***TOTAL***	
	************		************		************		************		************		************	
	N	%	N	%	N	%	N	%	N	%	N	%
AGE GROUP												
18-24	71	14.6	3	31.2	51	20.6	9	32.2	1	13.0	135	17.3
25-34	165	22.1	1	3.4	97	30.4	14	30.7	2	36.4	279	24.7
35-44	175	18.9	8	44.6	70	17.8	9	16.6	.	.	262	18.7
45-54	112	13.4	.	.	43	13.6	4	8.9	1	23.8	160	13.1
55-64	90	13.0	1	7.4	28	10.6	2	6.2	1	14.6	122	11.9
65 +	174	18.2	1	13.5	32	7.0	5	5.4	1	12.2	213	14.3
TOTAL	787	64.8	14	1.4	321	29.2	43	4.2	6	0.4	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - UNWEIGHTED

TABLE 2A. AGE BY RACE

	RACE GROUPED											
	WHITE		BLACK		HISPANIC		OTHER		UNK/REFUSED		***TOTAL***	
	************		************		************		************		************		************	
	N	%	N	%	N	%	N	%	N	%	N	%
AGE GROUP												
18-24	71	9.0	3	21.4	51	15.9	9	20.9	1	16.7	135	11.5
25-34	165	21.0	1	7.1	97	30.2	14	32.6	2	33.3	279	23.8
35-44	175	22.2	8	57.1	70	21.8	9	20.9	.	.	262	22.4
45-54	112	14.2	.	.	43	13.4	4	9.3	1	16.7	160	13.7
55-64	90	11.4	1	7.1	28	8.7	2	4.7	1	16.7	122	10.4
65 +	174	22.1	1	7.1	32	10.0	5	11.6	1	16.7	213	18.2
TOTAL	787	67.2	14	1.2	321	27.4	43	3.7	6	0.5	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 3. INCOME BY SEX

	SEX					
	MALE		FEMALE		***TOTAL***	
	************		************		************	
	N	%	N	%	N	%
INCOME LEVEL						
<$10,000	45	8.2	115	15.9	160	12.1
$10-$15,000	44	9.8	66	9.3	110	9.5
$15-$20,000	57	10.6	68	9.4	125	10.0
$20-$25,000	48	9.3	59	8.2	107	8.8
$25-$35,000	74	16.1	104	15.7	178	15.9
$35-$50,000	74	13.8	65	10.8	139	12.2
UNK/REFUSED	81	16.8	133	20.5	214	18.7
>$50,000	74	15.4	64	10.2	138	12.7
TOTAL	497	48.4	674	51.6	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 4. INCOME BY RACE

	RACE GROUPED											
	WHITE		BLACK		HISPANIC		OTHER		UNK/REFUSED		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%	N	%
INCOME LEVEL												
<$10,000	88	9.8	2	11.0	57	14.9	12	29.3	1	14.6	160	12.1
$10-$15,000	66	8.3	1	6.3	39	12.9	4	6.9	.	.	110	9.5
$15-$20,000	82	9.5	1	3.4	38	11.8	3	6.9	1	12.1	125	10.0
$20-$25,000	73	8.9	1	4.9	29	8.8	3	6.2	1	24.3	107	8.8
$25-$35,000	124	16.7	2	19.8	46	14.2	6	15.3	.	.	178	15.9
$35-$50,000	116	15.4	.	.	21	7.1	2	4.4	.	.	139	12.2
UNK/REFUSED	123	15.4	7	54.6	72	23.3	9	23.5	3	49.0	214	18.7
>$50,000	115	16.0	.	.	19	6.9	4	7.6	.	.	138	12.7
TOTAL	787	64.8	14	1.4	321	29.2	43	4.2	6	0.4	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 5. INCOME BY AGE

	AGE GROUP													
	18-24		25-34		35-44		45-54		55-64		65 +		***TOTAL***	
	************		************		************		************		************		************		************	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
INCOME LEVEL														
<$10,000	29	18.3	32	10.0	19	6.3	15	8.5	18	13.3	47	18.5	160	12.1
$10-$15,000	27	18.0	31	10.4	14	4.1	6	4.9	7	6.6	25	11.7	110	9.5
$15-$20,000	11	5.8	44	15.3	28	10.1	12	6.6	4	3.6	26	14.3	125	10.0
$20-$25,000	11	6.4	28	9.9	29	12.0	11	5.5	10	7.8	18	9.4	107	8.8
$25-$35,000	16	15.7	48	17.1	54	21.2	26	15.0	21	17.0	13	6.8	178	15.9
$35-$50,000	4	2.9	34	12.0	42	16.8	34	25.0	17	14.3	8	4.5	139	12.2
UNK/REFUSED	30	25.8	35	14.2	35	13.4	23	14.3	23	16.7	68	30.6	214	18.7
>$50,000	7	7.1	27	11.1	41	16.1	33	20.3	22	20.8	8	4.2	138	12.7
TOTAL	135	17.3	279	24.7	262	18.7	160	13.1	122	11.9	213	14.3	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 6. EDUCATION BY SEX

	SEX					
	MALE		FEMALE		***TOTAL***	
	************		************		************	
	N	%	N	%	N	%
EDUCATION LEVEL						
<9TH GRADE	25	4.3	36	5.0	61	4.6
SOME HIGH SCHOOL	32	7.6	58	8.8	90	8.2
HIGH SCHOOL GRADUATE	151	34.1	244	38.0	395	36.1
SOME TECHNICAL SCHOOL	12	2.5	15	2.6	27	2.6
TECHNICAL SCHOOL GRADUATE	6	1.2	14	1.8	20	1.5
SOME COLLEGE	116	23.0	159	2 .7	275	23.9
COLLEGE GRADUATE	83	14.8	88	12.0	171	13.4
POST GRADUATE	72	12.5	57	7.0	129	9.6
UNK/REFUSED	.	.	3	0.3	3	0.1
TOTAL	497	48.4	674	51.6	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 7. EDUCATION BY RACE

RACE GROUPED

	WHITE		BLACK		HISPANIC		OTHER		UNK/REFUSED		***TOTAL***	
	************		************		************		************		************		************	
	N	%	N	%	N	%	N	%	N	%	N	%
EDUCATION LEVEL												
<9TH GRADE	24	2.6	.	.	33	9.4	2	2.4	2	24.3	61	4.6
SOME HIGH SCHOOL	45	6.0	1	7.2	41	12.8	3	10.7	.	.	90	8.2
HIGH SCHOOL GRADUATE	231	31.8	7	62.2	140	44.0	16	39.6	1	23.8	395	36.1
SOME TECHNICAL SCHOOL	19	2.4	.	.	8	3.5	.	.	.	.	27	2.6
TECHNICAL SCHOOL GRADUATE	19	2.3	.	.	1	0.2	.	.	.	.	20	1.5
SOME COLLEGE	193	25.0	3	18.0	64	21.2	14	27.6	1	13.0	275	23.9
COLLEGE GRADUATE	142	17.0	1	3.2	23	6.0	4	11.6	1	14.6	171	13.4
POST GRADUATE	113	12.9	2	9.5	9	2.5	4	8.1	1	24.3	129	9.6
UNK/REFUSED	1	0.1	.	.	2	0.3	.	.	.	.	3	0.1
TOTAL	787	64.8	14	1.4	321	29.2	43	4.2	6	0.4	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 8. EDUCATION BY AGE

	AGE GROUP													
	18-24		25-34		35-44		45-54		55-64		65 +		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
EDUCATION LEVEL														
<9TH GRADE	1	0.6	7	1.7	3	1.1	6	4.4	13	10.2	31	14.8	61	4.6
SOME HIGH SCHOOL	17	13.0	16	6.2	13	5.4	15	9.4	11	8.4	18	8.4	90	8.2
HIGH SCHOOL GRADUATE	62	47.3	98	37.2	74	28.8	53	36.6	33	28.5	75	35.9	395	36.1
SOME TECHNICAL SCHOOL	3	3.0	6	2.5	6	3.0	1	0.3	5	4.0	6	2.5	27	2.6
TECHNICAL SCHOOL GRADUATE	2	1.4	6	1.7	2	0.7	2	0.9	3	1.3	5	3.2	20	1.5
SOME COLLEGE	46	32.4	70	24.1	65	25.4	35	21.8	21	18.1	38	17.9	275	23.9
COLLEGE GRADUATE	4	2.3	48	16.2	52	19.8	26	14.6	17	14.7	24	11.1	171	13.4
POST GRADUATE	.	.	28	10.4	47	15.8	22	12.1	19	14.8	13	5.3	129	9.6
UNK/REFUSED	.	.	.	.	.	.	.	.	.	.	3	0.9	3	0.1
TOTAL	135	17.3	279	24.7	262	18.7	160	13.1	122	11.9	213	14.3	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 9. MARITAL STATUS BY SEX

	SEX					
	MALE		FEMALE		***TOTAL***	
	************		************		************	
	N	%	N	%	N	%
MARITAL STATUS						
MARRIED	295	61.5	376	63.2	671	62.4
DIVORCED	61	8.5	73	7.7	134	8.1
WIDOWED	16	2.3	99	9.6	115	6.1
SEPARATED	12	2.1	16	1.9	28	2.0
NEVER MARRIED	94	21.0	94	13.9	188	17.3
UNMARRIED COUPLE	18	4.6	15	3.6	33	4.1
UNK/REFUSED	1	0.1	1	0.1	2	0.1
TOTAL	497	48.4	674	51.6	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 10. MARITAL STATUS BY RACE

	RACE GROUPED											
	WHITE		BLACK		HISPANIC		OTHER		UNK/REFUSED		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%	N	%
MARITAL STATUS												
MARRIED	451	63.8	7	50.5	190	62.7	21	43.9	2	48.1	671	62.4
DIVORCED	85	7.7	4	19.1	39	8.1	4	8.8	2	26.7	134	8.1
WIDOWED	87	6.9	.	.	22	4.1	5	8.4	1	12.2	115	6.1
SEPARATED	17	1.8	.	.	9	2.5	2	2.1	.	.	28	2.0
NEVER MARRIED	130	16.7	3	30.3	45	16.0	10	33.2	.	.	188	17.3
UNMARRIED COUPLE	16	3.1	.	.	15	6.5	1	3.6	1	13.0	33	4.1
UNK/REFUSED	1	0.1	.	.	1	0.1	.	.	.	.	2	0.1
TOTAL	787	64.8	14	1.4	321	29.2	43	4.2	6	0.4	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 11. MARITAL STATUS BY AGE

	AGE GROUP													
	18-24		25-34		35-44		45-54		55-64		65 +		***TOTAL***	
	************		************		************		************		************		************		************	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
MARITAL STATUS														
MARRIED	36	20.9	172	67.9	175	76.4	111	76.6	85	78.1	92	58.6	671	62.4
DIVORCED	7	5.1	26	7.1	37	9.1	30	13.8	15	8.7	19	6.2	134	8.1
WIDOWED	1	0.4	3	0.6	5	1.7	5	2.5	11	6.8	90	31.0	115	6.1
SEPARATED	2	1.7	6	2.1	10	2.5	4	2.7	4	1.8	2	1.0	28	2.0
NEVER MARRIED	69	56.1	64	18.7	28	7.5	10	4.5	7	4.6	10	3.3	188	17.3
UNMARRIED COUPLE	20	15.9	8	3.6	5	2.3	.	.	.	.	.	.	33	4.1
UNK/REFUSED	.	.	.	.	2	0.4	.	.	.	.	.	.	2	0.1
TOTAL	135	17.3	279	24.7	262	18.7	160	13.1	122	11.9	213	14.3	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 12. EMPLOYMENT STATUS BY SEX

	SEX					
	MALE		FEMALE		***TOTAL***	
	N	%	N	%	N	%
EMPLOYMENT STATUS						
EMPLOYED	279	54.8	287	41.8	566	48.1
SELF EMPLOYED	73	14.1	57	8.3	130	11.1
OUT OF WORK >1 YEAR	14	3.1	21	2.5	35	2.8
OUT OF WORK <1 YEAR	6	1.5	12	2.0	18	1.8
HOMEMAKER	1	0.2	122	20.9	123	10.9
STUDENT	32	9.0	39	8.1	71	8.5
RETIRED	90	16.5	134	16.0	224	16.2
UNK/REFUSED	2	0.8	2	0.3	4	0.5
TOTAL	497	48.4	674	51.6	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 13. EMPLOYMENT STATUS BY RACE

	RACE GROUPED											
	WHITE		BLACK		HISPANIC		OTHER		UNK/REFUSED		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%	N	%
EMPLOYMENT STATUS												
EMPLOYED	359	46.0	7	33.5	179	54.3	19	41.0	2	48.1	566	48.1
SELF EMPLOYED	98	12.3	2	10.8	24	8.2	5	13.5	1	12.1	130	11.1
OUT OF WORK >1 YEAR	16	2.2	.	.	17	4.2	1	2.3	1	14.6	35	2.8
OUT OF WORK <1 YEAR	10	1.3	.	.	8	3.3	.	.	.	.	18	1.8
HOMEMAKER	78	10.4	.	.	40	12.8	5	10.4	.	.	123	10.9
STUDENT	42	7.5	2	25.4	21	8.3	6	21.3	.	.	71	8.5
RETIRED	183	20.2	3	30.3	30	7.4	7	11.6	1	12.2	224	16.2
UNK/REFUSED	1	0.1	.	.	2	1.4	.	.	1	13.0	4	0.5
TOTAL	787	64.8	14	1.4	321	29.2	43	4.2	6	0.4	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 14. EMPLOYMENT STATUS BY AGE

	AGE GROUP													
	18-24		25-34		35-44		45-54		55-64		65 +		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
EMPLOYMENT STATUS														
EMPLOYED	57	40.9	187	66.8	177	67.2	95	57.1	35	30.3	15	6.0	566	48.1
SELF EMPLOYED	10	6.3	27	10.6	36	14.6	26	16.0	20	14.7	11	5.7	130	11.1
OUT OF WORK >1 YEAR	6	4.1	13	3.4	8	2.5	5	4.0	3	2.4	.	.	35	2.8
OUT OF WORK <1 YEAR	5	3.3	6	2.4	4	2.1	3	1.7	.	.	.	.	18	1.8
HOMEMAKER	10	5.3	31	11.8	26	9.6	22	16.6	20	17.6	14	7.2	123	10.9
STUDENT	45	38.1	15	5.1	6	1.9	4	2.3	.	.	1	0.3	71	8.5
RETIRED	.	.	.	.	4	1.6	5	2.4	43	34.1	172	80.8	224	16.2
UNK/REFUSED	2	2.0	.	.	1	0.5	.	.	1	0.9	.	.	4	0.5
TOTAL	135	17.3	279	24.7	262	18.7	160	13.1	122	11.9	213	14.3	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

BAR CHART OF RISK FACTORS

BAR CHART OF PERCENT



BEHAVIORAL RISK FACTOR SURVEY SYSTEM

BAR CHART OF RISK FACTORS (CONTINUE)

BAR CHART OF PERCENT



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM: RISK FACTOR DEFINITIONS

SEATBELT(1)	RESPONDENTS REPORTING THEY "SELDOM" OR "NEVER" USE SEATBELTS.
SEATBELT(2)	RESPONDENTS REPORTING THEY "SOMETIMES", "SELDOM" OR"NEVER" USE SEATBELTS. THESE DATA ITEMS ARE CLOSER TO VALIDATION STUDIES OF SEATBELT USAGE THAN SEATBELT(1) I.E., _RFSEATB.
HYPERTENSION(1)	RESPONDENTS WHO REPORT THEY HAVE EVER BEEN TOLD THEY ARE HYPERTENSIVE AND THEIR BLOOD PRESSURE IS "STILL HIGH."
HYPERTENSION(2)	RESPONDENTS WHO REPORT THEY HAVE EVER BEEN TOLD THEY ARE HYPERTENSIVE.
HYPERTENSION(3)	RESPONDENTS WHO REPORT THEY HAVE BEEN TOLD THEIR BLOOD PRESSURE IS HIGH MORE THAN ONCE, OR ARE ON MEDICATION, OR REPORT THEIR BLOOD PRESSURE IS STILL HIGH. THIS DATA ITEM HAS BEEN ADDED TO DEFINE "CURRENT HYPERTENSIVES", A REFLECTION OF THE KNOWN, DIAGNOSED HYPERTENSIVES IN THE POPULATION. THIS IS THE NATIONAL HEART, LUNG AND BLOOD INSTITUTES DEFINITION.
OVERWEIGHT (1)	RESPONDENT AT OR ABOVE 120% OF IDEAL WEIGHT. IDEAL WEIGHT DEFINED AS THE MID-VALUE OF A MEDIAN FRAME PERSON FROM THE 1959 METROPOLITAN HEIGHT-WEIGHT TABLES.
OVERWEIGHT (2)	FEMALES WITH BODY MASS INDEX (WEIGHT IN KILOGRAMS DIVIDED BY HEIGHT IN METERS SQUARED (W/H**2)) >=27.3 AND MALES WITH BODY MASS INDEX >=27.8
SMOKING	CURRENT REGULAR SMOKER (EVER SMOKED 100 CIGARETTES AND SMOKE NOW).
ACUTE DRINKING	RESPONDENTS WHO REPORT HAVING FIVE OR MORE DRINKS ON AN OCCASION, ONE OR MORE TIMES IN THE PAST MONTH.
DRINK/DRIVE	RESPONDENTS WHO REPORT HAVING DRIVEN AFTER HAVING TOO MUCH TO DRINK, ONE OR MORE TIMES IN THE PAST MONTH.
CHRON. DRINKING	RESPONDENTS WHO REPORT AN AVERAGE OF 60 OR MORE ALCOHOLIC DRINKS A MONTH.
SEDENTARY LIFE	RESPONDENTS AT SEDENTARY OR IRREGULAR ACTIVITY LEVEL.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 15. SEATBELT RISK FACTORS BY DEMOGRAPHICS

	AT RISK FOR LACK OF SEATBELT USAGE (1)						AT RISK FOR LACK OF SEATBELT USAGE (2)							
	AT RISK		NOT AT RISK		UNKNOWN		AT RISK		NOT AT RISK		UNKNOWN		***TOTAL***	
	************		************		************		************		************		************		************	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
SEX														
MALE	44	8.8	450	90.6	3	0.6	80	16.5	414	82.8	3	0.6	497	100.0
FEMALE	37	5.7	637	94.3	.	.	89	13.0	585	87.0	.	.	674	100.0
AGE GROUP														
18-24	15	11.3	120	88.7	.	.	27	21.0	108	79.0	.	.	135	100.0
25-34	23	7.9	256	92.1	.	.	47	16.3	232	83.7	.	.	279	100.0
35-44	15	5.3	246	94.5	1	0.2	32	11.3	229	88.4	1	0.2	262	100.0
45-54	9	7.8	150	91.1	1	1.1	19	13.8	140	85.1	1	1.1	160	100.0
55-64	9	6.1	112	93.0	1	1.0	22	14.5	99	84.5	1	1.0	122	100.0
65 +	10	4.1	203	95.9	.	.	22	9.7	191	90.3	.	.	213	100.0
TOTAL	81	7.2	1087	92.5	3	0.3	169	14.7	999	85.0	3	0.3	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 15. SEATBELT RISK FACTORS BY DEMOGRAPHICS

		AT RISK FOR LACK OF SEATBELT USAGE (1)						AT RISK FOR LACK OF SEATBELT USAGE (2)							
		AT RISK		NOT AT RISK		UNKNOWN		AT RISK		NOT AT RISK		UNKNOWN		***TOTAL***	
		************		************		************		************		************		************		************	
		N	%	N	%	N	%	N	%	N	%	N	%	N	%
SEX	AGE GROUP														
MALE	18-24	8	15.8	46	84.2	.	.	14	27.5	40	72.5	.	.	54	100.0
	25-34	11	8.2	118	91.8	.	.	25	19.2	104	80.8	.	.	129	100.0
	35-44	9	7.2	108	92.3	1	0.5	14	11.6	103	87.9	1	0.5	118	100.0
	45-54	5	8.1	64	89.7	1	2.2	9	12.9	60	84.9	1	2.2	70	100.0
	55-64	7	9.2	45	88.8	1	2.0	12	17.3	40	80.6	1	2.0	53	100.0
	65 +	4	3.1	69	96.9	.	.	6	6.2	67	93.8	.	.	73	100.0
FEMALE	18-24	7	6.8	74	93.2	.	.	13	14.5	68	85.5	.	.	81	100.0
	25-34	12	7.7	138	92.3	.	.	22	13.4	128	86.6	.	.	150	100.0
	35-44	6	3.3	138	96.7	.	.	18	11.1	126	88.9	.	.	144	100.0
	45-54	4	7.5	86	92.5	.	.	10	14.7	80	85.3	.	.	90	100.0
	55-64	2	3.3	67	96.7	.	.	10	12.0	59	88.0	.	.	69	100.0
	65 +	6	4.8	134	95.2	.	.	16	12.4	124	87.6	.	.	140	100.0
TOTAL		81	7.2	1087	92.5	3	0.3	169	14.7	999	85.0	3	0.3	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 15. SEATBELT RISK FACTORS BY DEMOGRAPHICS

	AT RISK FOR LACK OF SEATBELT USAGE (1)						AT RISK FOR LACK OF SEATBELT USAGE (2)							
	AT RISK		NOT AT RISK		UNKNOWN		AT RISK		NOT AT RISK		UNKNOWN		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
RACE GROUPED														
WHITE	59	7.9	726	91.9	2	0.2	103	12.9	682	86.9	2	0.2	787	100.0
BLACK	.	.	14	100.0	.	.	1	6.3	13	93.7	.	.	14	100.0
HISPANIC	17	6.1	303	93.4	1	0.5	55	18.7	265	80.8	1	0.5	321	100.0
OTHER	2	3.9	41	96.1	.	.	6	13.1	37	86.9	.	.	43	100.0
UNK/REFUSED	3	39.8	3	60.2	.	.	4	63.6	2	36.4	.	.	6	100.0
MARITAL STATUS														
MARRIED	30	4.8	639	94.8	2	0.4	76	11.9	593	87.7	2	0.4	671	100.0
DIVORCED	15	10.1	118	89.3	1	0.6	29	18.6	104	80.9	1	0.6	134	100.0
WIDOWED	8	8.3	107	91.7	.	.	16	14.7	99	85.3	.	.	115	100.0
SEPARATED	2	12.0	26	88.0	.	.	5	16.8	23	83.2	.	.	28	100.0
NEVER MARRIED	20	11.1	168	88.9	.	.	29	16.8	159	83.2	.	.	188	100.0
UNMARRIED COUPLE	6	18.4	27	81.6	.	.	13	39.5	20	60.5	.	.	33	100.0
UNK/REFUSED	.	.	2	100.0	.	.	1	43.9	1	56.1	.	.	2	100.0
TOTAL	81	7.2	1087	92.5	3	0.3	169	14.7	999	85.0	3	0.3	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 15. SEATBELT RISK FACTORS BY DEMOGRAPHICS

	AT RISK FOR LACK OF SEATBELT USAGE (1)						AT RISK FOR LACK OF SEATBELT USAGE (2)							
	AT RISK		NOT AT RISK		UNKNOWN		AT RISK		NOT AT RISK		UNKNOWN		***TOTAL***	
	************		************		************		************		************		************		************	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
INCOME LEVEL														
<$10,000	13	9.3	146	90.3	1	0.4	28	20.0	131	79.6	1	0.4	160	100.0
$10-$15,000	8	4.9	101	93.9	1	1.2	15	13.7	94	85.1	1	1.2	110	100.0
$15-$20,000	10	8.7	115	91.3	.	.	26	18.4	99	81.6	.	.	125	100.0
$20-$25,000	11	10.0	96	90.0	.	.	17	16.0	90	84.0	.	.	107	100.0
$25-$35,000	10	5.2	167	94.0	1	0.9	23	12.5	154	86.6	1	0.9	178	100.0
$35-$50,000	5	4.3	134	95.7	.	.	14	10.0	125	90.0	.	.	139	100.0
UNK/REFUSED	15	8.0	199	92.0	.	.	33	17.2	181	82.8	.	.	214	100.0
>$50,000	9	8.2	129	91.8	.	.	13	10.4	125	89.6	.	.	138	100.0
TOTAL	81	7.2	1087	92.5	3	0.3	169	14.7	999	85.0	3	0.3	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 15. SEATBELT RISK FACTORS BY DEMOGRAPHICS

	AT RISK FOR LACK OF SEATBELT USAGE (1)						AT RISK FOR LACK OF SEATBELT USAGE (2)							
	AT RISK		NOT AT RISK		UNKNOWN		AT RISK		NOT AT RISK		UNKNOWN		***TOTAL***	
	************		************		************		************		************		************		************	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
EMPLOYMENT STATUS														
EMPLOYED	38	6.9	527	92.8	1	0.3	81	14.4	484	85.3	1	0.3	566	100.0
SELF EMPLOYED	10	9.4	120	90.6	.	.	23	18.7	107	81.3	.	.	130	100.0
OUT OF WORK >1 YEAR	6	15.8	28	82.6	1	1.6	8	18.3	26	80.1	1	1.6	35	100.0
OUT OF WORK <1 YEAR	2	11.0	16	89.0	.	.	4	29.0	14	71.0	.	.	18	100.0
HOMEMAKER	6	6.7	117	93.3	.	.	14	13.3	109	86.7	.	.	123	100.0
STUDENT	4	5.6	67	94.4	.	.	9	11.6	62	88.4	.	.	71	100.0
RETIRED	13	5.4	210	93.9	1	0.7	27	11.2	196	88.1	1	0.7	224	100.0
UNK/REFUSED	2	29.1	2	70.9	.	.	3	83.3	1	16.7	.	.	4	100.0
TOTAL	81	7.2	1087	92.5	3	0.3	169	14.7	999	85.0	3	0.3	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 15. SEATBELT RISK FACTORS BY DEMOGRAPHICS

	AT RISK FOR LACK OF SEATBELT USAGE (1)						AT RISK FOR LACK OF SEATBELT USAGE (2)							
	AT RISK		NOT AT RISK		UNKNOWN		AT RISK		NOT AT RISK		UNKNOWN		***TOTAL***	
	************		************		************		************		************		************		************	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
EDUCATION LEVEL														
<9TH GRADE	7	9.7	54	90.3	.	.	15	26.2	46	73.8	.	.	61	100.0
SOME HIGH SCHOOL	9	10.6	80	88.9	1	0.5	19	20.6	70	78.9	1	0.5	90	100.0
HIGH SCHOOL GRADUATE	28	7.7	366	92.0	1	0.3	59	15.4	335	84.3	1	0.3	395	100.0
SOME TECHNICAL SCHOOL	3	15.5	24	84.5	.	.	4	18.9	23	81.1	.	.	27	100.0
TECHNICAL SCHOOL GRADUATE	1	9.5	19	90.5	.	.	4	23.2	16	76.8	.	.	20	100.0
SOME COLLEGE	19	6.9	256	93.1	.	.	38	13.7	237	86.3	.	.	275	100.0
COLLEGE GRADUATE	10	4.7	161	95.3	.	.	19	10.3	152	89.7	.	.	171	100.0
POST GRADUATE	4	3.2	124	95.3	1	1.5	11	8.1	117	90.4	1	1.5	129	100.0
UNK/REFUSED	.	.	3	100.0	.	.	.	.	3	100.0	.	.	3	100.0
TOTAL	81	7.2	1087	92.5	3	0.3	169	14.7	999	85.0	3	0.3	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 16. HYPERTENSION(1) RISK FACTOR BY DEMOGRAPHICS
(EVER TOLD HYPERTENSIVE AND BLOOD PRESSURE STILL HIGH)

		AT RISK FOR HYPERTENSION (1)							
		AT RISK		NOT AT RISK		UNKNOWN		***TOTAL***	
		************		************		************		************	
		N	%	N	%	N	%	N	%
SEX	AGE GROUP								
MALE	18-24	1	3.3	53	96.7	.	.	54	100.0
	25-34	1	0.9	126	98.2	2	0.9	129	100.0
	35-44	1	0.5	116	99.0	1	0.5	118	100.0
	45-54	1	1.5	69	98.5	.	.	70	100.0
	55-64	.	.	53	100.0	.	.	53	100.0
	65 +	2	2.3	70	96.9	1	0.8	73	100.0
FEMALE	18-24	.	.	81	100.0	.	.	81	100.0
	25-34	.	.	150	100.0	.	.	150	100.0
	35-44	.	.	144	100.0	.	.	144	100.0
	45-54	1	1.1	89	98.9	.	.	90	100.0
	55-64	2	1.7	66	97.5	1	0.8	69	100.0
	65 +	2	1.1	138	98.9	.	.	140	100.0
TOTAL		11	0.9	1155	98.8	5	0.3	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 16. HYPERTENSION(1) RISK FACTOR BY DEMOGRAPHICS
(EVER TOLD HYPERTENSIVE AND BLOOD PRESSURE STILL HIGH)

AT RISK FOR HYPERTENSION (1)

	AT RISK		NOT AT RISK		UNKNOWN		***TOTAL***	
	************		************		************		************	
	N	%	N	%	N	%	N	%
SEX								
MALE	6	1.4	487	98.2	4	0.4	497	100.0
FEMALE	5	0.5	668	99.4	1	0.1	674	100.0
AGE GROUP								
18-24	1	1.7	134	98.3	.	.	135	100.0
25-34	1	0.4	276	99.1	2	0.4	279	100.0
35-44	1	0.2	260	99.5	1	0.2	262	100.0
45-54	2	1.3	158	98.7	.	.	160	100.0
55-64	2	0.9	119	98.7	1	0.4	122	100.0
65 +	4	1.6	208	98.1	1	0.3	213	100.0
TOTAL	11	0.9	1155	98.8	5	0.3	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 16. HYPERTENSION(1) RISK FACTOR BY DEMOGRAPHICS
(EVER TOLD HYPERTENSIVE AND BLOOD PRESSURE STILL HIGH)

AT RISK FOR HYPERTENSION (1)

	AT RISK		NOT AT RISK		UNKNOWN		***TOTAL***	
	************		************		************		************	
	N	%	N	%	N	%	N	%
RACE GROUPED								
WHITE	7	1.1	776	98.6	4	0.3	787	100.0
BLACK	1	3.2	13	96.8	.	.	14	100.0
HISPANIC	2	0.3	318	99.5	1	0.2	321	100.0
OTHER	1	2.6	42	97.4	.	.	43	100.0
UNK/REFUSED	.	.	6	100.0	.	.	6	100.0
MARITAL STATUS								
MARRIED	4	0.6	665	99.2	2	0.2	671	100.0
DIVORCED	3	1.7	130	97.7	1	0.6	134	100.0
WIDOWED	3	2.4	112	97.6	.	.	115	100.0
SEPARATED	.	.	28	100.0	.	.	28	100.0
NEVER MARRIED	1	1.7	185	97.8	2	0.6	188	100.0
UNMARRIED COUPLE	.	.	33	100.0	.	.	33	100.0
UNK/REFUSED	.	.	2	100.0	.	.	2	100.0
TOTAL	11	0.9	1155	98.8	5	0.3	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 16. HYPERTENSION(1) RISK FACTOR BY DEMOGRAPHICS
(EVER TOLD HYPERTENSIVE AND BLOOD PRESSURE STILL HIGH)

AT RISK FOR HYPERTENSION (1)

	AT RISK ************		NOT AT RISK ************		UNKNOWN ************		***TOTAL*** ************	
	N	%	N	%	N	%	N	%
INCOME LEVEL								
<$10,000	1	0.4	156	98.4	3	1.2	160	100.0
$10-$15,000	.	.	110	100.0	.	.	110	100.0
$15-$20,000	1	0.5	124	99.5	.	.	125	100.0
$20-$25,000	2	2.3	105	97.7	.	.	107	100.0
$25-$35,000	1	1.8	177	98.2	.	.	178	100.0
$35-$50,000	.	.	138	99.6	1	0.4	139	100.0
UNK/REFUSED	5	1.5	209	98.5	.	.	214	100.0
>$50,000	1	0.6	136	99.0	1	0.4	138	100.0
TOTAL	11	0.9	1155	98.8	5	0.3	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 16. HYPERTENSION(1) RISK FACTOR BY DEMOGRAPHICS
(EVER TOLD HYPERTENSIVE AND BLOOD PRESSURE STILL HIGH)

AT RISK FOR HYPERTENSION (1)

	AT RISK		NOT AT RISK		UNKNOWN		***TOTAL***	
	************		************		************		************	
	N	%	N	%	N	%	N	%
EMPLOYMENT STATUS								
EMPLOYED	4	1.1	559	98.6	3	0.3	566	100.0
SELF EMPLOYED	1	0.4	128	99.1	1	0.5	130	100.0
OUT OF WORK >1 YEAR	.	.	35	100.0	.	.	35	100.0
OUT OF WORK <1 YEAR	.	.	18	100.0	.	.	18	100.0
HOMEMAKER	1	0.5	122	99.5	.	.	123	100.0
STUDENT	.	.	71	100.0	.	.	71	100.0
RETIRED	5	2.1	218	97.7	1	0.3	224	100.0
UNK/REFUSED	.	.	4	100.0	.	.	4	100.0
TOTAL	11	0.9	1155	98.8	5	0.3	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 16. HYPERTENSION(1) RISK FACTOR BY DEMOGRAPHICS
(EVER TOLD HYPERTENSIVE AND BLOOD PRESSURE STILL HIGH)

AT RISK FOR HYPERTENSION (1)

	AT RISK		NOT AT RISK		UNKNOWN		***TOTAL***	
	N	%	N	%	N	%	N	%
EDUCATION LEVEL								
<9TH GRADE	1	0.9	58	96.9	2	2.2	61	100.0
SOME HIGH SCHOOL	.	.	90	100.0	.	.	90	100.0
HIGH SCHOOL GRADUATE	5	1.6	389	98.3	1	0.2	395	100.0
SOME TECHNICAL SCHOOL	1	1.9	26	98.1	.	.	27	100.0
TECHNICAL SCHOOL GRADUATE	.	.	20	100.0	.	.	20	100.0
SOME COLLEGE	2	0.8	272	98.9	1	0.2	275	100.0
COLLEGE GRADUATE	2	0.7	169	99.3	.	.	171	100.0
POST GRADUATE	.	.	128	99.5	1	0.5	129	100.0
UNK/REFUSED	.	.	3	100.0	.	.	3	100.0
TOTAL	11	0.9	1155	98.8	5	0.3	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 17. HYPERTENSION RISK FACTORS BY DEMOGRAPHICS

		AT RISK FOR HYPERTENSION (2)						AT RISK FOR HYPERTENSION (3)							
		AT RISK		NOT AT RISK		UNKNOWN		AT RISK		NOT AT RISK		UNKNOWN		***TOTAL***	
		************		************		************		************		************		************		************	
		N	%	N	%	N	%	N	%	N	%	N	%	N	%
SEX	AGE GROUP														
MALE	18-24	6	13.3	48	86.7	.	.	2	5.0	52	95.0	.	.	54	100.0
	25-34	8	7.5	121	92.5	.	.	5	5.3	123	94.3	1	0.4	129	100.0
	35-44	14	11.1	104	88.9	.	.	11	9.6	107	90.4	.	.	118	100.0
	45-54	15	21.4	55	78.6	.	.	12	17.7	58	82.3	.	.	70	100.0
	55-64	13	26.5	40	73.5	.	.	12	25.5	41	74.5	.	.	53	100.0
	65 +	26	33.2	47	66.8	.	.	24	29.3	49	70.7	.	.	73	100.0
FEMALE	18-24	7	9.5	74	90.5	.	.	3	3.5	78	96.5	.	.	81	100.0
	25-34	7	4.6	143	95.4	.	.	2	1.2	148	98.8	.	.	150	100.0
	35-44	17	11.6	127	88.4	.	.	11	7.1	133	92.9	.	.	144	100.0
	45-54	16	19.0	74	81.0	.	.	13	17.0	77	83.0	.	.	90	100.0
	55-64	20	29.9	48	69.3	1	0.8	17	24.1	51	75.1	1	0.8	69	100.0
	65 +	57	41.7	83	58.3	.	.	51	38.2	89	61.8	.	.	140	100.0
TOTAL		206	17.0	964	82.9	1	0.1	163	13.2	1006	86.7	2	0.1	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 17. HYPERTENSION RISK FACTORS BY DEMOGRAPHICS

	AT RISK FOR HYPERTENSION (2)						AT RISK FOR HYPERTENSION (3)							
	AT RISK		NOT AT RISK		UNKNOWN		AT RISK		NOT AT RISK		UNKNOWN		***TOTAL***	
	***********		***********		***********		***********		***********		***********		***********	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
SEX														
MALE	82	16.6	415	83.4	.	.	66	13.1	430	86.8	1	0.1	497	100.0
FEMALE	124	17.5	549	82.4	1	0.1	97	13.3	576	86.6	1	0.1	674	100.0
AGE GROUP														
18-24	13	11.4	122	88.6	.	.	5	4.3	130	95.7	.	.	135	100.0
25-34	15	6.1	264	93.9	.	.	7	3.2	271	96.6	1	0.2	279	100.0
35-44	31	11.3	231	88.7	.	.	22	8.4	240	91.6	.	.	262	100.0
45-54	31	20.1	129	79.9	.	.	25	17.3	135	82.7	.	.	160	100.0
55-64	33	28.3	88	71.3	1	0.4	29	24.7	92	74.8	1	0.4	122	100.0
65 +	83	38.0	130	62.0	.	.	75	34.3	138	65.7	.	.	213	100.0
TOTAL	206	17.0	964	82.9	1	0.1	163	13.2	1006	86.7	2	0.1	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 17. HYPERTENSION RISK FACTORS BY DEMOGRAPHICS

	AT RISK FOR HYPERTENSION (2)						AT RISK FOR HYPERTENSION (3)							
	AT RISK		NOT AT RISK		UNKNOWN		AT RISK		NOT AT RISK		UNKNOWN		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
RACE GROUPED														
WHITE	144	17.4	643	82.6	.	.	116	13.7	670	86.2	1	0.1	787	100.0
BLACK	2	16.6	12	83.4	.	.	2	16.6	12	83.4	.	.	14	100.0
HISPANIC	53	15.4	267	84.5	1	0.2	41	12.2	279	87.7	1	0.2	321	100.0
OTHER	6	22.0	37	78.0	.	.	3	10.5	40	89.5	.	.	43	100.0
UNK/REFUSED	1	23.8	5	76.2	.	.	1	23.8	5	76.2	.	.	6	100.0
MARITAL STATUS														
MARRIED	102	16.3	568	83.7	1	0.1	82	13.4	588	86.6	1	0.1	671	100.0
DIVORCED	36	26.0	98	74.0	.	.	25	17.2	109	82.8	.	.	134	100.0
WIDOWED	44	34.8	71	65.2	.	.	41	33.0	74	67.0	.	.	115	100.0
SEPARATED	3	7.8	25	92.2	.	.	2	5.5	26	94.5	.	.	28	100.0
NEVER MARRIED	18	12.1	170	87.9	.	.	12	6.9	175	92.8	1	0.3	188	100.0
UNMARRIED COUPLE	3	10.4	30	89.6	.	.	1	4.3	32	95.7	.	.	33	100.0
UNK/REFUSED	.	.	2	100.0	.	.	.	.	2	100.0	.	.	2	100.0
TOTAL	206	17.0	964	82.9	1	0.1	163	13.2	1006	86.7	2	0.1	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 17. HYPERTENSION RISK FACTORS BY DEMOGRAPHICS

	AT RISK FOR HYPERTENSION (2)						AT RISK FOR HYPERTENSION (3)							
	AT RISK		NOT AT RISK		UNKNOWN		AT RISK		NOT AT RISK		UNKNOWN		***TOTAL***	
	************		************		************		************		************		************		************	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
INCOME LEVEL														
<$10,000	42	22.3	117	77.2	1	0.4	37	18.5	122	81.0	1	0.4	160	100.0
$10-$15,000	15	14.2	95	85.8	.	.	12	10.7	98	89.3	.	.	110	100.0
$15-$20,000	23	17.8	102	82.2	.	.	21	15.7	104	84.3	.	.	125	100.0
$20-$25,000	15	15.3	92	84.7	.	.	12	12.8	95	87.2	.	.	107	100.0
$25-$35,000	28	19.3	150	80.7	.	.	18	12.2	160	87.8	.	.	178	100.0
$35-$50,000	12	8.4	127	91.6	.	.	9	6.7	129	92.9	1	0.4	139	100.0
UNK/REFUSED	54	21.9	160	78.1	.	.	41	17.0	173	83.0	.	.	214	100.0
>$50,000	17	13.0	121	87.0	.	.	13	10.3	125	89.7	.	.	138	100.0
TOTAL	206	17.0	964	82.9	1	0.1	163	13.2	1006	86.7	2	0.1	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 17. HYPERTENSION RISK FACTORS BY DEMOGRAPHICS

	AT RISK FOR HYPERTENSION (2)						AT RISK FOR HYPERTENSION (3)							
	AT RISK		NOT AT RISK		UNKNOWN		AT RISK		NOT AT RISK		UNKNOWN		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
EMPLOYMENT STATUS														
EMPLOYED	67	12.4	499	87.6	.	.	47	8.9	518	91.0	1	0.1	566	100.0
SELF EMPLOYED	19	14.0	110	85.5	1	0.5	16	12.2	113	87.3	1	0.5	130	100.0
OUT OF WORK >1 YEAR	5	17.4	30	82.6	.	.	4	12.2	31	87.8	.	.	35	100.0
OUT OF WORK <1 YEAR	2	11.0	16	89.0	.	.	1	5.2	17	94.8	.	.	18	100.0
HOMEMAKER	22	20.4	101	79.6	.	.	16	15.8	107	84.2	.	.	123	100.0
STUDENT	2	4.3	69	95.7	.	.	1	0.9	70	99.1	.	.	71	100.0
RETIRED	89	38.4	135	61.6	.	.	78	32.9	146	67.1	.	.	224	100.0
UNK/REFUSED	.	.	4	100.0	.	.	.	.	4	100.0	.	.	4	100.0
TOTAL	206	17.0	964	82.9	1	0.1	163	13.2	1006	86.7	2	0.1	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 17. HYPERTENSION RISK FACTORS BY DEMOGRAPHICS

	AT RISK FOR HYPERTENSION (2)						AT RISK FOR HYPERTENSION (3)							
	AT RISK		NOT AT RISK		UNKNOWN		AT RISK		NOT AT RISK		UNKNOWN		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
EDUCATION LEVEL														
<9TH GRADE	20	32.5	40	66.4	1	1.1	19	29.4	41	69.5	1	1.1	61	100.0
SOME HIGH SCHOOL	20	20.0	70	80.0	.	.	18	18.3	72	81.7	.	.	90	100.0
HIGH SCHOOL GRADUATE	79	18.6	316	81.4	.	.	57	13.2	338	86.8	.	.	395	100.0
SOME TECHNICAL SCHOOL	6	16.9	21	83.1	.	.	4	11.1	23	88.9	.	.	27	100.0
TECHNICAL SCHOOL GRADUATE	2	12.0	18	88.0	.	.	2	12.0	18	88.0	.	.	20	100.0
SOME COLLEGE	42	16.2	233	83.8	.	.	31	11.7	243	88.0	1	0.2	275	100.0
COLLEGE GRADUATE	21	12.6	150	87.4	.	.	19	11.9	152	88.1	.	.	171	100.0
POST GRADUATE	14	9.6	115	90.4	.	.	11	6.9	118	93.1	.	.	129	100.0
UNK/REFUSED	2	66.7	1	33.3	.	.	2	66.7	1	33.3	.	.	3	100.0
TOTAL	206	17.0	964	82.9	1	0.1	163	13.2	1006	86.7	2	0.1	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 18. OVERWEIGHT BASED ON PERCENT OF MEDIAN AND OVERWEIGHT BASED ON BODY MASS INDEX (BMI)

		AT RISK FOR OVERWEIGHT						AT RISK FOR OVERWEIGHT (BASED ON BMI)							
		AT RISK		NOT AT RISK		UNKNOWN		AT RISK		NOT AT RISK		UNKNOWN		***TOTAL***	
		************		************		************		************		************		************		************	
		N	%	N	%	N	%	N	%	N	%	N	%	N	%
SEX	AGE GROUP														
MALE	18-24	5	7.5	48	90.8	1	1.7	5	7.5	48	90.8	1	1.7	54	100.0
	25-34	17	13.3	104	79.2	8	7.5	16	12.4	105	80.1	8	7.5	129	100.0
	35-44	25	22.7	88	74.0	5	3.4	19	17.8	94	78.8	5	3.4	118	100.0
	45-54	17	26.6	51	70.5	2	3.0	16	25.8	52	71.2	2	3.0	70	100.0
	55-64	10	24.5	40	69.4	3	6.1	9	22.4	41	71.4	3	6.1	53	100.0
	65 +	13	17.8	56	78.4	4	3.9	9	11.6	60	84.6	4	3.9	73	100.0
FEMALE	18-24	15	21.3	63	74.0	3	4.7	11	15.4	68	81.1	2	3.5	81	100.0
	25-34	24	16.1	117	78.1	9	5.8	19	13.4	122	80.8	9	5.8	150	100.0
	35-44	31	21.0	102	72.7	11	6.3	24	14.7	110	79.8	10	5.6	144	100.0
	45-54	23	25.9	60	66.1	7	8.0	17	18.4	66	73.6	7	8.0	90	100.0
	55-64	15	21.6	50	72.6	4	5.8	11	17.4	55	80.1	3	2.5	69	100.0
	65 +	30	21.2	98	71.2	12	7.5	24	17.2	106	76.3	10	6.5	140	100.0
TOTAL		225	19.2	877	75.4	69	5.4	180	15.5	927	79.5	64	4.9	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 18. OVERWEIGHT BASED ON PERCENT OF MEDIAN AND OVERWEIGHT BASED ON BODY MASS INDEX (BMI)

	AT RISK FOR OVERWEIGHT						AT RISK FOR OVERWEIGHT (BASED ON BMI)							
	AT RISK		NOT AT RISK		UNKNOWN		AT RISK		NOT AT RISK		UNKNOWN		***TOTAL***	
	************		************		************		************		************		************		************	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
SEX														
MALE	87	17.7	387	77.9	23	4.4	74	15.4	400	80.2	23	4.4	497	100.0
FEMALE	138	20.6	490	73.1	46	6.3	106	15.7	527	78.9	41	5.4	674	100.0
AGE GROUP														
18-24	20	14.4	111	82.4	4	3.2	16	11.4	116	86.0	3	2.6	135	100.0
25-34	41	14.7	221	78.7	17	6.6	35	12.9	227	80.5	17	6.6	279	100.0
35-44	56	21.8	190	73.3	16	4.9	43	16.2	204	79.3	15	4.5	262	100.0
45-54	40	26.2	111	68.2	9	5.6	33	22.0	118	72.4	9	5.6	160	100.0
55-64	25	22.9	90	71.1	7	6.0	20	19.8	96	76.0	6	4.2	122	100.0
65 +	43	19.7	154	74.3	16	5.9	33	14.8	166	79.9	14	5.3	213	100.0
TOTAL	225	19.2	877	75.4	69	5.4	180	15.5	927	79.5	64	4.9	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 18. OVERWEIGHT BASED ON PERCENT OF MEDIAN AND OVERWEIGHT BASED ON BODY MASS INDEX (BMI)

	AT RISK FOR OVERWEIGHT						AT RISK FOR OVERWEIGHT (BASED ON BMI)							
	AT RISK		NOT AT RISK		UNKNOWN		AT RISK		NOT AT RISK		UNKNOWN		***TOTAL***	
	************		************		************		************		************		************		************	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
RACE GROUPED														
WHITE	137	17.2	621	79.7	29	3.1	109	13.5	653	83.8	25	2.7	787	100.0
BLACK	4	31.0	10	69.0	.	.	1	6.3	13	93.7	.	.	14	100.0
HISPANIC	70	22.1	216	67.5	35	10.4	59	20.2	228	70.1	34	9.7	321	100.0
OTHER	10	19.6	28	72.0	5	8.4	8	14.3	30	77.3	5	8.4	43	100.0
UNK/REFUSED	4	72.4	2	27.6	.	.	3	60.2	3	39.8	.	.	6	100.0
MARITAL STATUS														
MARRIED	140	21.6	500	74.1	31	4.3	112	17.3	529	78.4	30	4.2	671	100.0
DIVORCED	27	16.9	94	72.7	13	10.4	23	17.1	100	75.7	11	7.3	134	100.0
WIDOWED	29	27.9	76	63.6	10	8.6	21	19.7	85	72.4	9	7.9	115	100.0
SEPARATED	3	8.8	22	83.9	3	7.4	3	8.8	22	83.9	3	7.4	28	100.0
NEVER MARRIED	23	12.0	155	82.0	10	6.0	19	9.7	159	84.3	10	6.0	188	100.0
UNMARRIED COUPLE	3	9.8	29	87.7	1	2.5	2	7.3	31	92.7	.	.	33	100.0
UNK/REFUSED	.	.	1	56.1	1	43.9	.	.	1	56.1	1	43.9	2	100.0
TOTAL	225	19.2	877	75.4	69	5.4	180	15.5	927	79.5	64	4.9	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 18. OVERWEIGHT BASED ON PERCENT OF MEDIAN AND OVERWEIGHT BASED ON BODY MASS INDEX (BMI)

	AT RISK FOR OVERWEIGHT						AT RISK FOR OVERWEIGHT (BASED ON BMI)							
	AT RISK		NOT AT RISK		UNKNOWN		AT RISK		NOT AT RISK		UNKNOWN		***TOTAL***	
	************		************		************		************		************		************		************	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
INCOME LEVEL														
<$10,000	33	19.4	111	70.1	16	10.5	29	17.3	116	73.9	15	8.8	160	100.0
$10-$15,000	20	20.5	85	75.2	5	4.4	18	18.4	88	78.3	4	3.3	110	100.0
$15-$20,000	29	23.0	92	73.9	4	3.1	22	17.2	99	79.7	4	3.1	125	100.0
$20-$25,000	14	13.4	87	82.3	6	4.3	11	11.5	90	84.2	6	4.3	107	100.0
$25-$35,000	45	24.9	129	73.2	4	1.8	36	19.9	138	78.2	4	1.8	178	100.0
$35-$50,000	17	11.5	116	85.0	6	3.5	13	9.6	121	87.3	5	3.2	139	100.0
UNK/REFUSED	38	16.5	150	72.7	26	10.7	30	13.2	160	76.7	24	10.1	214	100.0
>$50,000	29	23.1	107	74.7	2	2.2	21	16.8	115	80.9	2	2.2	138	100.0
TOTAL	225	19.2	877	75.4	69	5.4	180	15.5	927	79.5	64	4.9	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 18. OVERWEIGHT BASED ON PERCENT OF MEDIAN AND OVERWEIGHT BASED ON BODY MASS INDEX (BMI)

	AT RISK FOR OVERWEIGHT						AT RISK FOR OVERWEIGHT (BASED ON BMI)							
	AT RISK		NOT AT RISK		UNKNOWN		AT RISK		NOT AT RISK		UNKNOWN		***TOTAL***	
	************		************		************		************		************		************		************	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
EMPLOYMENT STATUS														
EMPLOYED	101	18.4	433	75.7	32	5.9	87	16.5	451	78.5	28	5.1	566	100.0
SELF EMPLOYED	30	20.9	91	73.0	9	6.1	20	13.3	101	80.5	9	6.1	130	100.0
OUT OF WORK >1 YEAR	6	22.0	25	69.1	4	8.9	6	22.0	25	69.1	4	8.9	35	100.0
OUT OF WORK <1 YEAR	5	29.2	13	70.8	.	.	4	23.8	14	76.2	.	.	18	100.0
HOMEMAKER	34	28.4	83	67.3	6	4.3	26	21.7	91	74.0	6	4.3	123	100.0
STUDENT	7	8.8	60	87.1	4	4.1	5	6.2	62	89.7	4	4.1	71	100.0
RETIRED	42	18.6	168	76.6	14	4.8	32	13.7	179	81.8	13	4.5	224	100.0
UNK/REFUSED	.	.	4	100.0	.	.	.	.	4	100.0	.	.	4	100.0
TOTAL	225	19.2	877	75.4	69	5.4	180	15.5	927	79.5	64	4.9	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 18. OVERWEIGHT BASED ON PERCENT OF MEDIAN AND OVERWEIGHT BASED ON BODY MASS INDEX (BMI)

	AT RISK FOR OVERWEIGHT						AT RISK FOR OVERWEIGHT (BASED ON BMI)							
	AT RISK		NOT AT RISK		UNKNOWN		AT RISK		NOT AT RISK		UNKNOWN		***TOTAL***	
	************		************		************		************		************		************		************	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
EDUCATION LEVEL														
<9TH GRADE	14	22.1	40	66.6	7	11.3	12	21.3	44	72.8	5	5.9	61	100.0
SOME HIGH SCHOOL	22	25.6	61	66.3	7	8.0	20	23.7	64	68.8	6	7.5	90	100.0
HIGH SCHOOL GRADUATE	83	20.4	281	72.5	31	7.1	61	15.3	304	77.8	30	6.9	395	100.0
SOME TECHNICAL SCHOOL	6	19.3	21	80.7	.	.	5	15.5	22	84.5	.	.	27	100.0
TECHNICAL SCHOOL GRADUATE	4	16.9	14	76.1	2	7.0	2	8.8	16	84.2	2	7.0	20	100.0
SOME COLLEGE	44	17.4	217	78.2	14	4.4	35	1..1	227	81.9	13	4.0	275	100.0
COLLEGE GRADUATE	28	15.7	140	82.5	3	1.8	25	13.9	143	84.3	3	1.8	171	100.0
POST GRADUATE	23	17.0	102	80.9	4	2.1	19	13.3	106	84.6	4	2.1	129	100.0
UNK/REFUSED	1	33.3	1	33.3	1	33.3	1	33.3	1	33.3	1	33.3	3	100.0
TOTAL	225	19.2	877	75.4	69	5.4	180	15.5	927	79.5	64	4.9	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 19. PHYSICAL ACTIVITY RISK FACTOR BY DEMOGRAPHICS

AT RISK FOR SEDENTARY LIFESTYLE

		AT RISK		NOT AT RISK		UNKNOWN		***TOTAL***	
		************		************		************		************	
		N	%	N	%	N	%	N	%
SEX	AGE GROUP								
MALE	18-24	27	48.3	27	51.7	.	.	54	100.0
	25-34	68	55.5	61	44.5	.	.	129	100.0
	35-44	73	61.2	45	38.8	.	.	118	100.0
	45-54	44	61.6	26	38.4	.	.	70	100.0
	55-64	29	56.1	24	43.9	.	.	53	100.0
	65 +	41	56.4	32	43.6	.	.	73	100.0
FEMALE	18-24	45	49.4	36	50.6	.	.	81	100.0
	25-34	83	55.5	67	44.5	.	.	150	100.0
	35-44	87	61.0	56	38.2	1	0.7	144	100.0
	45-54	42	46.3	48	53.7	.	.	90	100.0
	55-64	39	57.7	30	42.3	.	.	69	100.0
	65 +	97	67.2	43	32.8	.	.	140	100.0
TOTAL		675	56.3	495	43.6	1	0.1	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 19. PHYSICAL ACTIVITY RISK FACTOR BY DEMOGRAPHICS

	AT RISK FOR SEDENTARY LIFESTYLE							
	AT RISK		NOT AT RISK		UNKNOWN		***TOTAL***	
	************		************		************		************	
	N	%	N	%	N	%	N	%
SEX								
MALE	282	56.3	215	43.7	.	.	497	100.0
FEMALE	393	56.4	280	43.5	1	0.1	674	100.0
AGE GROUP								
18-24	72	48.8	63	51.2	.	.	135	100.0
25-34	151	55.5	128	44.5	.	.	279	100.0
35-44	160	61.1	101	38.5	1	0.4	262	100.0
45-54	86	53.7	74	46.3	.	.	160	100.0
55-64	68	56.9	54	43.1	.	.	122	100.0
65 +	138	62.5	75	37.5	.	.	213	100.0
TOTAL	675	56.3	495	43.6	1	0.1	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 19. PHYSICAL ACTIVITY RISK FACTOR BY DEMOGRAPHICS

	AT RISK FOR SEDENTARY LIFESTYLE							
	AT RISK		NOT AT RISK		UNKNOWN		***TOTAL***	
	************		************		************		************	
	N	%	N	%	N	%	N	%
RACE GROUPED								
WHITE	426	53.0	360	46.9	1	0.1	787	100.0
BLACK	8	60.0	6	40.0	.	.	14	100.0
HISPANIC	206	62.9	115	37.1	.	.	321	100.0
OTHER	29	57.6	14	42.4	.	.	43	100.0
UNK/REFUSED	6	100.0	.	.	.	.	6	100.0
MARITAL STATUS								
MARRIED	381	56.4	289	43.5	1	0.1	671	100.0
DIVORCED	84	61.2	50	38.8	.	.	134	100.0
WIDOWED	74	64.7	41	35.3	.	.	115	100.0
SEPARATED	17	56.2	11	43.8	.	.	28	100.0
NEVER MARRIED	102	53.2	86	46.8	.	.	188	100.0
UNMARRIED COUPLE	15	46.0	18	54.0	.	.	33	100.0
UNK/REFUSED	2	100.0	.	.	.	.	2	100.0
TOTAL	675	56.3	495	43.6	1	0.1	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 19. PHYSICAL ACTIVITY RISK FACTOR BY DEMOGRAPHICS

AT RISK FOR SEDENTARY LIFESTYLE

	AT RISK		NOT AT RISK		UNKNOWN		***TOTAL***	
	************		************		************		************	
	N	%	N	%	N	%	N	%
INCOME LEVEL								
<$10,000	115	72.8	45	27.2	.	.	160	100.0
$10-$15,000	67	54.0	43	46.0	.	.	110	100.0
$15-$20,000	75	62.8	50	37.2	.	.	125	100.0
$20-$25,000	57	54.8	50	45.2	.	.	107	100.0
$25-$35,000	82	46.5	95	53.1	1	0.4	178	100.0
$35-$50,000	67	46.1	72	53.9	.	.	139	100.0
UNK/REFUSED	142	63.5	72	36.5	.	.	214	100.0
>$50,000	70	50.0	68	50.0	.	.	138	100.0
TOTAL	675	56.3	495	43.6	1	0.1	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 19. PHYSICAL ACTIVITY RISK FACTOR BY DEMOGRAPHICS

AT RISK FOR SEDENTARY LIFESTYLE

	AT RISK		NOT AT RISK		UNKNOWN		***TOTAL***	
	N	%	N	%	N	%	N	%
EMPLOYMENT STATUS								
EMPLOYED	317	56.7	248	43.2	1	0.1	566	100.0
SELF EMPLOYED	81	60.9	49	39.1	.	.	130	100.0
OUT OF WORK >1 YEAR	23	59.2	12	40.8	.	.	35	100.0
OUT OF WORK <1 YEAR	8	43.0	10	57.0	.	.	18	100.0
HOMEMAKER	69	54.8	54	45.2	.	.	123	100.0
STUDENT	35	44.8	36	55.2	.	.	71	100.0
RETIRED	139	60.6	85	39.4	.	.	224	100.0
UNK/REFUSED	3	45.8	1	54.2	.	.	4	100.0
TOTAL	675	56.3	495	43.6	1	0.1	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 19. PHYSICAL ACTIVITY RISK FACTOR BY DEMOGRAPHICS

AT RISK FOR SEDENTARY LIFESTYLE

	AT RISK ************		NOT AT RISK ************		UNKNOWN ************		***TOTAL*** ************	
	N	%	N	%	N	%	N	%
EDUCATION LEVEL								
<9TH GRADE	51	84.7	10	15.3	.	.	61	100.0
SOME HIGH SCHOOL	66	71.0	23	28.2	1	0.9	90	100.0
HIGH SCHOOL GRADUATE	245	60.1	150	39.9	.	.	395	100.0
SOME TECHNICAL SCHOOL	15	49.1	12	50.9	.	.	27	100.0
TECHNICAL SCHOOL GRADUATE	11	54.4	9	45.6	.	.	20	100.0
SOME COLLEGE	139	49.8	136	50.2	.	.	275	100.0
COLLEGE GRADUATE	90	51.1	81	48.9	.	.	171	100.0
POST GRADUATE	56	41.5	73	58.5	.	.	129	100.0
UNK/REFUSED	2	66.7	1	33.3	.	.	3	100.0
TOTAL	675	56.3	495	43.6	1	0.1	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 20. SMOKING (TOBACCO USE) RISK FACTOR BY DEMOGRAPHICS

		AT RISK FOR SMOKING							
		AT RISK		NOT AT RISK		UNKNOWN		***TOTAL***	
		N	%	N	%	N	%	N	%
SEX	AGE GROUP								
MALE	18-24	10	19.2	44	80.8	.	.	54	100.0
	25-34	31	24.2	98	75.8	.	.	129	100.0
	35-44	34	25.7	83	73.3	1	1.0	118	100.0
	45-54	22	30.6	48	69.4	.	.	70	100.0
	55-64	16	26.5	36	72.4	1	1.0	53	100.0
	65 +	15	18.5	58	81.5	.	.	73	100.0
FEMALE	18-24	14	17.1	67	82.9	.	.	81	100.0
	25-34	39	24.8	111	75.2	.	.	150	100.0
	35-44	33	22.4	111	77.6	.	.	144	100.0
	45-54	14	14.1	76	85.9	.	.	90	100.0
	55-64	14	17.8	55	82.2	.	.	69	100.0
	65 +	31	21.8	109	78.2	.	.	140	100.0
TOTAL		273	22.1	896	77.8	2	0.1	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 20. SMOKING (TOBACCO USE) RISK FACTOR BY DEMOGRAPHICS

AT RISK FOR SMOKING

	AT RISK		NOT AT RISK		UNKNOWN		***TOTAL***	
	************		************		************		************	
	N	%	N	%	N	%	N	%
SEX								
MALE	128	24.0	367	75.7	2	0.3	497	100.0
FEMALE	145	20.4	529	79.6	.	.	674	100.0
AGE GROUP								
18-24	24	18.2	111	81.8	.	.	135	100.0
25-34	70	24.5	209	75.5	.	.	279	100.0
35-44	67	24.1	194	75.5	1	0.5	262	100.0
45-54	36	22.1	124	77.9	.	.	160	100.0
55-64	30	21.9	91	77.6	1	0.5	122	100.0
65 +	46	20.4	167	79.6	.	.	213	100.0
TOTAL	273	22.1	896	77.8	2	0.1	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 20. SMOKING (TOBACCO USE) RISK FACTOR BY DEMOGRAPHICS

AT RISK FOR SMOKING

	AT RISK		NOT AT RISK		UNKNOWN		***TOTAL***	
	************		************		************		************	
	N	%	N	%	N	%	N	%
RACE GROUPED								
WHITE	193	24.1	592	75.7	2	0.2	787	100.0
BLACK	7	42.5	7	57.5	.	.	14	100.0
HISPANIC	65	18.0	256	82.0	.	.	321	100.0
OTHER	6	12.2	37	87.8	.	.	43	100.0
UNK/REFUSED	2	26.8	4	73.2	.	.	6	100.0
MARITAL STATUS								
MARRIED	130	19.1	541	80.9	.	.	671	100.0
DIVORCED	63	48.3	70	51.0	1	0.7	134	100.0
WIDOWED	23	20.0	92	80.0	.	.	115	100.0
SEPARATED	10	48.2	18	51.8	.	.	28	100.0
NEVER MARRIED	39	18.9	148	80.6	1	0.5	188	100.0
UNMARRIED COUPLE	8	20.3	25	79.7	.	.	33	100.0
UNK/REFUSED	.	.	2	100.0	.	.	2	100.0
TOTAL	273	22.1	896	77.8	2	0.1	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 20. SMOKING (TOBACCO USE) RISK FACTOR BY DEMOGRAPHICS

	AT RISK FOR SMOKING							
	AT RISK		NOT AT RISK		UNKNOWN		***TOTAL***	
	************		************		************		************	
	N	%	N	%	N	%	N	%
INCOME LEVEL								
<$10,000	52	30.7	108	69.3	.	.	160	100.0
$10-$15,000	27	22.7	83	77.3	.	.	110	100.0
$15-$20,000	39	30.6	85	68.8	1	0.6	125	100.0
$20-$25,000	21	18.7	85	80.2	1	1.0	107	100.0
$25-$35,000	44	25.8	134	74.2	.	.	178	100.0
$35-$50,000	25	17.7	114	82.3	.	.	139	100.0
UNK/REFUSED	45	20.0	169	80.0	.	.	214	100.0
>$50,000	20	11.7	118	88.3	.	.	138	100.0
TOTAL	273	22.1	896	77.8	2	0.1	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 20. SMOKING (TOBACCO USE) RISK FACTOR BY DEMOGRAPHICS

	AT RISK FOR SMOKING							
	AT RISK		NOT AT RISK		UNKNOWN		***TOTAL***	
	N	%	N	%	N	%	N	%
EMPLOYMENT STATUS								
EMPLOYED	129	21.9	436	77.9	1	0.2	566	100.0
SELF EMPLOYED	29	22.6	100	76.9	1	0.5	130	100.0
OUT OF WORK >1 YEAR	12	33.5	23	66.5	.	.	35	100.0
OUT OF WORK <1 YEAR	6	28.7	12	71.3	.	.	18	100.0
HOMEMAKER	28	20.7	95	79.3	.	.	123	100.0
STUDENT	9	10.8	62	89.2	.	.	71	100.0
RETIRED	59	26.6	165	73.4	.	.	224	100.0
UNK/REFUSED	1	19.6	3	80.4	.	.	4	100.0
TOTAL	273	22.1	896	77.8	2	0.1	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 20. SMOKING (TOBACCO USE) RISK FACTOR BY DEMOGRAPHICS

	AT RISK FOR SMOKING							
	AT RISK		NOT AT RISK		UNKNOWN		***TOTAL***	
	************		************		************		************	
	N	%	N	%	N	%	N	%
EDUCATION LEVEL								
<9TH GRADE	18	26.8	43	73.2	.	.	61	100.0
SOME HIGH SCHOOL	30	34.2	60	65.8	.	.	90	100.0
HIGH SCHOOL GRADUATE	106	25.1	289	74.9	.	.	395	100.0
SOME TECHNICAL SCHOOL	10	34.2	17	65.8	.	.	27	100.0
TECHNICAL SCHOOL GRADUATE	5	19.6	15	80.4	.	.	20	100.0
SOME COLLEGE	51	17.6	223	82.2	1	0.2	275	100.0
COLLEGE GRADUATE	28	14.5	143	85.5	.	.	171	100.0
POST GRADUATE	24	16.9	104	82.1	1	0.9	129	100.0
UNK/REFUSED	1	33.3	2	66.7	.	.	3	100.0
TOTAL	273	22.1	896	77.8	2	0.1	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 21. ACUTE DRINKING RISK FACTORS BY DEMOGRAPHICS

		AT RISK FOR ACUTE DRINKING							
		AT RISK		NOT AT RISK		UNKNOWN		***TOTAL***	
		************		************		************		************	
		N	%	N	%	N	%	N	%
SEX	AGE GROUP								
MALE	18-24	22	36.7	29	57.5	3	5.8	54	100.0
	25-34	44	33.8	83	64.4	2	1.8	129	100.0
	35-44	33	27.0	83	70.6	2	2.4	118	100.0
	45-54	8	11.4	60	87.1	2	1.5	70	100.0
	55-64	6	8.2	44	85.7	3	6.1	53	100.0
	65 +	3	3.9	69	94.6	1	1.5	73	100.0
FEMALE	18-24	14	18.9	67	81.1	.	.	81	100.0
	25-34	12	8.8	136	90.4	2	0.8	150	100.0
	35-44	17	10.6	125	87.6	2	1.9	144	100.0
	45-54	4	5.2	85	92.0	1	2.9	90	100.0
	55-64	1	0.8	67	97.5	1	1.7	69	100.0
	65 +	.	.	140	100.0	.	.	140	100.0
TOTAL		164	15.4	988	82.6	19	2.1	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 21. ACUTE DRINKING RISK FACTORS BY DEMOGRAPHICS

AT RISK FOR ACUTE DRINKING

	AT RISK		NOT AT RISK		UNKNOWN		***TOTAL***	
	N	%	N	%	N	%	N	%
SEX								
MALE	116	23.3	368	73.7	13	3.1	497	100.0
FEMALE	48	8.0	620	90.9	6	1.1	674	100.0
AGE GROUP								
18-24	36	27.8	96	69.2	3	2.9	135	100.0
25-34	56	21.3	219	77.5	4	1.3	279	100.0
35-44	50	18.7	208	79.2	4	2.1	262	100.0
45-54	12	8.2	145	89.6	3	2.2	160	100.0
55-64	7	4.3	111	92.0	4	3.8	122	100.0
65 +	3	1.7	209	97.7	1	0.7	213	100.0
TOTAL	164	15.4	988	82.6	19	2.1	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 21. ACUTE DRINKING RISK FACTORS BY DEMOGRAPHICS

AT RISK FOR ACUTE DRINKING

	AT RISK		NOT AT RISK		UNKNOWN		***TOTAL***	
	N	%	N	%	N	%	N	%
RACE GROUPED								
WHITE	96	13.7	680	84.6	11	1.6	787	100.0
BLACK	3	17.6	11	82.4	.	.	14	100.0
HISPANIC	61	20.0	252	76.6	8	3.4	321	100.0
OTHER	4	9.4	39	90.6	.	.	43	100.0
UNK/REFUSED	.	.	6	100.0	.	.	6	100.0
MARITAL STATUS								
MARRIED	73	10.7	588	87.2	10	2.1	671	100.0
DIVORCED	31	26.7	99	70.2	4	3.1	134	100.0
WIDOWED	1	1.2	114	98.8	.	.	115	100.0
SEPARATED	7	28.0	20	69.8	1	2.2	28	100.0
NEVER MARRIED	34	19.8	150	77.5	4	2.7	188	100.0
UNMARRIED COUPLE	18	61.7	15	38.3	.	.	33	100.0
UNK/REFUSED	.	.	2	100.0	.	.	2	100.0
TOTAL	164	15.4	988	82.6	19	2.1	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 21. ACUTE DRINKING RISK FACTORS BY DEMOGRAPHICS

AT RISK FOR ACUTE DRINKING

	AT RISK		NOT AT RISK		UNKNOWN		***TOTAL***	
	************		************		************		************	
	N	%	N	%	N	%	N	%
INCOME LEVEL								
<$10,000	20	15.5	135	80.3	5	4.2	160	100.0
$10-$15,000	21	20.3	87	77.4	2	2.3	110	100.0
$15-$20,000	23	19.2	101	80.3	1	0.4	125	100.0
$20-$25,000	19	20.8	87	78.0	1	1.2	107	100.0
$25-$35,000	27	17.9	148	80.3	3	1.9	178	100.0
$35-$50,000	17	12.6	122	87.4	.	.	139	100.0
UNK/REFUSED	21	12.0	187	83.9	6	4.0	214	100.0
>$50,000	16	9.5	121	89.6	1	0.9	138	100.0
TOTAL	164	15.4	988	82.6	19	2.1	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 21. ACUTE DRINKING RISK FACTORS BY DEMOGRAPHICS

	AT RISK FOR ACUTE DRINKING							
	AT RISK		NOT AT RISK		UNKNOWN		***TOTAL***	
	************		************		************		************	
	N	%	N	%	N	%	N	%
EMPLOYMENT STATUS								
EMPLOYED	99	17.8	461	81.1	6	1.1	566	100.0
SELF EMPLOYED	25	22.6	104	76.4	1	1.0	130	100.0
OUT OF WORK >1 YEAR	4	12.0	27	74.5	4	13.6	35	100.0
OUT OF WORK <1 YEAR	5	33.8	11	50.1	2	16.1	18	100.0
HOMEMAKER	2	1.0	118	95.6	3	3.4	123	100.0
STUDENT	17	27.3	53	70.2	1	2.5	71	100.0
RETIRED	12	5.8	210	93.3	2	0.9	224	100.0
UNK/REFUSED	.	.	4	100.0	.	.	4	100.0
TOTAL	164	15.4	988	82.6	19	2.1	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 21. ACUTE DRINKING RISK FACTORS BY DEMOGRAPHICS

AT RISK FOR ACUTE DRINKING

	AT RISK		NOT AT RISK		UNKNOWN		***TOTAL***	
	************		************		************		************	
	N	%	N	%	N	%	N	%
EDUCATION LEVEL								
<9TH GRADE	5	10.4	55	87.3	1	2.3	61	100.0
SOME HIGH SCHOOL	13	16.3	74	77.4	3	6.3	90	100.0
HIGH SCHOOL GRADUATE	57	15.1	331	83.0	7	1.9	395	100.0
SOME TECHNICAL SCHOOL	5	26.6	22	73.4	.	.	27	100.0
TECHNICAL SCHOOL GRADUATE	1	9.5	19	90.5	.	.	20	100.0
SOME COLLEGE	44	18.1	224	78.9	7	3.0	275	100.0
COLLEGE GRADUATE	21	11.2	149	88.4	1	0.3	171	100.0
POST GRADUATE	18	15.3	111	84.7	.	.	129	100.0
UNK/REFUSED	.	.	3	100.0	.	.	3	100.0
TOTAL	164	15.4	988	82.6	19	2.1	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 22. ALCOHOL RISK FACTORS BY DEMOGRAPHICS

		AT RISK FOR CHRONIC DRINKING				AT RISK FOR DRINKING AND DRIVING							
		AT RISK		NOT AT RISK		AT RISK		NOT AT RISK		UNKNOWN		***TOTAL***	
		N	%	N	%	N	%	N	%	N	%	N	%
SEX	AGE GROUP												
MALE	18-24	5	9.2	49	90.8	4	10.0	50	90.0	.	.	54	100.0
	25-34	15	13.3	114	86.7	10	7.5	118	91.6	1	0.9	129	100.0
	35-44	10	8.7	108	91.3	7	6.3	108	92.3	3	1.4	118	100.0
	45-54	2	1.1	68	98.9	3	3.7	67	96.3	.	.	70	100.0
	55-64	6	8.2	47	91.8	1	1.0	52	99.0	.	.	53	100.0
	65 +	1	1.5	72	98.5	1	1.5	72	98.5	.	.	73	100.0
FEMALE	18-24	.	.	81	100.0	6	8.3	75	91.7	.	.	81	100.0
	25-34	5	2.7	145	97.3	6	3.1	144	96.9	.	.	150	100.0
	35-44	1	0.7	143	99.3	3	1.5	141	98.5	.	.	144	100.0
	45-54	.	.	90	100.0	1	0.6	88	98.3	1	1.1	90	100.0
	55-64	.	.	69	100.0	.	.	69	100.0	.	.	69	100.0
	65 +	.	.	140	100.0	.	.	140	100.0	.	.	140	100.0
TOTAL		45	4.3	1126	95.7	42	4.0	1124	95.6	5	0.3	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 22. ALCOHOL RISK FACTORS BY DEMOGRAPHICS

	AT RISK FOR CHRONIC DRINKING				AT RISK FOR DRINKING AND DRIVING							
	AT RISK		NOT AT RISK		AT RISK		NOT AT RISK		UNKNOWN		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%	N	%
SEX												
MALE	39	8.0	458	92.0	26	5.7	467	93.8	4	0.5	497	100.0
FEMALE	6	0.8	668	99.2	16	2.5	657	97.4	1	0.2	674	100.0
AGE GROUP												
18-24	5	4.6	130	95.4	10	9.1	125	90.9	.	.	135	100.0
25-34	20	8.0	259	92.0	16	5.3	262	94.3	1	0.4	279	100.0
35-44	11	4.7	251	95.3	10	3.9	249	95.4	3	0.7	262	100.0
45-54	2	0.5	158	99.5	4	2.1	155	97.3	1	0.6	160	100.0
55-64	6	3.8	116	96.2	1	0.5	121	99.5	.	.	122	100.0
65 +	1	0.7	212	99.3	1	0.7	212	99.3	.	.	213	100.0
TOTAL	45	4.3	1126	95.7	42	4.0	1124	95.6	5	0.3	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 22. ALCOHOL RISK FACTORS BY DEMOGRAPHICS

	AT RISK FOR CHRONIC DRINKING				AT RISK FOR DRINKING AND DRIVING							
	AT RISK		NOT AT RISK		AT RISK		NOT AT RISK		UNKNOWN		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%	N	%
RACE GROUPED												
WHITE	28	3.8	759	96.2	27	4.0	758	95.8	2	0.2	787	100.0
BLACK	2	8.1	12	91.9	.	.	13	96.8	1	3.2	14	100.0
HISPANIC	15	5.7	306	94.3	13	4.1	306	95.5	2	0.4	321	100.0
OTHER	.	.	43	100.0	2	6.3	41	93.7	.	.	43	100.0
UNK/REFUSED	.	.	6	100.0	.	.	6	100.0	.	.	6	100.0
MARITAL STATUS												
MARRIED	20	3.2	651	96.8	17	2.5	652	97.2	2	0.3	671	100.0
DIVORCED	7	4.3	127	95.7	9	6.2	123	92.7	2	1.1	134	100.0
WIDOWED	.	.	115	100.0	.	.	115	100.0	.	.	115	100.0
SEPARATED	5	24.5	23	75.5	.	.	28	100.0	.	.	28	100.0
NEVER MARRIED	11	6.9	177	93.1	11	8.1	176	91.6	1	0.3	188	100.0
UNMARRIED COUPLE	2	5.3	31	94.7	5	14.7	28	85.3	.	.	33	100.0
UNK/REFUSED	.	.	2	100.0	.	.	2	100.0	.	.	2	100.0
TOTAL	45	4.3	1126	95.7	42	4.0	1124	95.6	5	0.3	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 22. ALCOHOL RISK FACTORS BY DEMOGRAPHICS

	AT RISK FOR CHRONIC DRINKING				AT RISK FOR DRINKING AND DRIVING							
	AT RISK		NOT AT RISK		AT RISK		NOT AT RISK		UNKNOWN		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%	N	%
INCOME LEVEL												
<$10,000	4	2.5	156	97.5	7	5.7	152	94.0	1	0.4	160	100.0
$10-$15,000	4	3.9	106	96.1	5	5.2	105	94.8	.	.	110	100.0
$15-$20,000	1	0.4	124	99.6	4	2.5	120	96.7	1	0.8	125	100.0
$20-$25,000	13	13.9	94	86.1	6	6.6	100	92.2	1	1.2	107	100.0
$25-$35,000	9	6.4	169	93.6	10	7.0	168	93.0	.	.	178	100.0
$35-$50,000	3	3.2	136	96.8	3	2.2	136	97.8	.	.	139	100.0
UNK/REFUSED	6	2.8	208	97.2	5	3.0	207	96.5	2	0.5	214	100.0
>$50,000	5	3.1	133	96.9	2	0.7	136	99.3	.	.	138	100.0
TOTAL	45	4.3	1126	95.7	42	4.0	1124	95.6	5	0.3	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 22. ALCOHOL RISK FACTORS BY DEMOGRAPHICS

	AT RISK FOR CHRONIC DRINKING				AT RISK FOR DRINKING AND DRIVING							
	AT RISK		NOT AT RISK		AT RISK		NOT AT RISK		UNKNOWN		***TOTAL***	
	************		************		************		************		************		************	
	N	%	N	%	N	%	N	%	N	%	N	%
EMPLOYMENT STATUS												
EMPLOYED	26	5.1	540	94.9	24	4.9	537	94.5	5	0.7	566	100.0
SELF EMPLOYED	9	8.6	121	91.4	5	3.4	125	96.6	.	.	130	100.0
OUT OF WORK >1 YEAR	3	8.9	32	91.1	2	6.7	33	93.3	.	.	35	100.0
OUT OF WORK <1 YEAR	1	10.0	17	90.0	.	.	18	100.0	.	.	18	100.0
HOMEMAKER	.	.	123	100.0	1	0.6	122	99.4	.	.	123	100.0
STUDENT	2	2.5	69	97.5	6	9.0	65	91.0	.	.	71	100.0
RETIRED	4	1.3	220	98.7	4	1.8	220	98.2	.	.	224	100.0
UNK/REFUSED	.	.	4	100.0	.	.	4	100.0	.	.	4	100.0
TOTAL	45	4.3	1126	95.7	42	4.0	1124	95.6	5	0.3	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 22. ALCOHOL RISK FACTORS BY DEMOGRAPHICS

	AT RISK FOR CHRONIC DRINKING				AT RISK FOR DRINKING AND DRIVING							
	AT RISK		NOT AT RISK		AT RISK		NOT AT RISK		UNKNOWN		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%	N	%
EDUCATION LEVEL												
<9TH GRADE	.	.	61	100.0	.	.	61	100.0	.	.	61	100.0
SOME HIGH SCHOOL	3	2.9	87	97.1	3	4.4	86	94.3	1	1.3	90	100.0
HIGH SCHOOL GRADUATE	15	4.8	380	95.2	11	3.6	382	96.1	2	0.3	395	100.0
SOME TECHNICAL SCHOOL	1	8.5	26	91.5	.	.	27	100.0	.	.	27	100.0
TECHNICAL SCHOOL GRADUATE	.	.	20	100.0	.	.	20	100.0	.	.	20	100.0
SOME COLLEGE	15	5.2	260	94.8	17	6.9	258	93.1	.	.	275	100.0
COLLEGE GRADUATE	8	4.7	163	95.3	7	3.9	163	95.7	1	0.3	171	100.0
POST GRADUATE	3	2.2	126	97.8	4	2.2	124	97.3	1	0.5	129	100.0
UNK/REFUSED	.	.	3	100.0	.	.	3	100.0	.	.	3	100.0
TOTAL	45	4.3	1126	95.7	42	4.0	1124	95.6	5	0.3	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 23. SEATBELT USAGE BY AGE AND SEX

SEATBELT USE

		ALWAYS OR NEARLY ALWAYS		SOMETIMES		SELDOM		NEVER		UNK/REFUSED		NEVER RIDE IN A CAR		***TOTAL***	
		N	%	N	%	N	%	N	%	N	%	N	%	N	%
SEX	AGE GROUP														
MALE	18-24	40	72.5	6	11.7	3	5.8	5	10.0	.	.	.	.	54	100.0
	25-34	104	80.8	14	11.1	6	4.4	5	3.8	.	.	.	.	129	100.0
	35-44	102	87.0	5	4.3	4	3.4	5	3.9	1	0.5	1	1.0	118	100.0
	45-54	60	84.9	4	4.8	3	4.4	2	3.7	1	2.2	.	.	70	100.0
	55-64	39	79.6	5	8.2	4	6.1	3	3.1	1	2.0	1	1.0	53	100.0
	65 +	66	93.1	2	3.1	2	1.5	2	1.5	.	.	1	0.8	73	100.0
FEMALE	18-24	68	85.5	6	7.7	5	4.7	2	2.1	.	.	.	.	81	100.0
	25-34	128	86.6	10	5.8	9	6.1	3	1.5	.	.	.	.	150	100.0
	35-44	126	88.9	12	7.8	4	1.9	2	1.5	.	.	.	.	144	100.0
	45-54	80	85.3	6	7.2	4	7.5	.	.	.	.	.	.	90	100.0
	55-64	59	88.0	8	8.7	1	1.7	1	1.7	.	.	.	.	69	100.0
	65 +	122	86.6	10	7.5	3	3.2	3	1.6	.	.	2	1.1	140	100.0
TOTAL		994	84.7	88	7.5	48	4.3	33	2.9	3	0.3	5	0.3	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 23. SEATBELT USAGE BY AGE AND SEX

SEATBELT USE

	ALWAYS OR NEARLY ALWAYS		SOMETIMES		SELDOM		NEVER		UNK/REFUSED		NEVER RIDE IN A CAR		***TOTAL***	
	************		************		************		************		************		************		************	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
SEX														
MALE	411	82.4	36	7.7	22	4.3	22	4.5	3	0.6	3	0.4	497	100.0
FEMALE	583	86.8	52	7.3	26	4.3	11	1.4	.	.	2	0.2	674	100.0
AGE GROUP														
18-24	108	79.0	12	9.7	8	5.3	7	6.1	.	.	.	.	135	100.0
25-34	232	83.7	24	8.4	15	5.3	8	2.6	.	.	.	.	279	100.0
35-44	228	87.9	17	6.1	8	2.6	7	2.7	1	0.2	1	0.5	262	100.0
45-54	140	85.1	10	6.0	7	6.0	2	.8	1	1.1	.	.	160	100.0
55-64	98	84.0	13	8.5	5	3.8	4	2.3	1	1.0	1	0.5	122	100.0
65 +	188	89.4	12	5.6	5	2.5	5	1.6	.	.	3	0.9	213	100.0
TOTAL	994	84.7	88	7.5	48	4.3	33	2.9	3	0.3	5	0.3	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 24. TOLD YOU HAVE HIGH BLOOD PRESSURE

		EVER TOLD BLOOD PRESSURE HIGH							
		NO		YES		UNK/REFUSED		***TOTAL***	
		************		************		************		************	
		N	%	N	%	N	%	N	%
SEX	AGE GROUP								
MALE	18-24	48	86.7	6	13.3	.	.	54	100.0
	25-34	121	92.5	8	7.5	.	.	129	100.0
	35-44	104	88.9	14	11.1	.	.	118	100.0
	45-54	55	78.6	15	21.4	.	.	70	100.0
	55-64	40	73.5	13	26.5	.	.	53	100.0
	65 +	47	66.8	26	33.2	.	.	73	100.0
FEMALE	18-24	74	90.5	7	9.5	.	.	81	100.0
	25-34	143	95.4	7	4.6	.	.	150	100.0
	35-44	127	88.4	17	11.6	.	.	144	100.0
	45-54	74	81.0	16	19.0	.	.	90	100.0
	55-64	48	69.3	20	29.9	1	0.8	69	100.0
	65 +	83	58.3	57	41.7	.	.	140	100.0
TOTAL		964	82.9	206	17.0	1	0.1	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 24. TOLD YOU HAVE HIGH BLOOD PRESSURE

	EVER TOLD BLOOD PRESSURE HIGH							
	NO		YES		UNK/REFUSED		***TOTAL***	
	************		************		************		************	
	N	%	N	%	N	%	N	%
SEX								
MALE	415	83.4	82	16.6	.	.	497	100.0
FEMALE	549	82.4	124	17.5	1	0.1	674	100.0
AGE GROUP								
18-24	122	88.6	13	11.4	.	.	135	100.0
25-34	264	93.9	15	6.1	.	.	279	100.0
35-44	231	88.7	31	11.3	.	.	262	100.0
45-54	129	79.9	31	20.1	.	.	160	100.0
55-64	88	71.3	33	28.3	1	0.4	122	100.0
65 +	130	62.0	83	38.0	.	.	213	100.0
TOTAL	964	82.9	206	17.0	1	0.1	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 25. TOLD BLOOD PRESSURE HIGH MORE THAN ONCE

		TOLD MORE THAN ONCE BP HIGH							
		MORE THAN ONCE		ONLY ONCE		UNK/REFUSED		***TOTAL***	
SEX	AGE GROUP	N	%	N	%	N	%	N	%
MALE	18-24	1	12.5	4	62.5	1	25.0	6	100.0
	25-34	4	52.9	3	41.2	1	5.9	8	100.0
	35-44	8	60.9	4	21.7	2	17.4	14	100.0
	45-54	11	75.9	4	24.1	.	.	15	100.0
	55-64	10	80.8	3	19.2	.	.	13	100.0
	65 +	19	69.8	5	20.9	2	9.3	26	100.0
FEMALE	18-24	3	37.5	4	62.5	.	.	7	100.0
	25-34	2	25.0	5	75.0	.	.	7	100.0
	35-44	8	32.8	9	67.2	.	.	17	100.0
	45-54	10	59.1	5	34.8	1	6.1	16	100.0
	55-64	11	50.0	6	33.3	3	16.7	20	100.0
	65 +	40	69.0	16	28.4	1	2.6	57	100.0
TOTAL		127	57.3	68	35.7	11	7.0	206	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 25. TOLD BLOOD PRESSURE HIGH MORE THAN ONCE

	TOLD MORE THAN ONCE BP HIGH							
	MORE THAN ONCE		ONLY ONCE		UNK/REFUSED		***TOTAL***	
	************		************		************		************	
	N	%	N	%	N	%	N	%
SEX								
MALE	53	61.5	23	29.6	6	8.9	82	100.0
FEMALE	74	53.6	45	41.1	5	5.3	124	100.0
AGE GROUP								
18-24	4	22.8	8	62.5	1	14.7	13	100.0
25-34	6	42.3	8	54.1	1	3.6	15	100.0
35-44	16	46.4	13	45.2	2	8.4	31	100.0
45-54	21	67.7	9	29.3	1	2.9	31	100.0
55-64	21	63.6	9	27.1	3	9.3	33	100.0
65 +	59	69.3	21	25.6	3	5.1	83	100.0
TOTAL	127	57.3	68	35.7	11	7.0	206	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 26. MEDICINE CURRENTLY PRESCRIBED FOR HIGH BLOOD PRESSURE

		MEDICINE PRESCRIBED					
		YES		NO		***TOTAL***	
		************		************		************	
		N	%	N	%	N	%
SEX	AGE GROUP						
MALE	18-24	.	.	6	100.0	6	100.0
	25-34	1	17.6	7	82.4	8	100.0
	35-44	6	43.5	8	56.5	14	100.0
	45-54	9	58.6	6	41.4	15	100.0
	55-64	11	92.3	2	7.7	13	100.0
	65 +	24	88.4	2	11.6	26	100.0
FEMALE	18-24	.	.	7	100.0	7	100.0
	25-34	.	.	7	100.0	7	100.0
	35-44	8	50.4	9	49.6	17	100.0
	45-54	12	83.3	4	16.7	16	100.0
	55-64	16	77.8	4	22.2	20	100.0
	65 +	47	82.6	10	17.4	57	100.0
TOTAL		134	61.4	72	38.6	206	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 26. MEDICINE CURRENTLY PRESCRIBED FOR HIGH BLOOD PRESSURE

	MEDICINE PRESCRIBED					
	YES		NO		***TOTAL***	
	************		************		************	
	N	%	N	%	N	%
SEX						
MALE	51	57.4	31	42.6	82	100.0
FEMALE	83	65.1	41	34.9	124	100.0
AGE GROUP						
18-24	.	.	13	100.0	13	100.0
25-34	1	10.9	14	89.1	15	100.0
35-44	14	47.0	17	53.0	31	100.0
45-54	21	70.6	10	29.4	31	100.0
55-64	27	84.2	6	15.8	33	100.0
65 +	71	84.8	12	15.2	83	100.0
TOTAL	134	61.4	72	38.6	206	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 27. CURRENTLY TAKING MEDICINE FOR HIGH BLOOD PRESSURE

		TAKING MEDICINE					
		YES		OCCASIONAL USE		***TOTAL***	
SEX	AGE GROUP	N	%	N	%	N	%
MALE	25-34	1	100.0	.	.	1	100.0
	35-44	6	100.0	.	.	6	100.0
	45-54	8	88.2	1	11.8	9	100.0
	55-64	10	91.7	1	8.3	11	100.0
	65 +	22	94.7	2	5.3	24	100.0
FEMALE	35-44	7	68.3	1	31.7	8	100.0
	45-54	12	100.0	.	.	12	100.0
	55-64	13	85.7	3	14.3	16	100.0
	65 +	45	95.3	2	4.7	47	100.0
TOTAL		124	92.2	10	7.8	134	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 27. CURRENTLY TAKING MEDICINE FOR HIGH BLOOD PRESSURE

	TAKING MEDICINE					
	YES		OCCASIONAL USE		***TOTAL***	
	N	%	N	%	N	%
SEX						
MALE	47	93.4	4	6.6	51	100.0
FEMALE	77	91.2	6	8.8	83	100.0
AGE GROUP						
25-34	1	100.0	.	.	1	100.0
35-44	13	82.5	1	17.5	14	100.0
45-54	20	95.0	1	5.0	21	100.0
55-64	23	88.6	4	11.4	27	100.0
65 +	67	95.1	4	4.9	71	100.0
TOTAL	124	92.2	10	7.8	134	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 28. CURRENT BLOOD PRESSURE

				BP STILL HIGH							
		NORMAL		UNDER CONTROL		STILL HIGH		UNK/REFUSED		***TOTAL***	
		************		************		************		************		************	
		N	%	N	%	N	%	N	%	N	%
SEX	AGE GROUP										
MALE	18-24	3	37.5	2	37.5	1	25.0	.	.	6	100.0
	25-34	3	47.1	2	29.4	1	11.8	2	11.8	8	100.0
	35-44	8	60.9	4	30.4	1	4.3	1	4.3	14	100.0
	45-54	8	51.7	6	41.4	1	6.9	.	.	15	100.0
	55-64	5	26.9	8	73.1	.	.	.	.	13	100.0
	65 +	9	34.9	14	55.8	2	7.0	1	2.3	26	100.0
FEMALE	18-24	5	75.0	2	25.0	.	.	.	.	7	100.0
	25-34	6	83.3	1	16.7	.	.	.	.	7	100.0
	35-44	9	59.2	8	40.8	.	.	.	.	17	100.0
	45-54	8	66.7	7	27.3	1	6.1	.	.	16	100.0
	55-64	6	36.1	12	58.3	2	5.6	.	.	20	100.0
	65 +	20	40.0	35	57.4	2	2.6	.	.	57	100.0
TOTAL		90	46.6	101	46.7	11	5.6	4	1.2	206	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 28. CURRENT BLOOD PRESSURE

	BP STILL HIGH									
	NORMAL		UNDER CONTROL		STILL HIGH		UNK/REFUSED		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%
SEX										
MALE	36	41.4	36	47.6	6	8.5	4	2.5	82	100.0
FEMALE	54	51.2	65	45.8	5	3.0	.	.	124	100.0
AGE GROUP										
18-24	8	53.0	4	32.3	1	14.7	.	.	13	100.0
25-34	9	60.9	3	24.5	1	7.3	2	7.3	15	100.0
35-44	17	60.0	12	35.8	1	2.1	1	2.1	31	100.0
45-54	16	59.0	13	34.5	2	6.5	.	.	31	100.0
55-64	11	32.1	20	64.8	2	3.1	.	.	33	100.0
65 +	29	38.1	49	56.8	4	4.2	1	0.9	83	100.0
TOTAL	90	46.6	101	46.7	11	5.6	4	1.2	206	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 29. PHYSICAL ACTIVITY LEVEL

		PHYSICAL ACTIVITY LEVEL											
		UNK/REFUSED		SEDENTARY		IRREGULAR		REGULAR		1990 OBJECTIVE		***TOTAL***	
		N	%	N	%	N	%	N	%	N	%	N	%
SEX	AGE GROUP												
MALE	18-24	.	.	8	14.2	19	34.2	22	44.2	5	7.5	54	100.0
	25-34	.	.	30	24.8	38	30.7	47	34.8	14	9.7	129	100.0
	35-44	.	.	33	26.7	40	34.5	30	25.3	15	13.5	118	100.0
	45-54	.	.	22	34.7	22	26.9	18	25.1	8	13.3	70	100.0
	55-64	.	.	23	46.9	6	9.2	16	31.6	8	12.2	53	100.0
	65 +	.	.	28	35.5	13	20.8	19	25.9	13	17.8	73	100.0
FEMALE	18-24	.	.	24	26.6	21	22.8	34	47.7	2	3.0	81	100.0
	25-34	.	.	45	30.9	38	24.6	64	42.6	3	1.9	150	100.0
	35-44	1	0.7	53	38.2	34	22.8	43	29.0	13	9.3	144	100.0
	45-54	.	.	23	27.6	19	18.7	34	36.8	14	17.0	90	100.0
	55-64	.	.	23	34.9	16	22.8	20	27.4	10	14.9	69	100.0
	65 +	.	.	66	44.9	31	22.3	31	24.7	12	8.1	140	100.0
TOTAL		1	0.1	378	31.2	297	25.1	378	33.8	117	9.8	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 29. PHYSICAL ACTIVITY LEVEL

	PHYSICAL ACTIVITY LEVEL											
	UNK/REFUSED		SEDENTARY		IRREGULAR		REGULAR		1990 OBJECTIVE		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%	N	%
SEX												
MALE	.	.	144	28.5	138	27.8	152	31.9	63	11.8	497	100.0
FEMALE	1	0.1	234	33.8	159	22.6	226	35.5	54	8.0	674	100.0
AGE GROUP												
18-24	.	.	32	20.4	40	28.5	56	45.9	7	5.2	135	100.0
25-34	.	.	75	27.8	76	27.6	111	38.7	17	5.8	279	100.0
35-44	1	0.4	86	32.5	74	28.6	73	27.2	28	11.4	262	100.0
45-54	.	.	45	31.0	41	22.7	52	31.1	22	15.2	160	100.0
55-64	.	.	46	40.5	22	16.4	36	29.4	18	13.7	122	100.0
65 +	.	.	94	40.8	44	21.7	50	25.2	25	12.3	213	100.0
TOTAL	1	0.1	378	31.2	297	25.1	378	33.8	117	9.8	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 30. FREQUENCY OF PRIMARY ACTIVITIES

	SEX					
	MALE		FEMALE		***TOTAL***	
	************		************		************	
	N	%	N	%	N	%
TYPE OF PHYSICAL ACTIVITY						
AEROBICS CLASS	11	2.3	68	16.7	79	9.4
BICYCLING	24	8.9	29	6.8	53	7.9
HOME EXERCISE	1	0.2	4	0.7	5	0.4
JOGGING	24	6.8	15	4.4	39	5.6
RUNNING	38	11.2	14	3.6	52	7.4
SWIMMING	8	2.0	18	3.4	26	2.7
TENNIS	7	1.8	4	.9	11	1.4
WALKING	118	31.6	228	50.4	346	41.0
YARD WORK	21	5.4	26	5.0	47	5.2
ALL OTHERS	99	29.1	32	7.9	131	18.6
UNK/REFUSED	2	0.5	1	0.3	3	0.4
TOTAL	353	100.0	439	100.0	792	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

ABLE 31. FREQUENCY OF SECONDARY ACTIVITIES

	SEX					
	MALE		FEMALE		***TOTAL***	
	************		************		************	
	N	%	N	%	N	%
TYPE OF PHYSICAL ACTIVITY						
AEROBICS CLASS	.	.	8	9.8	8	4.7
BICYCLING	10	9.2	20	14.6	30	11.8
JOGGING	4	4.9	1	1.0	5	3.0
RUNNING	6	5.3	2	1.4	8	3.4
SWIMMING	8	7.4	10	8.2	18	7.8
TENNIS	2	3.2	2	1.0	4	2.2
WALKING	10	8.4	34	23.8	44	15.7
YARD WORK	6	7.0	19	12.8	25	9.8
ALL OTHERS	55	52.7	31	27.4	86	40.6
UNK/REFUSED	1	2.0	.	.	1	1.0
TOTAL	102	100.0	127	100.0	229	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 32. WEIGHT FOR HEIGHT PERCENT OF MEDIAN

		WEIGHT FOR HEIGHT PERCENT OF MEDIAN											
		<90% OF MEDIAN		90 - 109.9		110 - 119.9		>=120% OF MEDIAN		UNK/REFUSED		***TOTAL***	
		***********		***********		***********		***********		***********		***********	
		N	%	N	%	N	%	N	%	N	%	N	%
SEX	AGE GROUP												
MALE	18-24	10	17.5	30	60.0	8	13.3	5	7.5	1	1.7	54	100.0
	25-34	10	7.1	68	53.6	26	18.6	17	13.3	8	7.5	129	100.0
	35-44	3	1.9	55	47.4	30	24.6	25	22.7	5	3.4	118	100.0
	45-54	1	1.5	30	43.9	20	25.1	17	26.6	2	3.0	70	100.0
	55-64	2	2.0	20	35.7	18	31.6	10	24.5	3	6.1	5[illegible]	100.0
	65 +	3	3.9	38	56.4	15	18.1	13	17.8	4	3.9	[illegible]3	100.0
FEMALE	18-24	17	16.3	37	45.9	9	11.8	15	21.3	3	4.7	81	100.0
	25-34	32	21.9	64	40.5	21	15.7	24	16.1	9	5.8	150	100.0
	35-44	22	15.6	67	48.6	13	8.5	31	21.0	11	6.3	144	100.0
	45-54	11	10.3	34	39.9	15	15.8	23	25.9	7	8.0	90	100.0
	55-64	7	8.7	26	38.2	17	25.7	15	21.6	4	5.8	69	100.0
	65 +	18	13.2	60	43.8	20	14.2	30	21.2	12	7.5	140	100.0
TOTAL		136	10.9	529	46.7	212	17.8	225	19.2	69	5.4	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 32. WEIGHT FOR HEIGHT PERCENT OF MEDIAN

WEIGHT FOR HEIGHT PERCENT OF MEDIAN

	<90% OF MEDIAN		90 - 109.9		110 - 119.9		>=120% OF MEDIAN		UNK/REFUSED		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%	N	%
SEX												
MALE	29	6.2	241	50.6	117	21.1	87	17.7	23	4.4	497	100.0
FEMALE	107	15.3	288	43.1	95	14.8	138	20.6	46	6.3	674	100.0
AGE GROUP												
18-24	27	16.9	67	53.0	17	12.6	20	14.4	4	3.2	135	100.0
25-34	42	14.5	132	47.0	47	17.1	41	14.7	17	6.6	279	100.0
35-44	25	8.8	122	48.0	43	16.5	56	21.8	16	4.9	262	100.0
45-54	12	6.1	64	41.9	35	20.3	40	26.2	9	5.6	160	100.0
55-64	9	5.6	46	37.0	35	28.5	25	22.9	7	6.0	122	100.0
65 +	21	9.1	98	49.3	35	15.9	43	19.7	16	5.9	213	100.0
TOTAL	136	10.9	529	46.7	212	17.8	225	19.2	69	5.4	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 33. NOW TRYING TO LOSE WEIGHT BY SEX AND AGE

		TRYING TO LOSE WEIGHT									
		YES		NO		TRYING TO GAIN		UNKNOWN		***TOTAL***	
		************		************		************		************		************	
		N	%	N	%	N	%	N	%	N	%
SEX	AGE GROUP										
MALE	18-24	8	16.7	41	75.0	5	8.3	.	.	54	100.0
	25-34	26	20.8	95	72.8	7	5.5	1	0.9	129	100.0
	35-44	32	28.1	84	69.9	1	1.0	1	1.0	118	100.0
	45-54	18	24.4	51	74.2	1	1.5	.	.	70	100.0
	55-64	17	35.7	36	64.3	.	.	.	.	53	100.0
	65 +	7	9.3	62	83.8	4	6.9	.	.	73	100.0
FEMALE	18-24	36	51.4	44	47.4	.	.	1	1.2	81	100.0
	25-34	59	38.0	90	61.2	1	0.8	.	.	150	100.0
	35-44	71	47.0	72	52.2	1	0.7	.	.	144	100.0
	45-54	41	46.8	49	53.2	.	.	.	.	90	100.0
	55-64	23	32.4	46	67.6	.	.	.	.	69	100.0
	65 +	34	25.5	105	73.9	1	0.5	.	.	140	100.0
TOTAL		372	31.6	775	65.9	21	2.2	3	0.3	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 33. NOW TRYING TO LOSE WEIGHT BY SEX AND AGE

TRYING TO LOSE WEIGHT

	YES		NO		TRYING TO GAIN		UNKNOWN		***TOTAL***	
	************		************		************		************		************	
	N	%	N	%	N	%	N	%	N	%
SEX										
MALE	108	22.2	369	73.2	18	4.2	2	0.4	497	100.0
FEMALE	264	40.4	406	59.0	3	0.4	1	0.2	674	100.0
AGE GROUP										
18-24	44	34.0	85	61.3	5	4.2	1	0.6	135	100.0
25-34	85	29.4	185	67.0	8	3.1	1	0.4	279	100.0
35-44	103	37.7	156	61.0	2	0.9	1	0.5	262	100.0
45-54	59	36.0	100	63.3	1	0.7	.	.	160	100.0
55-64	40	33.9	82	66.1	.	.	.	.	122	100.0
65 +	41	18.5	167	78.2	5	3.3	.	.	213	100.0
TOTAL	372	31.6	775	65.9	21	2.2	3	0.3	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 34. HOW LONG AGO DID YOU BEGIN YOUR CURRENT ATTEMPT TO LOSE WEIGHT?

WHEN DID YOU ATTEMP WEIGHT LOSS

		< 1 MO.		1-3 MOS.		> 3 MOS.		ALWAYS		UNK		***TOTAL***	
		************		************		************		************		************		************	
		N	%	N	%	N	%	N	%	N	%	N	%
SEX	AGE GROUP												
MALE	18-24	.	.	3	45.0	2	20.0	.	.	3	35.0	8	100.0
	25-34	7	23.4	12	48.9	1	4.3	2	8.5	4	14.9	26	100.0
	35-44	3	12.0	13	48.0	8	19.4	6	15.4	2	5.1	32	100.0
	45-54	2	12.1	5	30.3	5	24.2	5	27.3	1	6.1	18	100.0
	55-64	3	17.1	1	5.7	7	31.4	5	37.1	1	8.6	17	100.0
	65 +	.	.	1	16.7	4	66.7	1	8.3	1	8.3	7	100.0
FEMALE	18-24	9	24.1	14	41.4	6	19.5	4	6.9	3	8.0	36	100.0
	25-34	17	30.3	15	26.3	12	20.2	14	21.2	1	2.0	59	100.0
	35-44	20	27.6	17	23.3	15	20.0	17	25.2	2	3.9	71	100.0
	45-54	8	13.5	9	21.5	10	33.1	10	22.1	4	9.8	41	100.0
	55-64	3	12.8	5	23.1	8	35.9	7	28.2	.	.	23	100.0
	65 +	8	25.3	5	18.9	7	20.0	12	29.5	2	6.3	34	100.0
TOTAL		80	20.2	100	30.0	85	22.8	83	19.4	24	7.6	372	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 34. HOW LONG AGO DID YOU BEGIN YOUR CURRENT ATTEMPT TO LOSE WEIGHT?

WHEN DID YOU ATTEMP WEIGHT LOSS

	< 1 MO.		1-3 MOS.		> 3 MOS.		ALWAYS		UNK		***TOTAL***	
	************		************		************		************		************		************	
	N	%	N	%	N	%	N	%	N	%	N	%
SEX												
MALE	15	13.4	35	35.7	27	21.4	19	17.1	12	12.4	108	100.0
FEMALE	65	23.7	65	27.1	58	23.5	64	20.7	12	5.1	264	100.0
AGE GROUP												
18-24	9	18.2	17	42.3	8	19.7	4	5.2	6	14.7	44	100.0
25-34	24	27.9	27	34.2	13	14.6	16	16.8	5	6.5	85	100.0
35-44	23	21.8	30	32.4	23	19.8	23	21.6	4	4.4	103	100.0
45-54	10	13.0	14	24.4	15	30.2	15	23.8	5	8.6	59	100.0
55-64	6	15.0	6	14.5	15	33.7	12	32.6	1	4.2	40	100.0
65 +	8	19.8	6	18.5	11	30.2	13	24.9	3	6.8	41	100.0
TOTAL	80	20.2	100	30.0	85	22.8	83	19.4	24	7.6	372	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 35. ARE YOU NOW TRYING TO MAINTAIN YOUR CURRENT WEIGHT?

		TRYING TO MAINTAIN CURRENT WEIGHT							
		YES		NO		UNKNOWN		***TOTAL***	
		N	%	N	%	N	%	N	%
SEX	AGE GROUP								
MALE	18-24	11	24.4	30	75.6	.	.	41	100.0
	25-34	30	30.9	65	67.9	1	1.2	96	100.0
	35-44	31	38.8	53	60.5	1	0.7	85	100.0
	45-54	13	22.9	37	76.1	1	1.0	51	100.0
	55-64	10	22.2	26	77.8	.	.	36	100.0
	65 +	15	24.0	46	74.2	1	1.8	62	100.0
FEMALE	18-24	11	20.3	33	77.3	1	2.4	45	100.0
	25-34	29	31.7	61	68.3	.	.	90	100.0
	35-44	24	33.4	47	65.9	1	0.7	72	100.0
	45-54	15	31.4	34	68.6	.	.	49	100.0
	55-64	11	23.3	35	76.7	.	.	46	100.0
	65 +	30	29.1	74	70.2	1	0.7	105	100.0
TOTAL		230	28.4	541	70.8	7	0.7	778	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 35. ARE YOU NOW TRYING TO MAINTAIN YOUR CURRENT WEIGHT?

TRYING TO MAINTAIN CURRENT WEIGHT

	YES		NO		UNKNOWN		***TOTAL***	
	N	%	N	%	N	%	N	%
SEX								
MALE	110	28.2	257	70.9	4	0.8	371	100.0
FEMALE	120	28.7	284	70.7	3	0.6	407	100.0
AGE GROUP								
18-24	22	22.8	63	76.2	1	1.0	86	100.0
25-34	59	31.2	126	68.1	1	0.7	186	100.0
35-44	55	36.5	100	62.8	2	0.7	157	100.0
45-54	28	26.6	71	72.9	1	0.6	100	100.0
55-64	21	22.8	61	77.2	.	.	82	100.0
65 +	45	26.7	120	72.0	2	1.2	167	100.0
TOTAL	230	28.4	541	70.8	7	0.7	778	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 36. ARE YOU EATING FEWER CALORIES TO LOSE WEIGHT?

		EATING FEWER CALORIES TO LOSE WEIGHT							
		YES		NO		UNKNOWN		***TOTAL***	
		************		************		************		************	
		N	%	N	%	N	%	N	%
SEX	AGE GROUP								
MALE	18-24	10	57.1	9	42.9	.	.	19	100.0
	25-34	31	58.4	22	37.6	3	4.1	56	100.0
	35-44	38	61.0	23	36.4	2	2.6	63	100.0
	45-54	14	44.6	16	53.6	1	1.8	31	100.0
	55-64	19	79.6	8	20.4	.	.	27	100.0
	65 +	8	36.8	13	57.9	1	5.3	22	100.0
FEMALE	18-24	36	81.0	11	19.0	.	.	47	100.0
	25-34	62	70.2	25	29.1	1	0.7	88	100.0
	35-44	63	63.2	31	35.1	1	1.7	95	100.0
	45-54	40	69.7	13	26.2	3	4.1	56	100.0
	55-64	22	72.4	12	27.6	.	.	34	100.0
	65 +	35	58.3	28	40.6	1	1.1	64	100.0
TOTAL		378	64.7	211	33.6	13	1.7	602	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 36. ARE YOU EATING FEWER CALORIES TO LOSE WEIGHT?

	EATING FEWER CALORIES TO LOSE WEIGHT							
	YES ************		NO ************		UNKNOWN ************		***TOTAL*** ************	
	N	%	N	%	N	%	N	%
SEX								
MALE	120	58.1	91	39.5	7	2.4	218	100.0
FEMALE	258	69.3	120	29.4	6	1.3	384	100.0
AGE GROUP								
18-24	46	72.3	20	27.7	.	.	66	100.0
25-34	93	65.1	47	32.7	4	2.1	144	100.0
35-44	101	62.2	54	35.7	3	2.1	158	100.0
45-54	54	60.2	29	36.6	4	3.2	87	100.0
55-64	41	75.9	20	24.1	.	.	61	100.0
65 +	43	51.4	41	46.2	2	2.5	86	100.0
TOTAL	378	64.7	211	33.6	13	1.7	602	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 37. HOW MANY CALORIES ARE YOU EATING PER DAY?

HOW MANY CALORIES EATEN PER DAY

		1200 OR LESS		> 1200		DON'T COUNT CALORIES		UNKNOWN		***TOTAL***	
		N	%	N	%	N	%	N	%	N	%
SEX	AGE GROUP										
MALE	18-24	.	.	1	8.3	9	91.7	.	.	10	100.0
	25-34	5	15.7	2	5.2	23	75.7	1	3.5	31	100.0
	35-44	1	1.4	.	.	35	91.5	2	7.1	38	100.0
	45-54	3	20.0	1	8.0	10	72.0	.	.	14	100.0
	55-64	1	5.1	.	.	18	94.9	.	.	19	100.0
	65 +	.	.	.	.	8	100.0	.	.	8	100.0
FEMALE	18-24	6	17.9	4	10.7	26	7_.4	.	.	36	100.0
	25-34	8	14.3	3	4.8	50	79.0	1	1.9	62	100.0
	35-44	13	20.5	6	10.9	43	67.7	1	0.9	63	100.0
	45-54	8	16.9	2	2.6	30	80.5	.	.	40	100.0
	55-64	1	2.4	.	.	21	97.6	.	.	22	100.0
	65 +	4	13.7	3	8.8	27	73.5	1	3.9	35	100.0
TOTAL		50	12.3	22	5.5	300	80.5	6	1.7	378	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 37. HOW MANY CALORIES ARE YOU EATING PER DAY?

HOW MANY CALORIES EATEN PER DAY

	1200 OR LESS		> 1200		DON'T COUNT CALORIES		UNKNOWN		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%
SEX										
MALE	10	7.3	4	3.3	103	86.6	3	2.8	120	100.0
FEMALE	40	15.2	18	6.8	197	76.9	3	1.1	258	100.0
AGE GROUP										
18-24	6	12.7	5	10.0	35	77.3	.	.	46	100.0
25-34	13	14.8	5	4.9	73	77.7	2	2.5	93	100.0
35-44	14	11.9	6	6.0	78	78.4	3	3.7	101	100.0
45-54	11	17.8	3	4.1	40	7[illegible].1	.	.	54	100.0
55-64	2	3.8	.	.	39	96.2	.	.	41	100.0
65 +	4	10.5	3	6.8	35	79.7	1	3.0	43	100.0
TOTAL	50	12.3	22	5.5	300	80.5	6	1.7	378	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 38. HOW LONG HAVE YOU BEEN EATING THIS MANY CALORIES?

		THIS MANY CALORIES PER DAY									
		< 1 MO.		1-3 MOS.		> 3 MOS.		UNK		***TOTAL***	
		************		************		************		************		************	
		N	%	N	%	N	%	N	%	N	%
SEX	AGE GROUP										
MALE	18-24	.	.	1	100.0	.	.	.	.	1	100.0
	25-34	3	33.3	3	50.0	1	16.7	.	.	7	100.0
	35-44	.	.	.	.	1	100.0	.	.	1	100.0
	45-54	.	.	2	42.9	1	28.6	1	28.6	4	100.0
	55-64	1	100.0	.	.	.	.	.	.	1	100.0
FEMALE	18-24	4	45.8	2	29.2	2	16.7	2	8.3	10	100.0
	25-34	6	50.0	3	30.0	1	10.0	1	10.0	11	100.0
	35-44	8	37.7	6	33.3	4	23.2	1	5.8	19	100.0
	45-54	3	23.3	3	36.7	2	20.0	2	20.0	10	100.0
	55-64	1	100.0	.	.	.	.	.	.	1	100.0
	65 +	2	17.4	4	65.2	1	17.4	.	.	7	100.0
TOTAL		28	36.2	24	37.8	13	17.7	7	8.2	72	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 38. HOW LONG HAVE YOU BEEN EATING THIS MANY CALORIES?

	THIS MANY CALORIES PER DAY									
	< 1 MO.		1-3 MOS.		> 3 MOS.		UNK		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%
SEX										
MALE	4	25.9	6	47.6	3	19.2	1	7.3	14	100.0
FEMALE	24	39.1	18	35.1	10	17.3	6	8.5	58	100.0
AGE GROUP										
18-24	4	41.0	3	36.7	2	14.9	2	7.5	11	100.0
25-34	9	43.2	6	38.1	2	12.7	1	5.9	18	100.0
35-44	8	36.3	6	32.1	5	25.9	1	5.6	20	100.0
45-54	3	14.9	5	38.9	3	23.1	3	23.1	14	100.0
55-64	2	100.0	.	.	.	.	.	.	2	100.0
65 +	2	17.4	4	65.2	1	17.4	.	.	7	100.0
TOTAL	28	36.2	24	37.8	13	17.7	7	8.2	72	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 39. ARE YOU USING PHYSICAL ACTIVITY OR EXERCISE TO KEEP FROM GAINING WEIGHT?

		INCREASED ACTIVITY TO LOSE WEIGHT							
		YES		NO		UNKNOWN		***TOTAL***	
		************		************		************		************	
		N	%	N	%	N	%	N	%
SEX	AGE GROUP								
MALE	18-24	12	61.9	7	38.1	.	.	19	100.0
	25-34	40	72.6	16	27.4	.	.	56	100.0
	35-44	42	67.6	20	30.6	1	1.7	63	100.0
	45-54	20	62.5	11	37.5	.	.	31	100.0
	55-64	12	49.0	15	51.0	.	.	27	100.0
	65 +	3	18.4	19	81.6	.	.	22	100.0
FEMALE	18-24	30	67.5	17	32.5	.	.	47	100.0
	25-34	56	61.9	31	37.5	1	0.7	88	100.0
	35-44	62	63.5	33	36.5	.	.	95	100.0
	45-54	30	52.5	25	46.6	1	0.9	56	100.0
	55-64	21	63.8	13	36.2	.	.	34	100.0
	65 +	21	34.9	42	64.0	1	1.1	64	100.0
TOTAL		349	59.4	249	40.1	4	0.4	602	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 34. ARE YOU USING PHYSICAL ACTIVITY OR EXERCISE TO KEEP FROM GAINING WEIGHT?

	INCREASED ACTIVITY TO LOSE WEIGHT							
	YES		NO		UNKNOWN		***TOTAL***	
	************		************		************		************	
	N	%	N	%	N	%	N	%
SEX								
MALE	129	60.6	88	39.0	1	0.4	218	100.0
FEMALE	220	58.6	161	41.0	3	0.4	384	100.0
AGE GROUP								
18-24	42	65.5	24	34.5	.	.	66	100.0
25-34	96	66.5	47	33.1	1	0.4	144	100.0
35-44	104	65.4	53	33.8	1	0.8	158	100.0
45-54	50	56.3	36	43.2	1	0.6	87	100.0
55-64	33	56.7	28	43.3	.	.	61	100.0
65 +	24	29.5	61	69.7	1	0.8	86	100.0
TOTAL	349	59.4	249	40.1	4	0.4	602	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 40. ARE YOU TAKING DIET PILLS TO DECREASE YOUR APPETITE?

		TAKING DIET PILLS TO DECREASE APPETITE							
		YES		NO		UNKNOWN		***TOTAL***	
		************		************		************		************	
		N	%	N	%	N	%	N	%
SEX	AGE GROUP								
MALE	18-24	3	16.7	16	83.3	.	.	19	100.0
	25-34	1	1.0	54	98.0	1	1.0	56	100.0
	35-44	2	3.5	61	96.5	.	.	63	100.0
	45-54	2	5.4	29	94.6	.	.	31	100.0
	55-64	1	2.0	26	98.0	.	.	27	100.0
	65 +	2	7.9	20	92.1	.	.	22	100.0
FEMALE	18-24	7	19.3	40	80.7	.	.	47	100.0
	25-34	7	6.7	81	93.3	.	.	88	100.0
	35-44	4	4.0	91	96.0	.	.	95	100.0
	45-54	4	10.0	51	89.1	1	0.9	56	100.0
	55-64	1	3.4	33	96.6	.	.	34	100.0
	65 +	3	3.4	60	95.4	1	1.1	64	100.0
TOTAL		37	6.9	562	92.8	3	0.3	602	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 40. ARE YOU TAKING DIET PILLS TO DECREASE YOUR APPETITE?

TAKING DIET PILLS TO DECREASE APPETITE

	YES		NO		UNKNOWN		***TOTAL***	
	************		************		************		************	
	N	%	N	%	N	%	N	%
SEX								
MALE	11	5.2	206	94.5	1	0.3	218	100.0
FEMALE	26	8.1	356	91.6	2	0.3	384	100.0
AGE GROUP								
18-24	10	18.3	56	81.7	.	.	66	100.0
25-34	8	4.3	135	95.3	1	0.4	144	100.0
35-44	6	3.8	152	96.2	.	.	158	100.0
45-54	6	8.2	80	91.2	1	0.6	87	100.0
55-64	2	2.8	59	97.2	.	.	61	100.0
65 +	5	4.9	80	94.4	1	0.8	86	100.0
TOTAL	37	6.9	562	92.8	3	0.3	602	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 41. ARE YOU TAKING SPECIAL PRODUCTS TO DECREASE YOUR APPETITE?

TAKING SPECIAL PRODUCTS TO CONTOL WEIGHT

		YES ************		NO ************		UNKNOWN ************		***TOTAL*** ************	
		N	%	N	%	N	%	N	%
SEX	AGE GROUP								
MALE	18-24	1	9.5	18	90.5	.	.	19	100.0
	25-34	6	9.1	49	89.8	1	1.0	56	100.0
	35-44	4	6.1	59	93.9	.	.	63	100.0
	45-54	4	12.5	27	87.5	.	.	31	100.0
	55-64	2	6.1	25	93.9	.	.	27	100.0
	65 +	.	.	21	97.4	1	2.6	22	100.0
FEMALE	18-24	7	18.3	40	81.7	.	.	47	100.0
	25-34	8	9.4	80	90.6	.	.	88	100.0
	35-44	4	4.0	91	96.0	.	.	95	100.0
	45-54	6	11.8	49	87.3	1	0.9	56	100.0
	55-64	2	8.6	32	91.4	.	.	34	100.0
	65 +	7	10.3	56	88.6	1	1.1	64	100.0
TOTAL		51	9.2	547	90.5	4	0.4	602	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 41. ARE YOU TAKING SPECIAL PRODUCTS TO DECREASE YOUR APPETITE?

TAKING SPECIAL PRODUCTS TO CONTOL WEIGHT

	YES		NO		UNKNOWN		***TOTAL***	
	N	%	N	%	N	%	N	%
SEX								
MALE	17	7.6	199	91.9	2	0.5	218	100.0
FEMALE	34	10.3	348	89.5	2	0.3	384	100.0
AGE GROUP								
18-24	8	15.1	58	84.9	.	.	66	100.0
25-34	14	9.3	129	90.3	1	0.4	144	100.0
35-44	8	5.0	150	95.0	.	.	158	100.0
45-54	10	12.0	76	87.4	1	0.6	87	100.0
55-64	4	7.4	57	92.6	.	.	61	100.0
65 +	7	7.0	77	91.4	2	1.6	86	100.0
TOTAL	51	9.2	547	90.5	4	0.4	602	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 42. ARE YOU FASTING FOR 24 HOURS OR LONGER AS PART OF YOUR DIET?

		FASTING AS PART OF YOUR DIET							
		YES		NO		UNKNOWN		***TOTAL***	
		************		************		************		************	
		N	%	N	%	N	%	N	%
SEX	AGE GROUP								
MALE	18-24	1	7.1	18	92.9	.	.	19	100.0
	25-34	3	5.1	52	93.9	1	1.0	56	100.0
	35-44	3	4.3	60	95.7	.	.	63	100.0
	45-54	1	1.8	30	98.2	.	.	31	100.0
	55-64	.	.	27	100.0	.	.	27	100.0
	65 +	1	2.6	21	97.4	.	.	22	100.0
FEMALE	18-24	4	8.7	43	91.3	.	.	47	100.0
	25-34	9	9.4	79	90.6	.	.	88	100.0
	35-44	5	5.2	90	94.8	.	.	95	100.0
	45-54	3	6.3	52	92.8	1	0.9	56	100.0
	55-64	3	10.3	31	89.7	.	.	34	100.0
	65 +	1	1.1	62	97.7	1	1.1	64	100.0
TOTAL		34	5.7	565	94.0	3	0.3	602	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 42. ARE YOU FASTING FOR 24 HOURS OR LONGER AS PART OF YOUR DIET?

FASTING AS PART OF YOUR DIET

	YES		NO		UNKNOWN		***TOTAL***	
	************		************		************		************	
	N	%	N	%	N	%	N	%
SEX								
MALE	9	3.9	208	95.9	1	0.3	218	100.0
FEMALE	25	7.0	357	92.7	2	0.3	384	100.0
AGE GROUP								
18-24	5	8.1	61	91.9	.	.	66	100.0
25-34	12	7.5	131	92.0	1	0.4	144	100.0
35-44	8	4.8	150	95.2	.	.	158	100.0
45-54	4	4.6	82	94.8	1	0.6	87	100.0
55-64	3	5.4	58	94.6	.	.	61	100.0
65 +	2	1.6	83	97.6	1	0.8	86	100.0
TOTAL	34	5.7	565	94.0	3	0.3	602	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 43. ARE YOU PARTICIPATING IN AN ORGANIZED WEIGHT CONTROL PROGRAM?

PARTICIPANT IN ORGANIZED WEIGHT PROGRAM

		YES		NO		UNKNOWN		***TOTAL***	
		************		************		************		************	
		N	%	N	%	N	%	N	%
SEX	AGE GROUP								
MALE	18-24	.	.	19	100.0	.	.	19	100.0
	25-34	2	4.1	53	94.9	1	1.0	56	100.0
	35-44	2	2.6	61	97.4	.	.	63	100.0
	45-54	1	3.6	30	96.4	.	.	31	100.0
	55-64	.	.	27	100.0	.	.	27	100.0
	65 +	.	.	22	100.0	.	.	22	100.0
FEMALE	18-24	3	6.8	44	93.2	.	.	47	100.0
	25-34	4	5.4	84	94.6	.	.	88	100.0
	35-44	8	8.6	87	91.4	.	.	95	100.0
	45-54	5	10.0	50	89.1	1	0.9	56	100.0
	55-64	2	6.9	32	93.1	.	.	34	100.0
	65 +	3	5.7	60	93.1	1	1.1	64	100.0
TOTAL		30	5.1	569	94.6	3	0.3	602	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 43. ARE YOU PARTICIPATING IN AN ORGANIZED WEIGHT CONTROL PROGRAM?

	PARTICIPANT IN ORGANIZED WEIGHT PROGRAM							
	YES ************		NO ************		UNKNOWN ************		***TOTAL*** ************	
	N	%	N	%	N	%	N	%
SEX								
MALE	5	2.1	212	97.6	1	0.3	218	100.0
FEMALE	25	7.1	357	92.6	2	0.3	384	100.0
AGE GROUP								
18-24	3	4.3	63	95.7	.	.	66	100.0
25-34	6	4.8	137	94.8	1	0.4	144	100.0
35-44	10	5.9	148	94.1	.	.	158	100.0
45-54	6	7.5	80	91.9	1	0.6	87	100.0
55-64	2	3.6	59	96.4	.	.	61	100.0
65 +	3	3.9	82	95.4	1	0.8	86	100.0
TOTAL	30	5.1	569	94.6	3	0.3	602	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 44. ARE YOU CAUSING YOURSELF TO VOMIT AFTER YOU EAT?

INDUCING VOMITING AFTER EATING

		YES		NO		UNKNOWN		***TOTAL***	
		************		************		************		************	
		N	%	N	%	N	%	N	%
SEX	AGE GROUP								
MALE	18-24	.	.	19	100.0	.	.	19	100.0
	25-34	1	2.0	54	97.0	1	1.0	56	100.0
	35-44	.	.	63	100.0	.	.	63	100.0
	45-54	.	.	31	100.0	.	.	31	100.0
	55-64	.	.	27	100.0	.	.	27	100.0
	65 +	.	.	22	100.0	.	.	22	100.0
FEMALE	18-24	1	1.9	46	98.1	.	.	47	100.0
	25-34	1	1.3	87	98.7	.	.	88	100.0
	35-44	2	2.9	93	97.1	.	.	95	100.0
	45-54	.	.	55	99.1	1	0.9	56	100.0
	55-64	1	3.4	33	96.6	.	.	34	100.0
	65 +	.	.	63	98.9	1	1.1	64	100.0
TOTAL		6	1.2	593	98.6	3	0.3	602	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 44. ARE YOU CAUSING YOURSELF TO VOMIT AFTER YOU EAT?

	INDUCING VOMITING AFTER EATING							
	YES		NO		UNKNOWN		***TOTAL***	
	N	%	N	%	N	%	N	%
SEX								
MALE	1	0.5	216	99.2	1	0.3	218	100.0
FEMALE	5	1.6	377	98.1	2	0.3	384	100.0
AGE GROUP								
18-24	1	1.2	65	98.8	.	.	66	100.0
25-34	2	1.6	141	97.9	1	0.4	144	100.0
35-44	2	1.6	156	98.4	.	.	158	100.0
45-54	.	.	86	99.4	1	0.6	87	100.0
55-64	1	1.8	60	98.2	.	.	61	100.0
65 +	.	.	85	99.2	1	0.8	86	100.0
TOTAL	6	1.2	593	98.6	3	0.3	602	100.0

TABLE 45. HAVE YOU BEEN ADVICED BY A DOCTOR OR HEALTH PROFESSIONAL TO REDUCE YOUR WEIGHT?

		ADVISED BY A DOCTOR TO REDUCE WEIGHT							
		YES		NO		UNK/REF.		***TOTAL***	
		N	%	N	%	N	%	N	%
SEX	AGE GROUP								
MALE	18-24	2	4.5	47	95.5	.	.	49	100.0
	25-34	6	4.7	116	95.3	.	.	122	100.0
	35-44	14	12.2	102	87.3	1	0.5	117	100.0
	45-54	13	19.5	56	80.5	.	.	69	100.0
	55-64	11	18.4	42	81.6	.	.	53	100.0
	65 +	7	9.1	62	90.9	.	.	69	100.0
FEMALE	18-24	6	7.1	75	92.9	.	.	81	100.0
	25-34	16	12.8	133	87.2	.	.	149	100.0
	35-44	22	14.0	121	86.0	.	.	143	100.0
	45-54	20	22.1	70	77.9	.	.	90	100.0
	55-64	13	18.7	56	81.3	.	.	69	100.0
	65 +	26	20.8	112	78.6	1	0.5	139	100.0
TOTAL		156	12.9	992	87.0	2	0.1	1150	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 45. HAVE YOU BEEN ADVICED BY A DOCTOR OR HEALTH PROFESSIONAL TO REDUCE YOUR WEIGHT?

	ADVISED BY A DOCTOR TO REDUCE WEIGHT							
	YES ************		NO ************		UNK/REF. ************		***TOTAL*** ************	
	N	%	N	%	N	%	N	%
SEX								
MALE	53	10.3	425	89.6	1	0.1	479	100.0
FEMALE	103	15.3	567	84.7	1	0.1	671	100.0
AGE GROUP								
18-24	8	5.9	122	94.1	.	.	130	100.0
25-34	22	8.8	249	91.2	.	.	271	100.0
35-44	36	13.1	223	86.7	1	0.2	260	100.0
45-54	33	20.9	126	79.1	.	.	159	100.0
55-64	24	18.5	98	81.5	.	.	122	100.0
65 +	33	15.9	174	83.8	1	0.3	208	100.0
TOTAL	156	12.9	992	87.0	2	0.1	1150	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 46. DO YOU NOW CONSIDER YOURSELF TO BE OVERWEIGHT, UNDERWEIGHT, OR ABOUT AVERAGE?

		WHAT DO YOU CONSIDER YOURSELF TO BE									
		OVERWEIGHT		UNDERWEIGHT		AVERAGE		UNK/REF		***TOTAL***	
		************		************		************		************		************	
		N	%	N	%	N	%	N	%	N	%
SEX	AGE GROUP										
MALE	18-24	4	5.8	7	12.5	43	81.7	.	.	54	100.0
	25-34	27	21.2	9	6.2	93	72.6	.	.	129	100.0
	35-44	30	26.7	2	1.0	86	72.3	.	.	118	100.0
	45-54	23	33.2	2	4.4	45	62.4	.	.	70	100.0
	55-64	17	33.7	.	.	36	66.3	.	.	53	100.0
	65 +	16	20.8	7	10.0	49	67.6	1	1.5	73	100.0
FEMALE	18-24	22	28.4	2	2.4	56	68.7	1	0.6	81	100.0
	25-34	54	34.5	12	8.4	84	57.0	.	.	150	100.0
	35-44	65	44.5	5	3.7	74	51.8	.	.	144	100.0
	45-54	42	47.7	2	2.3	46	50.0	.	.	90	100.0
	55-64	26	34.9	3	3.7	40	61.4	.	.	69	100.0
	65 +	31	21.5	10	7.5	99	71.0	.	.	140	100.0
TOTAL		357	29.0	61	5.4	751	65.5	2	0.1	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 46. DO YOU NOW CONSIDER YOURSELF TO BE OVERWEIGHT, UNDERWEIGHT, OR ABOUT AVERAGE?

	WHAT DO YOU CONSIDER YOURSELF TO BE									
	OVERWEIGHT		UNDERWEIGHT		AVERAGE		UNK/REF		***TOTAL***	
	************		************		************		************		************	
	N	%	N	%	N	%	N	%	N	%
SEX										
MALE	117	22.5	27	5.9	352	71.5	1	0.2	497	100.0
FEMALE	240	35.0	34	5.0	399	59.8	1	0.1	674	100.0
AGE GROUP										
18-24	26	17.1	9	7.5	99	75.2	1	0.3	135	100.0
25-34	81	27.9	21	7.3	177	64.8	.	.	279	100.0
35-44	95	35.6	7	2.3	160	62.0	.	.	262	100.0
45-54	65	40.7	4	3.3	91	56.0	.	.	160	100.0
55-64	43	34.3	3	2.0	76	63.7	.	.	122	100.0
65 +	47	21.2	17	8.6	148	69.5	1	0.7	213	100.0
TOTAL	357	29.0	61	5.4	751	65.5	2	0.1	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 47. SMOKED AT LEAST 100 CIGARETTES IN LIFETIME

		SMOKED AT LEAST 100 CIGS							
		YES		NO		UNKNOWN		***TOTAL***	
		************		************		************		************	
		N	%	N	%	N	%	N	%
SEX	AGE GROUP								
MALE	18-24	17	32.5	37	67.5	.	.	54	100.0
	25-34	64	49.4	65	50.6	.	.	129	100.0
	35-44	78	65.0	39	34.0	1	1.0	118	100.0
	45-54	48	68.3	22	31.7	.	.	70	100.0
	55-64	40	73.5	12	25.5	1	1.0	53	100.0
	65 +	53	75.3	20	24.7	.	.	73	100.0
FEMALE	18-24	26	31.3	55	68.7	.	.	81	100.0
	25-34	71	44.7	79	55.3	.	.	150	100.0
	35-44	59	38.6	85	61.4	.	.	144	100.0
	45-54	48	47.1	42	52.9	.	.	90	100.0
	55-64	39	51.0	30	49.0	.	.	69	100.0
	65 +	56	39.2	84	60.8	.	.	140	100.0
TOTAL		599	49.5	570	50.4	2	0.1	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 47. SMOKED AT LEAST 100 CIGARETTES IN LIFETIME

	SMOKED AT LEAST 100 CIGS							
	YES		NO		UNKNOWN		***TOTAL***	
	N	%	N	%	N	%	N	%
SEX								
MALE	300	57.9	195	41.8	2	0.3	497	100.0
FEMALE	299	41.6	375	58.4	.	.	674	100.0
AGE GROUP								
18-24	43	31.9	92	68.1	.	.	135	100.0
25-34	135	47.0	144	53.0	.	.	279	100.0
35-44	137	51.7	124	47.8	1	0.5	262	100.0
45-54	96	57.4	64	42.6	.	.	160	100.0
55-64	79	61.6	42	37.9	1	0.5	122	100.0
65 +	109	54.9	104	45.1	.	.	213	100.0
TOTAL	599	49.5	570	50.4	2	0.1	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 48. CURRENTLY SMOKING
DENOMINATOR IS PERSONS WHO EVER SMOKED 100 CIGARETTES

		CURRENTLY SMOKE					
		YES		NO		***TOTAL***	
		************		************		************	
		N	%	N	%	N	%
SEX	AGE GROUP						
MALE	18-24	10	59.0	7	41.0	17	100.0
	25-34	35	55.2	29	44.8	64	100.0
	35-44	34	39.6	44	60.4	78	100.0
	45-54	22	44.9	26	55.1	48	100.0
	55-64	16	36.1	24	63.9	40	100.0
	65 +	16	26.7	37	73.3	53	100.0
FEMALE	18-24	14	54.7	12	45.3	26	100.0
	25-34	43	61.4	28	38.6	71	100.0
	35-44	34	59.1	25	40.9	59	100.0
	45-54	16	32.9	32	67.1	48	100.0
	55-64	14	35.0	25	65.0	39	100.0
	65 +	31	55.5	25	44.5	56	100.0
TOTAL		285	46.5	314	53.5	599	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTEL

TABLE 48. CURRENTLY SMOKING
DENOMINATOR IS PERSONS WHO EVER SMOKED 100 CIGARETTES

	CURRENTLY SMOKE					
	YES		NO		***TOTAL***	
	N	%	N	%	N	%
SEX						
MALE	133	43.1	167	56.9	300	100.0
FEMALE	152	51.1	147	48.9	299	100.0
AGE GROUP						
18-24	24	56.9	19	43.1	43	100.0
25-34	78	58.2	57	41.8	135	100.0
35-44	68	46.9	69	53.1	137	100.0
45-54	38	39.8	58	60.2	96	100.0
55-64	30	35.6	49	64.4	79	100.0
65 +	47	38.3	62	61.7	109	100.0
TOTAL	285	46.5	314	53.5	599	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 49. AVERAGE NUMBER OF CIGARETTES DAILY
DENOMINATOR IS CURRENT SMOKERS

NUMBER OF CIGS SMOKED A DAY

		< 1 PACK		1-2 PACKS		> 2 PACKS		IRREGULAR SMOKER		UNK/REFUSED		***TOTAL***	
		N	%	N	%	N	%	N	%	N	%	N	%
SEX	AGE GROUP												
MALE	18-24	4	39.1	6	60.9	.	.	.	.	.	.	10	100.0
	25-34	12	35.7	18	49.7	1	3.2	4	11.4	.	.	35	100.0
	35-44	12	37.5	20	56.9	1	1.9	.	.	1	3.7	34	100.0
	45-54	4	16.9	18	83.1	.	.	.	.	.	.	22	100.0
	55-64	6	38.5	8	50.0	2	11.5	.	.	.	.	16	100.0
	65 +	9	53.8	4	26.9	2	11.5	1	7.7	.	.	16	100.0
FEMALE	18-24	11	79.3	3	20.7	.	.	.	.	.	.	14	100.0
	25-34	27	60.8	12	29.4	.	.	4	9.8	.	.	43	100.0
	35-44	14	34.1	18	63.4	1	0.8	1	1.6	.	.	34	100.0
	45-54	10	70.4	4	20.4	.	.	2	9.3	.	.	16	100.0
	55-64	12	86.0	2	14.0	.	.	.	.	.	.	14	100.0
	65 +	17	54.3	13	43.2	.	.	.	.	1	2.5	31	100.0
TOTAL		138	47.5	126	45.7	7	2.1	12	4.1	2	0.6	285	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 49. AVERAGE NUMBER OF CIGARETTES DAILY
DENOMINATOR IS CURRENT SMOKERS

NUMBER OF CIGS SMOKED A DAY

	< 1 PACK		1-2 PACKS		> 2 PACKS		IRREGULAR SMOKER		UNK/REFUSED		***TOTAL***	
	************		************		************		************		************		************	
	N	%	N	%	N	%	N	%	N	%	N	%
SEX												
MALE	47	35.7	74	55.7	6	3.9	5	3.9	1	0.7	133	100.0
FEMALE	91	60.5	52	34.7	1	0.2	7	4.2	1	0.4	152	100.0
AGE GROUP												
18-24	15	58.0	9	42.0	.	.	.	.	.	.	24	100.0
25-34	39	48.4	30	39.5	1	1.6	8	10.6	.	.	78	100.0
35-44	26	35.9	38	60.0	2	1.4	1	0.8	1	2.0	68	100.0
45-54	14	35.6	22	61.1	.	.	2	3.3	.	.	38	100.0
55-64	18	58.9	10	34.5	2	6.6	.	.	.	.	30	100.0
65 +	26	54.1	17	36.5	2	4.8	1	3.2	1	1.4	47	100.0
TOTAL	138	47.5	126	45.7	7	2.1	12	4.1	2	0.6	285	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 50. STOPPED SMOKING FOR A WEEK OR MORE DURING PAST YEAR
DENOMINATOR IS CURRENT SMOKERS

		STOPPED SMOKING A WEEK OR MORE					
		YES		NO		***TOTAL***	
		************		************		************	
		N	%	N	%	N	%
SEX	AGE GROUP						
MALE	18-24	5	47.8	5	52.2	10	100.0
	25-34	15	42.2	20	57.8	35	100.0
	35-44	14	41.9	20	58.1	34	100.0
	45-54	5	19.3	17	80.7	22	100.0
	55-64	4	26.9	12	73.1	16	100.0
	65 +	8	46.2	8	53.8	16	100.0
FEMALE	18-24	9	65.5	5	3..5	14	100.0
	25-34	23	53.1	20	46.9	43	100.0
	35-44	15	40.7	19	59.3	34	100.0
	45-54	7	42.6	9	57.4	16	100.0
	55-64	5	34.9	9	65.1	14	100.0
	65 +	15	54.3	16	45.7	31	100.0
TOTAL		125	43.4	160	56.6	285	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 50. STOPPED SMOKING FOR A WEEK OR MORE DURING PAST YEAR
DENOMINATOR IS CURRENT SMOKERS

	STOPPED SMOKING A WEEK OR MORE					
	YES		NO		***TOTAL***	
	N	%	N	%	N	%
SEX						
MALE	51	37.7	82	62.3	133	100.0
FEMALE	74	49.7	78	50.3	152	100.0
AGE GROUP						
18-24	14	56.1	10	43.9	24	100.0
25-34	38	47.7	40	52.3	78	100.0
35-44	29	41.3	39	58.7	68	100.0
45-54	12	27.5	26	72.5	38	100.0
55-64	9	30.3	21	69.7	30	100.0
65 +	23	50.9	24	49.1	47	100.0
TOTAL	125	43.4	160	56.6	285	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 51. SMOKING STATUS

SMOKING STATUS

	CURRENT		FORMER		NEVER SMOKED		NEVER SMOKED REGULARLY		UNK/REFUSED		***TOTAL***	
	************		************		************		************		************		************	
	N	%	N	%	N	%	N	%	N	%	N	%
SEX												
MALE	128	24.0	167	33.0	195	41.8	5	1.0	2	0.3	497	100.0
FEMALE	145	20.4	147	20.3	375	58.4	7	0.9	.	.	674	100.0
AGE GROUP												
18-24	24	18.2	19	13.8	92	68.1	.	.	.	.	135	100.0
25-34	70	24.5	57	19.7	144	53.0	8	2.9	.	.	279	100.0
35-44	67	24.1	69	27.4	124	47.8	1	0.2	1	0.5	262	100.0
45-54	36	22.1	58	34.5	64	42.6	2	0.7	.	.	160	100.0
55-64	30	21.9	49	39.7	42	37.9	.	.	1	0.5	122	100.0
65 +	46	20.4	62	33.8	104	45.1	1	0.7	.	.	213	100.0
TOTAL	273	22.1	314	26.5	570	50.4	12	0.9	2	0.1	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 51. SMOKING STATUS

SMOKING STATUS

SEX	AGE GROUP	CURRENT		FORMER		NEVER SMOKED		NEVER SMOKED REGULARLY		UNK/REFUSED		***TOTAL***	
		N	%	N	%	N	%	N	%	N	%	N	%
MALE	18-24	10	19.2	7	13.3	37	67.5	.	.	.	.		100.0
	25-34	31	24.2	29	22.1	65	50.6	4	3.1	.	.	129	100.0
	35-44	34	25.7	44	39.3	39	34.0	.	.	1	1.0	118	100.0
	45-54	22	30.6	26	37.6	22	31.7	.	.	.	.	70	100.0
	55-64	16	26.5	24	46.9	12	25.5	.	.	1	1.0	53	100.0
	65 +	15	18.5	37	55.2	20	24.7	1	1.5	.	.	73	100.0
FEMALE	18-24	14	17.1	12	14.2	55	68.7	.	.	.	.	81	100.0
	25-34	39	24.8	28	17.3	79	55.3	4	2.7	.	.	150	100.0
	35-44	33	22.4	25	15.8	85	61.4	1	0.4	.	.	144	100.0
	45-54	14	14.1	32	31.6	42	52.9	2	1.4	.	.	90	100.0
	55-64	14	17.8	25	33.2	30	49.0	.	.	.	.	69	100.0
	65 +	31	21.8	25	17.5	84	60.8	.	.	.	.	140	100.0
TOTAL		273	22.1	314	26.5	570	50.4	12	0.9	2	0.1	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 52. ALCOHOL CONSUMPTION IN THE PAST MONTH

	ALCOHOLIC BEVERAGES IN PAST MONTH					
	YES		NO		***TOTAL***	
	N	%	N	%	N	%
SEX						
MALE	311	62.1	186	37.9	497	100.0
FEMALE	286	43.5	388	56.5	674	100.0
AGE GROUP						
18-24	77	58.2	58	41.8	135	100.0
25-34	163	57.4	116	42.6	279	100.0
35-44	165	64.0	97	36.0	262	100.0
45-54	80	49.2	80	5 .8	160	100.0
55-64	60	48.9	62	51.1	122	100.0
65 +	52	28.0	161	72.0	213	100.0
TOTAL	597	52.5	574	47.5	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 52. ALCOHOL CONSUMPTION IN THE PAST MONTH

		ALCOHOLIC BEVERAGES IN PAST MONTH					
		YES		NO		***TOTAL***	
		N	%	N	%	N	%
SEX	AGE GROUP						
MALE	18-24	37	67.5	17	32.5	54	100.0
	25-34	91	67.9	38	32.1	129	100.0
	35-44	85	74.8	33	25.2	118	100.0
	45-54	37	50.6	33	49.4	70	100.0
	55-64	34	59.2	19	40.8	53	100.0
	65 +	27	38.6	46	61.4	73	100.0
FEMALE	18-24	40	48.8	41	5..2	81	100.0
	25-34	72	47.0	78	53.0	150	100.0
	35-44	80	53.5	64	46.5	144	100.0
	45-54	43	48.0	47	52.0	90	100.0
	55-64	26	39.8	43	60.2	69	100.0
	65 +	25	19.9	115	80.1	140	100.0
TOTAL		597	52.5	574	47.5	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 53. TOTAL NUMBER OF DRINKS A MONTH
DENOMINATOR IS PERSON WHO REPORTED DRINKING IN THE PAST MONTH

	TOTAL NUMBER ALL DRINKS A MONTH													
	UNK/REFUSED		<10 A MONTH		10-20 A MONTH		21-40 A MONTH		41-59 A MONTH		60 + A MONTH		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
SEX														
MALE	32	11.9	95	30.1	62	18.3	58	19.2	25	7.8	39	12.8	311	100.0
FEMALE	17	6.6	167	59.5	69	22.9	19	5.9	8	3.4	6	1.8	286	100.0
AGE GROUP														
18-24	5	9.6	30	41.7	14	16.0	11	18.3	4	6.6	5	7.9	77	100.0
25-34	12	6.3	61	38.6	41	22.7	18	11.7	11	6.8	20	13.8	163	100.0
35-44	9	5.7	74	44.2	44	26.6	22	11.9	5	4.3	11	7.3	165	100.0
45-54	10	16.3	43	51.6	14	16.7	9	11.7	2	2.7	2	1.1	80	100.0
55-64	9	19.8	24	40.2	8	13.1	9	14.3	4	4.8	6	7.9	60	100.0
65 +	4	7.1	22	44.1	10	19.6	8	14.0	7	12.8	1	2.4	52	100.0
TOTAL	49	9.6	262	42.6	131	20.2	77	13.5	33	5.9	45	8.1	597	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 53. TOTAL NUMBER OF DRINKS A MONTH
DENOMINATOR IS PERSON WHO REPORTED DRINKING IN THE PAST MONTH

TOTAL NUMBER ALL DRINKS A MONTH

		UNK/REFUSED		<10 A MONTH		10-20 A MONTH		21-40 A MONTH		41-59 A MONTH		60 + A MONTH		***TOTAL***	
		***********		***********		***********		***********		***********		***********		***********	
		N	%	N	%	N	%	N	%	N	%	N	%	N	%
	AGE GROUP														
	18-24	4	14.8	11	25.9	4	7.4	10	29.6	3	8.6	5	13.6	37	100.0
	25-34	5	6.5	22	23.9	23	21.5	16	18.2	10	10.4	15	19.5	91	100.0
	35-44	8	8.4	30	36.1	20	26.5	14	13.5	3	3.9	10	11.6	85	100.0
	45-54	7	21.9	14	36.5	7	19.0	6	17.5	1	2.9	2	2.2	37	100.0
	55-64	5	19.0	10	32.8	4	10.3	6	17.2	3	6.9	6	13.8	34	100.0
	65 +	3	10.0	8	32.0	4	20.0	6	18.0	5	16.0	1	4.0	27	100.0
LE	18-24	1	2.4	27	63.6	10	27.9	1	2.4	1	3.6	.	.	40	100.0
	25-34	7	6.1	39	59.6	18	24.5	2	2.4	1	1.6	5	5.7	72	100.0
	35-44	1	2.1	44	55.3	24	26.7	8	9.7	2	4.9	1	1.4	80	100.0
	45-54	3	10.8	29	66.5	7	14.4	3	6.0	1	2.4	.	.	43	100.0
	55-64	4	20.8	14	50.0	4	16.7	3	10.4	1	2.1	.	.	26	100.0
	65 +	1	2.7	14	62.2	6	18.9	2	8.1	2	8.1	.	.	25	100.0
OTAL***		49	9.6	262	42.6	131	20.2	77	13.5	33	5.9	45	8.1	597	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 54. HOW MANY TIMES DURING THE PAST MONTH DID YOU HAVE 5 OR MORE DRINKS ON AN OCCASION?

FIVE OR MORE DRINKS ON AN OCCASION

	NONE		ONLY ONCE		TWICE		3 TO 4 TIMES		5 + TIMES		UNK/REFUSED		***TOTAL***	
	************		************		************		************		************		************		************	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
SEX														
MALE	182	57.6	44	13.1	21	6.7	24	8.7	27	9.0	13	4.9	311	100.0
FEMALE	232	79.1	31	13.1	7	2.5	5	1.7	5	1.2	6	2.5	286	100.0
AGE GROUP														
18-24	38	47.1	18	20.9	6	7.6	7	12.9	5	6.5	3	5.0	77	100.0
25-34	103	60.8	22	13.8	11	7.2	10	6.3	13	9.8	4	2.2	163	100.0
35-44	111	67.4	26	16.7	7	2.9	9	5.3	8	4.3	4	3.3	165	100.0
45-54	65	78.9	6	8.6	4	7.0	1	0.7	1	0.4	3	4.5	80	100.0
55-64	49	83.6	1	2.0	.	.	2	2.0	4	4.8	4	7.7	60	100.0
65 +	48	91.6	2	3.6	.	.	.	.	1	2.4	1	2.4	52	100.0
TOTAL	414	66.8	75	13.1	28	4.9	29	5.7	32	5.6	19	3.9	597	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 54. HOW MANY TIMES DURING THE PAST MONTH DID YOU HAVE 5 OR MORE DRINKS ON AN OCCASION?

FIVE OR MORE DRINKS ON AN OCCASION

		NONE		ONLY ONCE		TWICE		3 TO 4 TIMES		5 + TIMES		UNK/REFUSED		***TOTAL***	
		************		************		************		************		************		************		************	
		N	%	N	%	N	%	N	%	N	%	N	%	N	%
	AGE GROUP														
E	18-24	12	37.0	6	12.3	4	8.6	7	22.2	5	11.1	3	8.6	37	100.0
	25-34	45	47.6	16	15.9	10	11.1	7	7.8	11	15.0	2	2.6	91	100.0
	35-44	50	60.6	16	19.4	4	3.2	7	7.1	6	6.5	2	3.2	85	100.0
	45-54	27	74.5	3	8.8	3	11.7	1	1.5	1	0.7	2	2.9	37	100.0
	55-64	25	75.9	1	3.4	.	.	2	3.4	3	6.9	3	10.3	34	100.0
	65 +	23	86.0	2	6.0	.	.	.	.	1	4.0	1	4.0	27	100.0
ALE	18-24	26	61.2	12	32.7	2	6.1	.	.	.	.	.	.	40	100.0
	25-34	58	79.6	6	10.6	1	1.6	3	4.1	2	2.4	2	1.6	72	100.0
	35-44	61	76.8	10	13.2	3	2.4	2	2.8	2	1.4	2	3.5	80	100.0
	45-54	38	83.2	3	8.4	1	2.4	.	.	.	.	1	6.0	43	100.0
	55-64	24	93.8	.	.	.	.	.	.	1	2.1	1	4.2	26	100.0
	65 +	25	100.0	.	.	.	.	.	.	.	.	.	.	25	100.0
OTAL***		414	66.8	75	13.1	28	4.9	29	5.7	32	5.6	19	3.9	597	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 55. HOW MANY TIMES IN THE PAST MONTH HAVE YOU DRIVEN WHEN YOU HAVE HAD PERHAPS TOO MUCH TO DRINK ?

	DRINK AND DRIVE													
	NONE		ONLY ONCE		TWICE		3 TO 4 TIMES		5 + TIMES		UNK/REFUSED		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
SEX														
MALE	281	90.0	12	4.9	12	3.5	2	0.7	.	.	4	0.8	311	100.0
FEMALE	269	94.0	13	4.7	2	0.8	.	.	1	0.2	1	0.3	286	100.0
AGE GROUP														
18-24	67	84.3	9	14.3	1	1.4	.	.	.	.	.	.	77	100.0
25-34	146	90.0	6	2.5	8	5.2	2	1.5	.	.	1	0.8	163	100.0
35-44	152	92.9	6	3.9	3	1.9	.	.	1	0.3	3	1.1	165	100.0
45-54	75	94.6	3	2.8	1	1.5	.	.	.	.	1	1.2	80	100.0
55-64	59	99.0	.	.	1	1.0	.	.	.	.	.	.	60	100.0
65 +	51	97.6	1	2.4	.	.	.	.	.	.	.	.	52	100.0
TOTAL	550	91.7	25	4.8	14	2.4	2	0.4	1	0.1	5	0.6	597	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 55. HOW MANY TIMES IN THE PAST MONTH HAVE YOU DRIVEN WHEN YOU HAVE HAD PERHAPS TOO MUCH TO DRINK ?

DRINK AND DRIVE

		NONE		ONLY ONCE		TWICE		3 TO 4 TIMES		5 + TIMES		UNK/REFUSED		***TOTAL***	
		N	%	N	%	N	%	N	%	N	%	N	%	N	%
	AGE GROUP														
E	18-24	33	85.2	3	12.3	1	2.5	.	.	.	.	.	.	37	100.0
	25-34	80	87.6	2	2.0	6	6.5	2	2.6	.	.	1	1.3	91	100.0
	35-44	75	89.7	4	5.2	3	3.2	.	.	.	.	3	1.9	85	100.0
	45-54	34	92.7	2	4.4	1	2.9	.	.	.	.	.	.	37	100.0
	55-64	33	98.3	.	.	1	1.7	.	.	.	.	.	.	34	100.0
	65 +	26	96.0	1	4.0	.	.	.	.	.	.	.	.	27	100.0
ALE	18-24	34	83.0	6	17.0	.	.	.	.	.	.	.	.	40	100.0
	25-34	66	93.5	4	3.3	2	3.3	.	.	.	.	.	.	72	100.0
	35-44	77	97.2	2	2.1	.	.	.	.	1	0.7	.	.	80	100.0
	45-54	41	96.4	1	1.2	.	.	.	.	.	.	1	2.4	43	100.0
	55-64	26	100.0	.	.	.	.	.	.	.	.	.	.	26	100.0
	65 +	25	100.0	.	.	.	.	.	.	.	.	.	.	25	100.0
TOTAL***		550	91.7	25	4.8	14	2.4	2	0.4	1	0.1	5	0.6	597	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 56. HOW LONG SINCE VISITED DR FOR ROUTINE CHECKUP?

	HOW LONG SINCE LAST ROUTINE CHECKUP													
	WITHIN PAST YEAR		WITHIN PAST TWO YEARS		WITHIN PAST FIVE YEARS		MORE THAN FIVE YEARS		UNK/REFUSED		NEVER		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
SEX														
MALE	291	61.1	57	11.6	51	9.3	76	13.9	6	1.2	16	2.9	497	100.0
FEMALE	499	74.0	75	11.4	31	4.2	42	6.8	13	1.8	14	1.7	674	100.0
AGE GROUP														
18-24	92	70.4	16	11.0	11	8.2	11	7.2	4	2.7	1	0.6	135	100.0
25-34	171	60.2	34	12.3	21	6.8	34	13.7	5	1.7	14	5.3	279	100.0
35-44	153	57.2	37	16.0	23	7.5	40	16.1	2	0.9	7	2.2	[illegible]	100.0
45-54	106	67.2	22	14.4	11	6.5	15	[illegible]	2	1.2	4	1.9	160	100.0
55-64	100	85.5	7	3.6	6	4.5	7	5.1	2	1.4	.	.	122	100.0
65 +	168	77.0	16	8.9	10	5.5	11	6.0	4	1.2	4	1.4	213	100.0
TOTAL	790	67.7	132	11.5	82	6.7	118	10.3	19	1.6	30	2.3	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 56. HOW LONG SINCE VISITED DR FOR ROUTINE CHECKUP?

HOW LONG SINCE LAST ROUTINE CHECKUP

X	AGE GROUP	WITHIN PAST YEAR N	WITHIN PAST YEAR %	WITHIN PAST TWO YEARS N	WITHIN PAST TWO YEARS %	WITHIN PAST FIVE YEARS N	WITHIN PAST FIVE YEARS %	MORE THAN FIVE YEARS N	MORE THAN FIVE YEARS %	UNK/REFUSED N	UNK/REFUSED %	NEVER N	NEVER %	***TOTAL*** N	***TOTAL*** %
E	18-24	36	70.0	8	12.5	4	7.5	4	7.5	2	2.5	.	.	54	100.0
	25-34	61	47.8	15	11.1	15	10.6	26	20.3	3	2.2	9	8.0	129	100.0
	35-44	56	49.4	19	17.6	15	10.3	26	21.2	.	.	2	1.4	118	100.0
	45-54	40	58.3	9	14.8	8	10.3	10	13.3	.	.	3	3.3	70	100.0
	55-64	42	82.7	1	1.0	4	7.1	5	7.1	1	2.0	.	.	53	100.0
	65 +	56	75.7	5	8.5	5	8.5	5	6.2	.	.	2	1.2	73	100.0
ALE	18-24	56	70.7	8	9.5	7	8.9	7	.8	2	3.0	1	1.2	81	100.0
	25-34	110	72.6	19	13.4	6	3.1	8	7.1	2	1.2	5	2.7	150	100.0
	35-44	97	64.9	18	14.5	8	4.8	14	11.1	2	1.9	5	2.9	144	100.0
	45-54	66	75.6	13	14.1	3	2.9	5	4.6	2	2.3	1	0.6	90	100.0
	55-64	58	88.0	6	5.8	2	2.1	2	3.3	1	0.8	.	.	69	100.0
	65 +	112	78.0	11	9.1	5	3.2	6	5.9	4	2.2	2	1.6	140	100.0
TOTAL***		790	67.7	132	11.5	82	6.7	118	10.3	19	1.6	30	2.3	1171	100.0

BEST AVAILABLE COPY

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 57. WHAT TYPE OF DOCTOR DID YOU SEE FOR LAST ROUTINE CHECKUP?

TYPE OF DOCTOR FOR ROUTINE CHECKUP

	FAMILY OR GENERAL PRACTITIONER		INTERNIST		SPECIALIST		OBSTETRICIAN/-GYNECOLOGIST		OTHER		UNK/REFUSED		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
SEX														
MALE	367	78.0	43	8.7	45	9.7	2	0.4	6	1.3	12	1.9	475	100.0
FEMALE	368	57.6	60	8.5	45	6.0	150	24.1	11	1.7	13	2.1	647	100.0
AGE GROUP														
18-24	94	76.7	2	1.6	9	4.6	19	13.4	2	1.2	4	2.5	130	100.0
25-34	166	65.2	10	3.0	17	7.1	61	22.0	2	0.8	4	1.8	260	100.0
35-44	178	73.3	16	6.4	15	5.7	36	11.6	2	0.9	6	2.1	253	100.0
45-54	97	6[illegible].4	23	14.5	10	7.4	21	11.5	2	0.9	1	0.4	154	100.0
55-64	71	59.8	15	12.7	16	12.7	12	10.2	5	4.1	1	0.4	120	100.0
65 +	129	60.5	37	20.1	23	11.8	3	0.9	4	2.0	9	4.6	205	100.0
TOTAL	735	67.4	103	8.6	90	7.8	152	12.7	17	1.5	25	2.0	1122	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 57. WHAT TYPE OF DOCTOR DID YOU SEE FOR LAST ROUTINE CHECKUP?

TYPE OF DOCTOR FOR ROUTINE CHECKUP

		FAMILY OR GENERAL PRACTITIONER		INTERNIST		SPECIALIST		OBSTETRICIAN/-GYNECOLOGIST		OTHER		UNK/REFUSED		***TOTAL***	
		************		************		************		************		************		************		************	
		N	%	N	%	N	%	N	%	N	%	N	%	N	%
X	AGE GROUP														
LE	18-24	44	88.9	1	2.6	4	4.3	.	.	1	1.7	2	2.6	52	100.0
	25-34	99	83.3	3	2.0	12	11.8	1	1.0	.	.	2	2.0	117	100.0
	35-44	98	84.6	8	6.6	7	6.4	.	.	1	1.0	2	1.5	116	100.0
	45-54	51	74.0	10	16.0	4	7.6	1	1.5	.	.	1	0.8	67	100.0
	55-64	32	64.6	9	15.6	10	17.7	.	.	1	2.1	.	.	52	100.0
	65 +	43	59.4	12	18.7	8	13.3	.	.	3	3.9	5	4.7	71	100.0
MALE	18-24	50	64.2	1	0.6	5	4.9	19	27.1	1	0.6	2	2.5	78	100.0
	25-34	67	48.5	7	4.0	5	2.8	60	41.5	2	1.6	2	1.6	143	100.0
	35-44	80	61.8	8	6.2	8	5.1	36	23.4	1	0.8	4	2.7	137	100.0
	45-54	46	57.4	13	13.0	6	7.1	20	20.7	2	1.8	.	.	87	100.0
	55-64	39	55.6	6	10.0	6	8.4	12	19.2	4	5.9	1	0.8	68	100.0
	65 +	86	61.5	25	21.2	15	10.6	3	1.7	1	0.6	4	4.5	134	100.0
TOTAL***		735	67.4	103	8.6	90	7.8	152	12.7	17	1.5	25	2.0	1122	100.0

BEST AVAILABLE COPY

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1988 - WEIGHTED

TABLE 58. EVER HAD YOUR BLOOD CHOLESTEROL CHECKED

	EVER HAD BLOOD CHOLESTEROL CHECKED							
	YES ************		NO ************		UNKNOWN ************		***TOTAL*** ************	
	N	%	N	%	N	%	N	%
SEX								
MALE	253	48.1	235	50.4	9	1.5	497	100.0
FEMALE	344	48.4	313	49.5	17	2.2	674	100.0
AGE GROUP								
18-24	32	22.4	99	75.8	4	1.8	135	100.0
25-34	87	29.8	190	69.5	2	0.7	279	100.0
35-44	128	50.4	127	46.9	7	2.7	262	100.0
45-54	105	64.7	53	34.3	2	1.0	160	100.0
55-64	96	79.2	25	20.4	1	0.4	122	100.0
65 +	149	67.8	54	27.4	10	4.7	213	100.0
TOTAL	597	48.3	548	49.9	26	1.8	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1988 - WEIGHTED

TABLE 58. EVER HAD YOUR BLOOD CHOLESTEROL CHECKED

		EVER HAD BLOOD CHOLESTEROL CHECKED							
		YES		NO		UNKNOWN		***TOTAL***	
		***********		***********		***********		***********	
		N	%	N	%	N	%	N	%
SEX	AGE GROUP								
MALE	18-24	11	20.0	43	80.0	.	.	54	100.0
	25-34	43	31.6	84	67.1	2	1.3	129	100.0
	35-44	63	56.4	52	41.2	3	2.4	118	100.0
	45-54	46	62.4	23	36.2	1	1.5	70	100.0
	55-64	44	84.7	9	15.3	.	.	53	100.0
	65 +	46	60.2	24	35.9	3	3.9	73	100.0
FEMALE	18-24	21	24.8	56	71.6	4	3.5	81	100.0
	25-34	44	28.0	106	72.0	.	.	150	100.0
	35-44	65	44.5	75	52.6	4	3.0	144	100.0
	45-54	59	67.0	30	32.5	1	0.6	90	100.0
	55-64	52	74.3	16	24.9	1	0.8	69	100.0
	65 +	103	73.7	30	21.0	7	5.4	140	100.0
TOTAL		597	48.3	548	49.9	26	1.8	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 59. HOW LONG SINCE HAD BLOOD CHOLESTEROL CHECKED?

	HOW LONG SINCE CHOLESTEROL CHECKED											
	WITHIN PAST YEAR		WITHIN PAST TWO YEARS		WITHIN PAST FIVE YEARS		MORE THAN FIVE YEARS		UNK/REFUSED		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%	N	%
SEX												
MALE	193	74.9	33	14.1	13	5.6	10	4.3	4	1.2	253	100.0
FEMALE	276	80.8	42	11.8	17	5.0	5	1.4	4	1.0	344	100.0
AGE GROUP												
18-24	24	79.0	8	21.0	.	.	.	.	.	.	32	100.0
25-34	55	62.1	18	22.3	9	9.8	4	5.1	1	0.6	87	100.0
35-44	97	76.2	20	14.9	6	4.6	4	3.3	1	0.9	128	100.0
45-54	81	75.3	10	8.8	8	9.6	4	4.3	2	2.0	105	100.0
55-64	80	83.3	10	10.3	5	5.1	1	1.2	.	.	96	100.0
65 +	132	88.3	9	6.6	2	0.9	2	1.9	4	2.3	149	100.0
TOTAL	469	78.0	75	12.9	30	5.3	15	2.8	8	1.1	597	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 59. HOW LONG SINCE HAD BLOOD CHOLESTEROL CHECKED?

		HOW LONG SINCE CHOLESTEROL CHECKED											
		WITHIN PAST YEAR		WITHIN PAST TWO YEARS		WITHIN PAST FIVE YEARS		MORE THAN FIVE YEARS		UNK/REFUSED		***TOTAL***	
		************		************		************		************		************		************	
		N	%	N	%	N	%	N	%	N	%	N	%
SEX	AGE GROUP												
MALE	18-24	8	70.8	3	29.2	.	.	.	.	.	.	11	100.0
	25-34	28	60.1	7	20.3	5	11.2	3	8.4	.	.	43	100.0
	35-44	45	73.9	12	17.5	3	4.3	2	2.6	1	1.7	63	100.0
	45-54	34	68.0	4	9.5	4	11.8	3	8.3	1	2.4	46	100.0
	55-64	38	85.5	4	8.4	1	3.6	1	2.4	.	.	44	100.0
	65 +	40	87.2	3	7.7	.	.	1	2.6	2	2.6	46	100.0
FEMALE	18-24	16	85.7	5	14.3	.	.	.	.	.	.	21	100.0
	25-34	27	64.4	11	24.7	4	8.2	1	1.4	1	1.4	44	100.0
	35-44	52	79.1	8	11.7	3	5.0	2	4.2	.	.	65	100.0
	45-54	47	81.5	6	8.2	4	7.7	1	0.9	1	1.7	59	100.0
	55-64	42	81.0	6	12.3	4	6.7	.	.	.	.	52	100.0
	65 +	92	89.1	6	5.8	2	1.5	1	1.5	2	2.2	103	100.0
TOTAL		469	78.0	75	12.9	30	5.3	15	2.8	8	1.1	597	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 60. EVER TOLD YOUR BLOOD CHOLESTEROL LEVEL IN NUMBERS?

	EVER TOLD BLOOD CHOLESTEROL LEVEL							
	YES		NO		UNKNOWN		***TOTAL***	
	N	%	N	%	N	%	N	%
SEX								
MALE	172	68.2	68	26.4	13	5.4	253	100.0
FEMALE	222	64.8	107	30.6	15	4.6	344	100.0
AGE GROUP								
18-24	15	43.1	14	46.6	3	10.3	32	100.0
25-34	52	59.2	34	39.3	1	1.5	87	100.0
35-44	94	71.9	29	24.2	5	4.0	128	100.0
45-54	83	78.0	20	18.9	2	3.1	105	100.0
55-64	66	72.9	21	20.0	9	7.1	96	100.0
65 +	84	59.6	57	34.2	8	6.2	149	100.0
TOTAL	394	66.4	175	28.6	28	5.0	597	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 60. EVER TOLD YOUR BLOOD CHOLESTEROL LEVEL IN NUMBERS?

		EVER TOLD BLOOD CHOLESTEROL LEVEL							
		YES		NO		UNKNOWN		***TOTAL***	
		************		************		************		************	
		N	%	N	%	N	%	N	%
SEX	AGE GROUP								
MALE	18-24	4	37.5	6	54.2	1	8.3	11	100.0
	25-34	25	54.5	17	42.7	1	2.8	43	100.0
	35-44	44	70.1	15	24.8	4	5.1	63	100.0
	45-54	38	82.2	7	13.0	1	4.7	46	100.0
	55-64	35	83.1	7	13.3	2	3.6	44	100.0
	65 +	26	60.3	16	29.5	4	10.3	46	100.0
FEMALE	18-24	11	47.6	8	40.5	2	11.9	21	100.0
	25-34	27	64.4	17	35.6	.	.	44	100.0
	35-44	50	74.1	14	23.4	1	2.5	65	100.0
	45-54	45	74.2	13	24.0	1	1.7	59	100.0
	55-64	31	62.6	14	26.8	7	10.6	52	100.0
	65 +	58	59.1	41	37.2	4	3.6	103	100.0
TOTAL		394	66.4	175	28.6	28	5.0	597	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 61. EVER TOLD YOUR BLOOD CHOLESTEROL IS HIGH?

	EVER TOLD BLOOD CHOLESTEROL HIGH							
	YES		NO		UNKNOWN		***TOTAL***	
	************		************		************		************	
	N	%	N	%	N	%	N	%
SEX								
MALE	60	24.1	187	73.7	6	2.2	253	100.0
FEMALE	88	24.4	254	74.8	2	0.8	344	100.0
AGE GROUP								
18-24	5	11.6	26	85.8	1	2.6	32	100.0
25-34	9	10.7	77	88.0	1	1.3	87	100.0
35-44	25	21.6	103	78.4	.	.	128	100.0
45-54	25	25.6	79	73.8	1	0.6	105	100.0
55-64	39	38.4	55	59.2	2	2.4	96	100.0
65 +	45	27.2	101	70.3	3	2.5	149	100.0
TOTAL	148	24.3	441	74.3	8	1.5	597	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 61. EVER TOLD YOUR BLOOD CHOLESTEROL IS HIGH?

		EVER TOLD BLOOD CHOLESTEROL HIGH							
		YES		NO		UNKNOWN		***TOTAL***	
		N	%	N	%	N	%	N	%
SEX	AGE GROUP								
MALE	18-24	1	8.3	10	91.7	.	.	11	100.0
	25-34	7	15.4	36	84.6	.	.	43	100.0
	35-44	14	26.5	49	73.5	.	.	63	100.0
	45-54	14	31.4	31	67.5	1	1.2	46	100.0
	55-64	16	34.9	26	60.2	2	4.8	44	100.0
	65 +	8	15.4	35	78.2	3	6.4	46	[illegible]
FEMALE	18-24	4	14.3	16	81.0	1	4.8	21	100.0
	25-34	2	5.5	41	91.8	1	2.7	44	100.0
	35-44	11	15.4	54	84.6	.	.	65	100.0
	45-54	11	20.6	48	79.4	.	.	59	100.0
	55-64	23	41.9	29	58.1	.	.	52	100.0
	65 +	37	34.7	66	65.3	.	.	103	100.0
TOTAL		148	24.3	441	74.3	8	1.5	597	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 62. ARE YOU NOW UNDER DR ADVICE TO REDUCE CHOLESTEROL?

		DR ADVICE REDUCE CHOLESTEROL							
		YES		NO		UNKNOWN		***TOTAL***	
		N	%	N	%	N	%	N	%
SEX	AGE GROUP								
MALE	18-24	.	.	11	100.0	.	.	11	100.0
	25-34	3	7.0	40	93.0	.	.	43	100.0
	35-44	4	6.8	59	93.2	.	.	63	100.0
	45-54	6	13.0	40	87.0	.	.	46	100.0
	55-64	13	25.3	30	72.3	1	2.4	44	100.0
	65 +	8	16.7	36	79.5	2	3.8	46	100.0
FEMALE	18-24	2	7.1	19	92.9	.	.	21	100.0
	25-34	.	.	44	100.0	.	.	44	100.0
	35-44	5	7.5	60	92.5	.	.	65	100.0
	45-54	8	11.2	51	88.8	.	.	59	100.0
	55-64	14	26.8	38	73.2	.	.	52	100.0
	65 +	24	23.0	79	77.0	.	.	103	100.0
TOTAL		87	13.6	507	85.9	3	0.5	597	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 62. ARE YOU NOW UNDER DR ADVICE TO REDUCE CHOLESTEROL?

DR ADVICE REDUCE CHOLESTEROL

	YES		NO		UNKNOWN		***TOTAL***	
	************		************		************		************	
	N	%	N	%	N	%	N	%
SEX								
MALE	34	12.7	216	86.1	3	1.1	253	100.0
FEMALE	53	14.4	291	85.6	.	.	344	100.0
AGE GROUP								
18-24	2	3.9	30	96.1	.	.	32	100.0
25-34	3	3.7	84	96.3	.	.	87	100.0
35-44	9	7.1	119	92.9	.	.	128	100.0
45-54	14	12.0	91	88.0	.	.	105	100.0
55-64	27	26.1	68	72.7	1	1.2	96	100.0
65 +	32	20.6	115	78.0	2	1.5	149	100.0
TOTAL	87	13.6	507	85.9	3	0.5	597	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 63. DOCTOR PRESCRIBED MEDICATION TO LOWER CHOLESTEROL

		DR PRESCRIBE MED TO LOWER CHOLESTEROL?					
		YES		NO		***TOTAL***	
SEX	AGE GROUP	N	%	N	%	N	%
MALE	25-34	.	.	3	100.0	3	100.0
	35-44	.	.	4	100.0	4	100.0
	45-54	3	54.5	3	45.5	6	100.0
	55-64	4	33.3	9	66.7	13	100.0
	65 +	3	46.2	5	53.8	8	100.0
FEMALE	18-24	.	.	2	100.0	2	100.0
	35-44	.	.	5	10 .0	5	100.0
	45-54	2	30.8	6	69.2	8	100.0
	55-64	5	37.5	9	62.5	14	100.0
	65 +	8	31.7	16	68.3	24	100.0
TOTAL		25	30.9	62	69.1	87	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 63. DOCTOR PRESCRIBED MEDICATION TO LOWER CHOLESTEROL

	DR PRESCRIBE MED TO LOWER CHOLESTEROL?					
	YES		NO		***TOTAL***	
	************		************		************	
	N	%	N	%	N	%
SEX						
MALE	10	32.6	24	67.4	34	100.0
FEMALE	15	29.5	38	70.5	53	100.0
AGE GROUP						
18-24	.	.	2	100.0	2	100.0
25-34	.	.	3	100.0	3	100.0
35-44	.	.	9	100.0	9	100.0
45-54	5	42.8	9	5. .2	14	100.0
55-64	9	35.5	18	64.5	27	100.0
65 +	11	36.2	21	63.8	32	100.0
TOTAL	25	30.9	62	69.1	87	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 64. DOCTOR PROVIDED A LOW FAT OR LOW CHOLESTEROL DIET

		DR RECOMMEND LOW FAT OR LOW CHOL DIET?					
		YES		NO		***TOTAL***	
		************		************		************	
		N	%	N	%	N	%
SEX	AGE GROUP						
MALE	25-34	2	60.0	1	40.0	3	100.0
	35-44	4	100.0	.	.	4	100.0
	45-54	6	100.0	.	.	6	100.0
	55-64	12	90.5	1	9.5	13	100.0
	65 +	5	69.2	3	30.8	8	100.0
FEMALE	18-24	2	100.0	.	.	2	100.0
	35-44	4	77.8	1	22.2	5	100.0
	45-54	4	53.8	4	46.2	8	100.0
	55-64	11	83.3	3	16.7	14	100.0
	65 +	19	71.4	5	28.6	24	100.0
TOTAL		69	79.9	18	20.1	87	100.0

BEHAVIORAL RI[illegible] ACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 64. DOCTOR PROVIDED A LOW FAT OR LOW CHOLESTEROL DIET

	DR RECOMMEND LOW FAT OR LOW CHOL DIET?					
	YES		NO		***TOTAL***	
	N	%	N	%	N	%
SEX						
MALE	29	86.0	5	14.0	34	100.0
FEMALE	40	74.9	13	25.1	53	100.0
AGE GROUP						
18-24	2	100.0	.	.	2	100.0
25-34	2	60.0	1	40.0	3	100.0
35-44	8	89.6	1	10.4	9	100.0
45-54	10	77.1	4	2[illegible].9	14	100.0
55-64	23	86.8	4	13.2	27	100.0
65 +	24	70.7	8	29.3	32	100.0
TOTAL	69	79.9	18	20.1	87	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 65. DOCTOR REFERRED YOU TO A DIETITIAN TO HELP YOU REDUCE THE FAT OR CHOLESTEROL

		DID DR REFER YOU TO DIETITIAN FOR HELP					
		YES		NO		***TOTAL***	
		N	%	N	%	N	%
SEX	AGE GROUP						
MALE	25-34	2	80.0	1	20.0	3	100.0
	35-44	1	25.0	3	75.0	4	100.0
	45-54	4	72.7	2	27.3	6	100.0
	55-64	4	28.6	9	71.4	13	100.0
	65 +	3	38.5	5	61.5	8	100.0
FEMALE	18-24	.	.	2	100.0	2	100.0
	35-44	.	.	5	100.0	5	100.0
	45-54	.	.	8	100.0	8	100.0
	55-64	3	20.8	11	79.2	14	100.0
	65 +	1	3.2	23	96.8	24	100.0
TOTAL		18	23.9	69	76.1	87	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 65. DOCTOR REFERRED YOU TO A DIETITIAN TO HELP YOU REDUCE THE FAT OR CHOLESTEROL

	DID DR REFER YOU TO DIETITIAN FOR HELP					
	YES		NO		***TOTAL***	
	N	%	N	%	N	%
SEX						
MALE	14	42.6	20	57.4	34	100.0
FEMALE	4	8.5	49	91.5	53	100.0
AGE GROUP						
18-24	.	.	2	100.0	2	100.0
25-34	2	80.0	1	20.0	3	100.0
35-44	1	13.3	8	86.7	9	100.0
45-54	4	36.7	10	63.3	14	100.0
55-64	7	24.6	20	75.4	27	100.0
65 +	4	14.2	28	85.8	32	100.0
TOTAL	18	23.9	69	76.1	87	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 66. EVER TOLD BY A DOCTOR THAT YOU HAVE DIABETES?

BEEN TOLD BY DOCTOR YOU HAVE DIABETES

		YES		NO		UNKNOWN		***TOTAL***	
		************		************		************		************	
		N	%	N	%	N	%	N	%
SEX	AGE GROUP								
MALE	18-24	1	1.7	53	98.3	.	.	54	100.0
	25-34	1	0.9	128	99.1	.	.	129	100.0
	35-44	2	1.4	116	98.6	.	.	118	100.0
	45-54	3	5.2	67	94.8	.	.	70	100.0
	55-64	4	9.2	49	90.8	.	.	53	100.0
	65 +	3	4.6	70	95.4	.	.	73	100.0
FEMALE	18-24	1	1.2	78	96.5	2	2.4	81	100.0
	25-34	6	3.5	144	96.5	.	.	150	100.0
	35-44	3	1.9	141	98.1	.	.	144	100.0
	45-54	3	2.6	87	97.4	.	.	90	100.0
	55-64	4	5.0	65	95.0	.	.	69	100.0
	65 +	10	7.3	129	92.2	1	0.5	140	100.0
TOTAL		41	3.3	1127	96.5	3	0.2	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 66. EVER TOLD BY A DOCTOR THAT YOU HAVE DIABETES?

	BEEN TOLD BY DOCTOR YOU HAVE DIABETES							
	YES		NO		UNKNOWN		***TOTAL***	
	************		************		************		************	
	N	%	N	%	N	%	N	%
SEX								
MALE	14	3.1	483	96.9	.	.	497	100.0
FEMALE	27	3.5	644	96.1	3	0.5	674	100.0
AGE GROUP								
18-24	2	1.4	131	97.4	2	1.2	135	100.0
25-34	7	2.2	272	97.8	.	.	279	100.0
35-44	5	1.7	257	98.3	.	.	262	100.0
45-54	6	3.8	154	96.2	.	.	160	100.0
55-64	8	7.0	114	93.0	.	.	122	100.0
65 +	13	6.1	199	93.6	1	0.3	213	100.0
TOTAL	41	3.3	1127	96.5	3	0.2	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY, 1988 - WEIGHTED

TABLE 67. HAVE YOU EVER HAD A MAMMOGRAM?

	HAVE YOU EVER HAD A MAMMOGRAM							
	YES		NO		UNKNOWN		***TOTAL***	
	************		************		************		************	
	N	%	N	%	N	%	N	%
AGE GROUP								
18-24	10	13.0	70	85.8	1	1.2	81	100.0
25-34	29	17.7	121	82.3	.	.	150	100.0
35-44	71	48.4	72	51.2	1	0.4	144	100.0
45-54	59	62.9	30	35.9	1	1.1	90	100.0
55-64	47	68.9	21	30.3	1	0.8	69	100.0
65 +	83	60.5	57	39.5	.	.	140	100.0
RACE GROUPED								
WHITE	223	46.9	227	53.0	1	0.1	451	100.0
BLACK	1	23.5	5	76.5	.	.	6	100.0
HISPANIC	67	32.6	119	66.9	1	0.5	187	100.0
OTHER	7	24.0	18	69.6	2	6.4	27	100.0
UNK/REFUSED	1	24.6	2	75.4	.	.	3	100.0
TOTAL	299	41.4	371	58.1	4	0.5	674	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY, 1988 - WEIGHTED

TABLE 67. HAVE YOU EVER HAD A MAMMOGRAM?

	HAVE YOU EVER HAD A MAMMOGRAM							
	YES		NO		UNKNOWN		***TOTAL***	
	************		************		************		************	
	N	%	N	%	N	%	N	%
EDUCATION LEVEL								
<9TH GRADE	17	52.9	18	45.1	1	2.0	36	100.0
SOME HIGH SCHOOL	22	35.6	35	62.7	1	1.7	58	100.0
HIGH SCHOOL GRADUATE	97	36.3	145	63.0	2	0.7	244	100.0
SOME TECHNICAL SCHOOL	6	32.8	9	67.2	.	.	15	100.0
TECHNICAL SCHOOL GRADUATE	9	61.7	5	38.3	.	.	14	100.0
SOME COLLEGE	64	35.6	95	64.4	.	.	159	100.0
COLLEGE GRADUATE	45	50.5	43	49.5	.	.	88	100.0
POST GRADUATE	38	71.8	19	28.2	.	.	57	100.0
UNK/REFUSED	1	33.3	2	66.7	.	.	3	100.0
TOTAL	299	41.4	371	58.1	4	0.5	674	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY, 1988 - WEIGHTED

TABLE 67. HAVE YOU EVER HAD A MAMMOGRAM?

	HAVE YOU EVER HAD A MAMMOGRAM							
	YES		NO		UNKNOWN		***TOTAL***	
	N	%	N	%	N	%	N	%
INCOME LEVEL								
<$10,000	45	35.9	67	61.7	3	2.3	115	100.0
$10-$15,000	21	26.8	45	73.2	.	.	66	100.0
$15-$20,000	27	33.7	41	66.3	.	.	68	100.0
$20-$25,000	20	32.7	39	67.3	.	.	59	100.0
$25-$35,000	51	50.0	53	50.0	.	.	104	100.0
$35-$50,000	34	52.4	31	47.6	.	.	65	100.0
UNK/REFUSED	58	36.7	74	62.6	1	0.7	133	100.0
>$50,000	43	62.0	21	38.0	.	.	64	100.0
TOTAL	299	41.4	371	58.1	4	0.5	674	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY, 1988 - WEIGHTED

TABLE 68. HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM?

HOW LONG SINCE LAST MAMMOGRAM

	WITHIN PAST YEAR		WITHIN PAST TWO YEARS		WITHIN PAST FIVE YEARS		MORE THAN FIVE YEARS		***TOTAL***	
	************		************		************		************		************	
	N	%	N	%	N	%	N	%	N	%
AGE GROUP										
18-24	7	68.2	2	18.2	1	13.6	.	.	10	100.0
25-34	16	56.5	7	21.7	2	8.7	4	13.0	29	100.0
35-44	42	51.8	18	29.1	7	12.3	4	6.9	71	100.0
45-54	45	76.3	12	21.9	1	0.9	1	0.9	59	100.0
55-64	36	79.5	7	13.3	1	2.4	3	4.8	47	100.0
65 +	59	72.0	10	10.7	7	8.0	7	9.3	83	100.0
RACE GROUPED										
WHITE	151	67.2	43	19.2	14	6.6	15	7.1	223	100.0
BLACK	.	.	.	.	1	100.0	.	.	1	100.0
HISPANIC	48	72.5	12	18.4	4	6.1	3	2.9	67	100.0
OTHER	6	79.8	1	20.2	.	.	.	.	7	100.0
UNK/REFUSED	.	.	.	.	.	.	1	100.0	1	100.0
TOTAL	205	68.3	56	18.9	19	6.7	19	6.1	299	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY, 1988 - WEIGHTED

TABLE 68. HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM?

HOW LONG SINCE LAST MAMMOGRAM

	WITHIN PAST YEAR		WITHIN PAST TWO YEARS		WITHIN PAST FIVE YEARS		MORE THAN FIVE YEARS		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%
EDUCATION LEVEL										
<9TH GRADE	13	81.7	2	11.6	1	3.2	1	3.5	17	100.0
SOME HIGH SCHOOL	14	54.7	4	28.8	.	.	4	16.5	22	100.0
HIGH SCHOOL GRADUATE	66	70.2	18	16.9	7	7.4	6	5.4	97	100.0
SOME TECHNICAL SCHOOL	5	88.0	1	12.0	.	.	.	.	6	100.0
TECHNICAL SCHOOL GRADUATE	7	76.4	.	.	2	23.6	.	.	9	100.0
SOME COLLEGE	41	63.2	13	18.6	5	9.4	5	8.7	64	100.0
COLLEGE GRADUATE	34	75.0	7	16.0	3	7.7	1	1.4	45	100.0
POST GRADUATE	24	59.3	11	31.6	1	2.7	2	6.4	38	100.0
UNK/REFUSED	1	100.0	.	.	.	.	.	.	1	100.0
TOTAL	205	68.3	56	18.9	19	6.7	19	6.1	299	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY, 1988 - WEIGHTED

TABLE 68. HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM?

	HOW LONG SINCE LAST MAMMOGRAM									
	WITHIN PAST YEAR		WITHIN PAST TWO YEARS		WITHIN PAST FIVE YEARS		MORE THAN FIVE YEARS		***TOTAL***	
	************		************		************		************		************	
	N	%	N	%	N	%	N	%	N	%
INCOME LEVEL										
<$10,000	33	68.6	9	22.7	1	3.6	2	5.2	45	100.0
$10-$15,000	13	64.6	4	16.9	1	3.7	3	14.8	21	100.0
$15-$20,000	14	47.6	6	20.8	5	22.9	2	8.7	27	100.0
$20-$25,000	17	85.5	.	.	2	9.4	1	5.1	20	100.0
$25-$35,000	39	77.9	7	13.2	2	4.3	3	4.6	51	100.0
$35-$50,000	22	67.0	11	30.6	1	2.4	.	.	34	100.0
UNK/REFUSED	41	71.4	5	8.9	5	[illegible].0	7	11.7	58	100.0
>$50,000	26	58.0	14	32.0	2	6.8	1	3.2	43	100.0
TOTAL	205	68.3	56	18.9	19	6.7	19	6.1	299	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY, 1988 - WEIGHTED

TABLE 69. WHAT IS THE MOST IMPORTANT REASON THAT YOU DID NOT HAVE A MAMMOGRAM IN THE LAST YEAR?

DID NOT HAVE MAMMOGRAPHY

	NOT RECOMMENDED		NOT NEEDED		COST/NO INSURANCE		OTHER		UNK/REFUSED		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%	N	%
AGE GROUP												
18-24	2	57.1	1	42.9	.	.	.	.	.	.	3	100.0
25-34	4	35.0	5	40.0	.	.	2	10.0	2	15.0	13	100.0
35-44	8	28.6	12	34.9	2	12.7	6	20.6	1	3.2	29	100.0
45-54	4	30.8	4	42.3	2	7.7	4	19.2	.	.	14	100.0
55-64	5	58.8	3	23.5	1	5.9	2	11.8	.	.	11	100.0
65 +	14	57.1	5	22.2	.	.	3	12.7	2	7.9	24	100.0
RACE GROUPED												
WHITE	31	44.9	21	29.1	5	7.9	14	16.8	1	1.3	72	100.0
BLACK	1	100.0	.	.	.	.	.	.	.	.	1	100.0
HISPANIC	5	26.5	8	46.3	.	.	3	11.7	3	15.6	19	100.0
OTHER	.	.	1	100.0	.	.	.	.	.	.	1	100.0
UNK/REFUSED	.	.	.	.	.	.	.	.	1	100.0	1	100.0
TOTAL	37	41.0	30	33.1	5	6.0	17	15.1	5	4.7	94	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY, 1988 - WEIGHTED

TABLE 69. WHAT IS THE MOST IMPORTANT REASON THAT YOU DID NOT HAVE A MAMMOGRAM IN THE LAST YEAR?

DID NOT HAVE MAMMOGRAPHY

	NOT RECOMMENDED		NOT NEEDED		COST/NO INSURANCE		OTHER		UNK/REFUSED		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%	N	%
EDUCATION LEVEL												
<9TH GRADE	2	59.7	1	21.1	.	.	.	.	1	19.2	4	100.0
SOME HIGH SCHOOL	3	31.0	4	60.1	.	.	.	.	1	8.9	8	100.0
HIGH SCHOOL GRADUATE	12	39.6	12	41.5	1	2.5	4	11.1	2	5.4	31	100.0
SOME TECHNICAL SCHOOL	.	.	.	.	.	.	1	100.0	.	.	1	100.0
TECHNICAL SCHOOL GRADUATE	1	64.6	1	35.4	.	.	.	.	.	.	2	100.0
SOME COLLEGE	5	24.3	8	31.4	4	21.5	5	17.2	1	5.7	23	100.0
COLLEGE GRADUATE	8	70.0	2	21.1	.	.	1	8.9	.	.	11	100.0
POST GRADUATE	6	50.5	2	13.3	.	.	6	36.1	.	.	14	100.0
TOTAL	37	41.0	30	33.1	5	6.0	17	15.1	5	4.7	94	100.0

TABLE 69. WHAT IS THE MOST IMPORTANT REASON THAT YOU DID NOT HAVE A MAMMOGRAM IN THE LAST YEAR?

DID NOT HAVE MAMMOGRAPHY

	NOT RECOMMENDED		NOT NEEDED		COST/NO INSURANCE		OTHER		UNK/REFUSED		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%	N	%
INCOME LEVEL												
<$10,000	4	33.8	4	44.6	1	4.2	2	10.3	1	7.1	12	100.0
$10-$15,000	1	9.5	5	58.1	1	11.5	.	.	1	20.9	8	100.0
$15-$20,000	7	51.3	3	22.3	1	16.3	1	4.5	1	5.5	13	100.0
$20-$25,000	1	43.3	1	35.0	.	.	.	.	1	21.7	3	100.0
$25-$35,000	4	34.6	3	21.4	1	15.7	3	20.5	1	7.8	12	100.0
$35-$50,000	4	29.9	6	54.7	.	.	2	15.4	.	.	12	100.0
UNK/REFUSED	10	61.7	4	23.5	1	3.5	2	11.3	.	.	17	100.0
>$50,000	6	44.8	4	23.8	.	.	7	31.5	.	.	17	100.0
TOTAL	37	41.0	30	33.1	5	6.0	17	15.1	5	4.7	94	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 70. WHY WAS YOUR LAST MAMMOGRAM DONE?

REASON YOU HAD MAMMOGRAM

	ROUTINE CHECKUP		BREAST PROBLEM		HAD BREAST CANCER		DON'T KNOW		REFUSED		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%	N	%
AGE GROUP												
18-24	9	86.4	1	13.6	.	.	.	.	.	.	10	100.0
25-34	14	50.0	14	47.8	.	.	1	2.2	.	.	29	100.0
35-44	55	79.1	16	20.9	.	.	.	.	.	.	71	100.0
45-54	46	82.2	7	7.8	3	4.6	1	1.8	2	3.7	59	100.0
55-64	41	86.7	4	8.4	1	2.4	1	2.4	.	.	47	100.0
65 +	69	83.6	7	8.0	6	7.1	1	1.3	.	.	83	100.0
RACE GROUPED												
WHITE	170	76.2	42	18.8	8	3.5	1	0.4	2	1.0	223	100.0
BLACK	1	100.0	.	.	.	.	.	.	.	.	1	100.0
HISPANIC	57	89.7	6	4.7	1	0.9	3	4.7	.	.	67	100.0
OTHER	6	92.5	.	.	1	7.5	.	.	.	.	7	100.0
UNK/REFUSED	.	.	1	100.0	.	.	.	.	.	.	1	100.0
TOTAL	234	79.7	49	15.2	10	3.0	4	1.4	2	0.7	299	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 70. WHY WAS YOUR LAST MAMMOGRAM DONE?

REASON YOU HAD MAMMOGRAM

	ROUTINE CHECKUP		BREAST PROBLEM		HAD BREAST CANCER		DON'T KNOW		REFUSED		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%	N	%
EDUCATION LEVEL												
<9TH GRADE	15	88.7	1	3.5	.	.	1	7.7	.	.	17	100.0
SOME HIGH SCHOOL	17	74.5	2	12.2	2	9.2	1	4.0	.	.	22	100.0
HIGH SCHOOL GRADUATE	75	78.8	15	14.3	4	4.0	2	1.8	1	1.1	97	100.0
SOME TECHNICAL SCHOOL	4	66.0	2	34.0	.	.	.	.	.	.	6	100.0
TECHNICAL SCHOOL GRADUATE	5	58.1	3	28.3	.	.	.	.	1	13.6	9	100.0
SOME COLLEGE	50	79.8	13	19.2	1	1.0	.	.	.	.	64	100.0
COLLEGE GRADUATE	36	82.4	6	12.2	3	5.4	.	.	.	.	45	100.0
POST GRADUATE	31	83.6	7	16.4	.	.	.	.	.	.	38	100.0
UNK/REFUSED	1	100.0	.	.	.	.	.	.	.	.	1	100.0
TOTAL	234	79.7	49	15.2	10	3.0	4	1.4	2	0.7	299	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 70. WHY WAS YOUR LAST MAMMOGRAM DONE?

REASON YOU HAD MAMMOGRAM

	ROUTINE CHECKUP		BREAST PROBLEM		HAD BREAST CANCER		DON'T KNOW		REFUSED		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%	N	%
INCOME LEVEL												
<$10,000	34	76.2	6	12.3	2	4.1	3	7.4	.	.	45	100.0
$10-$15,000	16	75.4	4	21.2	1	3.4	.	.	.	.	21	100.0
$15-$20,000	19	71.5	6	21.4	1	2.4	1	4.7	.	.	27	100.0
$20-$25,000	14	71.5	5	22.9	.	.	.	.	1	5.6	20	100.0
$25-$35,000	39	77.2	10	18.7	1	2.1	.	.	1	1.9	51	100.0
$35-$50,000	28	82.5	5	14.9	1	2.7	.	.	.	.	34	100.0
UNK/REFUSED	45	80.5	9	12.3	4	7.2	.	.	.	.	58	100.0
>$50,000	39	91.7	4	8.3	.	.	.	.	.	.	43	100.0
TOTAL	234	79.7	49	15.2	10	3.0	4	1.4	2	0.7	299	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 71. WHOSE IDEA WAS IT FOR YOU TO HAVE THE LAST MAMMOGRAM?

	WHOSE IDEA WAS IT TO HAVE A MAMMOGRAM											
	RESPONDENT'S IDEA		DOCTOR'S IDEA		SOMEONE ELSE'S IDEA		DON'T KNOW		REFUSED		***TOTAL***	
	************		************		************		************		************		************	
	N	%	N	%	N	%	N	%	N	%	N	%
AGE GROUP												
18-24	5	45.5	4	45.5	1	9.1	.	.	.	.	10	100.0
25-34	9	28.3	18	65.2	1	4.3	1	2.2	.	.	29	100.0
35-44	27	39.1	43	59.4	.	.	1	1.5	.	.	71	100.0
45-54	22	36.5	36	61.6	.	.	.	.	1	1.8	59	100.0
55-64	12	25.3	33	72.3	1	1.2	1	1.2	.	.	47	100.0
65 +	16	16.4	67	83.6	.	.	.	.	.	.	83	100.0
RACE GROUPED												
WHITE	62	26.3	157	71.6	3	1.6	.	.	1	0.5	223	100.0
BLACK	.	.	1	100.0	.	.	.	.	.	.	1	100.0
HISPANIC	24	37.6	40	58.9	.	.	3	3.5	.	.	67	100.0
OTHER	4	60.1	3	39.9	.	.	.	.	.	.	7	100.0
UNK/REFUSED	1	100.0	.	.	.	.	.	.	.	.	1	100.0
TOTAL	91	29.8	201	67.9	3	1.2	3	0.8	1	0.4	299	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 71. WHOSE IDEA WAS IT FOR YOU TO HAVE THE LAST MAMMOGRAM?

WHOSE IDEA WAS IT TO HAVE A MAMMOGRAM

	RESPONDENT'S IDEA		DOCTOR'S IDEA		SOMEONE ELSE'S IDEA		DON'T KNOW		REFUSED		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%	N	%
EDUCATION LEVEL												
<9TH GRADE	4	20.4	13	79.6	.	.	.	.	.	.	17	100.0
SOME HIGH SCHOOL	8	39.2	13	57.5	.	.	1	3.3	.	.	22	100.0
HIGH SCHOOL GRADUATE	31	32.1	62	63.5	2	2.8	2	1.7	.	.	97	100.0
SOME TECHNICAL SCHOOL	1	24.0	5	76.0	.	.	.	.	.	.	6	100.0
TECHNICAL SCHOOL GRADUATE	.	.	7	77.2	1	9.2	.	.	1	13.6	9	100.0
SOME COLLEGE	21	30.8	43	69.2	.	.	.	.	.	.	64	100.0
COLLEGE GRADUATE	12	25.2	33	74.8	.	.	.	.	.	.	45	100.0
POST GRADUATE	14	34.6	24	65.4	.	.	.	.	.	.	38	100.0
UNK/REFUSED	.	.	1	100.0	.	.	.	.	.	.	1	100.0
TOTAL	91	29.8	201	67.9	3	1.2	3	0.8	1	0.4	299	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 71. WHOSE IDEA WAS IT FOR YOU TO HAVE THE LAST MAMMOGRAM?

WHOSE IDEA WAS IT TO HAVE A MAMMOGRAM

	RESPONDENT'S IDEA ************		DOCTOR'S IDEA ************		SOMEONE ELSE'S IDEA ************		DON'T KNOW ************		REFUSED ************		***TOTAL*** ************	
	N	%	N	%	N	%	N	%	N	%	N	%
INCOME LEVEL												
<$10,000	13	25.5	32	74.5	.	.	.	.	.	.	45	100.0
$10-$15,000	7	36.3	13	56.3	1	7.4	.	.	.	.	21	100.0
$15-$20,000	9	29.3	18	70.7	.	.	.	.	.	.	27	100.0
$20-$25,000	3	15.4	15	71.6	1	7.4	.	.	1	5.6	20	100.0
$25-$35,000	17	36.3	31	59.5	1	1.3	2	2.9	.	.	51	100.0
$35-$50,000	12	32.6	22	67.4	.	.	.	.	.	.	34	100.0
UNK/REFUSED	14	24.5	43	74.2	.	.	1	1.3	.	.	58	100.0
>$50,000	16	33.4	27	66.6	.	.	.	.	.	.	43	100.0
TOTAL	91	29.8	201	67.9	3	1.2	3	0.8	1	0.4	299	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 72. WHAT IS THE MOST IMPORTANT REASON THAT YOU HAVE NEVER HAD A MAMMOGRAM?

DID NOT HAVE MAMMOGRAPHY

	NOT RECOMMENDED		NOT NEEDED		NEVER HEARD OF MAMMOGRAM		COST/NO INSURANCE		OTHER		UNK/REFUSED		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
AGE GROUP														
18-24	36	58.7	27	33.1	3	4.8	1	0.7	2	1.4	1	1.4	[illegible]	100.0
25-34	61	51.7	44	36.4	.	.	8	7.2	3	1.4	5	3.3	121	100.0
35-44	22	29.7	27	42.0	2	2.9	5	4.3	15	19.6	1	1.4	72	100.0
45-54	10	36.0	9	32.0	1	4.8	3	6.4	6	16.0	1	4.8	30	100.0
55-64	5	19.2	10	54.8	.	.	2	5.5	3	19.2	1	1.4	21	100.0
65 +	23	34.7	20	38.1	2	4.1	4	9.5	5	9.5	3	4.1	57	100.0
RACE GROUPED														
WHITE	97	45.2	83	36.7	3	1.0	16	6.4	18	7.1	10	3.6	227	100.0
BLACK	2	50.5	2	28.9	.	.	.	.	1	20.6	.	.	5	100.0
HISPANIC	49	43.2	47	40.5	2	3.1	7	4.3	12	7.5	2	1.4	119	100.0
OTHER	8	45.5	4	29.6	3	15.3	.	.	3	9.6	.	.	18	100.0
UNK/REFUSED	1	65.1	1	34.9	.	.	.	.	.	.	.	.	2	100.0
TOTAL	157	44.7	137	37.5	8	2.5	23	5.2	34	7.5	12	2.6	371	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 72. WHAT IS THE MOST IMPORTANT REASON THAT YOU HAVE NEVER HAD A MAMMOGRAM?

DID NOT HAVE MAMMOGRAPHY

	NOT RECOMMENDED		NOT NEEDED		NEVER HEARD OF MAMMOGRAM		COST/NO INSURANCE		OTHER		UNK/REFUSED		***TOTAL***	
	************		************		************		************		************		************		************	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
EDUCATION LEVEL														
<9TH GRADE	6	41.0	5	27.9	.	.	3	10.7	2	12.9	2	7.5	18	100.0
SOME HIGH SCHOOL	12	32.5	14	42.3	3	12.6	.	.	4	10.0	2	2.6	35	100.0
HIGH SCHOOL GRADUATE	65	45.8	50	34.4	3	1.9	10	7.0	14	8.7	3	2.1	145	100.0
SOME TECHNICAL SCHOOL	3	38.4	4	46.6	.	.	2	15.0	.	.	.	.	9	100.0
TECHNICAL SCHOOL GRADUATE	.	.	3	59.6	.	.	.	.	.	.	2	40.4	5	100.0
SOME COLLEGE	48	53.7	36	37.8	1	0.5	4	3.1	4	3.0	2	1.8	95	100.0
COLLEGE GRADUATE	16	36.1	16	42.7	1	3.4	3	4.7	6	10.8	1	2.3	43	100.0
POST GRADUATE	7	47.7	7	32.7	.	.	1	3.5	4	16.2	.	.	19	100.0
UNK/REFUSED	.	.	2	100.0	.	.	.	.	.	.	.	.	2	100.0
TOTAL	157	44.7	137	37.5	8	2.5	23	5.2	34	7.5	12	2.6	371	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 72. WHAT IS THE MOST IMPORTANT REASON THAT YOU HAVE NEVER HAD A MAMMOGRAM?

	DID NOT HAVE MAMMOGRAPHY													
	NOT RECOMMENDED		NOT NEEDED		NEVER HEARD OF MAMMOGRAM		COST/NO INSURANCE		OTHER		UNK/REFUSED		***TOTAL***	
	************		************		************		************		************		************		************	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
INCOME LEVEL														
<$10,000	22	33.4	27	44.5	4	8.5	6	5.0	5	5.9	3	2.7	67	100.0
$10-$15,000	18	40.8	18	40.6	1	1.2	1	2.0	4	7.0	3	8.3	45	100.0
$15-$20,000	15	33.5	17	48.0	1	1.6	5	12.1	2	3.4	1	1.5	41	100.0
$20-$25,000	18	42.0	17	45.8	1	3.7	.	.	3	8.6	.	.	39	100.0
$25-$35,000	25	48.5	13	27.1	.	.	7	13.4	8	11.0	.	.	53	100.0
$35-$50,000	12	40.9	13	41.1	.	.	1	2.9	3	9.7	2	5.4	31	100.0
UNK/REFUSED	37	58.6	23	27.4	1	1.8	3	[illegible].5	8	7.5	2	1.3	74	100.0
>$50,000	10	53.7	9	35.0	.	.	.	.	1	7.8	1	3.5	21	100.0
TOTAL	157	44.7	137	37.5	8	2.5	23	5.2	34	7.5	12	2.6	371	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 73. FEMALES ONLY: ARE YOU NOW PREGNANT?

	PREGNANCY STATUS							
	YES		NO		UNKNOWN		***TOTAL***	
	N	%	N	%	N	%	N	%
REPORTED AGE IN YEARS								
18-24	9	10.6	71	88.2	1	1.2	81	100.0
25-34	14	11.1	136	88.9	.	.	150	100.0
35-40	1	1.1	92	96.2	1	2.7	94	100.0
41-45	.	.	60	97.2	2	2.8	62	100.0
TOTAL	24	7.5	359	91.2	4	1.2	387	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED
CERVICAL CANCER MODULE: FEMALES ONLY BY DEMOGRAPHIC

TABLE 1. HAVE YOU EVER HEARD OF A PAP SMEAR TEST?

PAPTEST

	YES		NO		UNKNOWN		***TOTAL***	
	N	%	N	%	N	%	N	%
AGE GROUP								
18-24	77	94.9	2	4.1	2	1.0	81	100.0
25-34	147	98.1	3	1.9	.	.	150	100.0
35-44	143	99.3	1	0.7	.	.	144	100.0
45-54	89	98.9	.	.	1	1.1	90	100.0
55-64	65	93.4	3	5.8	1	0.8	69	100.0
65 +	131	93.5	5	3.2	4	3.2	140	100.0
_RACEGR								
WHITE	443	98.5	5	0.8	3	0.7	451	100.0
BLACK	5	84.3	1	15.7	.	.	6	100.0
HISPANIC	177	94.5	6	4.4	4	1.2	187	100.0
OTHER	24	85.2	2	12.7	1	2.2	27	100.0
UNK/REFUSED	3	100.0	.	.	.	.	3	100.0
TOTAL	652	96.6	14	2.5	8	0.9	674	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED
CERVICAL CANCER MODULE: FEMALES ONLY BY DEMOGRAPHICS

TABLE 1. HAVE YOU EVER HEARD OF A PAP SMEAR TEST?

	PAPTEST							
	YES		NO		UNKNOWN		***TOTAL***	
	************		************		************		************	
	N	%	N	%	N	%	N	%
EDUCA								
<9TH GRADE	31	88.3	4	9.7	1	2.0	36	100.0
SOME HIGH SCHOOL	54	91.6	3	7.4	1	1.0	58	100.0
HIGH SCHOOL GRADUATE	236	96.5	4	2.1	4	1.3	244	100.0
SOME TECHNICAL SCHOOL	15	100.0	.	.	.	.	15	100.0
TECHNICAL SCHOOL GRADUATE	13	91.6	.	.	1	8.4	14	100.0
SOME COLLEGE	157	98.1	2	1.9	.	.	159	100.0
COLLEGE GRADUATE	87	99.3	1	0.7	.	.	88	100.0
POST GRADUATE	56	98.8	.	.	1	1.2	57	100.0
UNK/REFUSED	3	100.0	.	.	.	.	3	100.0
TOTAL	652	96.6	14	2.5	8	0.9	674	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED
CERVICAL CANCER MODULE: FEMALES ONLY BY DEMOGRAPHICS

TABLE 1. HAVE YOU EVER HEARD OF A PAP SMEAR TEST?

	PAPTEST							
	YES		NO		UNKNOWN		***TOTAL***	
	************		************		************		************	
	N	%	N	%	N	%	N	%
INCOME								
<$10,000	110	93.2	3	5.6	2	1.2	115	100.0
$10-$15,000	64	97.1	2	2.9	.	.	66	100.0
$15-$20,000	67	99.1	.	.	1	0.9	68	100.0
$20-$25,000	56	95.7	1	1.7	2	2.6	59	100.0
$25-$35,000	104	100.0	.	.	.	.	104	100.0
$35-$50,000	65	100.0	.		.	.	65	100.0
UNK/REFUSED	122	92.0	8	5.9	3	2.1	133	100.0
>$50,000	64	100.0	.	.	.	.	64	100.0
TOTAL	652	96.6	14	2.5	8	0.9	674	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED
CERVICAL CANCER MODULE: FEMALES ONLY BY DEMOGRAPHICS

TABLE 2. HAVE YOU EVER HAD A PAP SMEAR?

	HADPAP							
	YES		NO		UNKNOWN		***TOTAL***	
	************		************		************		************	
	N	%	N	%	N	%	N	%
AGE GROUP								
18-24	66	83.2	10	15.6	1	1.2	77	100.0
25-34	145	97.3	2	2.7	.	.	147	100.0
35-44	142	99.8	1	0.2	.	.	143	100.0
45-54	88	98.8	1	1.2	.	.	89	100.0
55-64	63	98.7	2	1.3	.	.	65	100.0
65 +	119	90.8	12	9.2	.	.	131	100.0
_RACEGR								
WHITE	427	96.4	16	3.6	.	.	443	100.0
BLACK	5	100.0	.	.	.	.	5	100.0
HISPANIC	168	93.8	8	5.4	1	0.7	177	100.0
OTHER	20	75.5	4	24.5	.	.	24	100.0
UNK/REFUSED	3	100.0	.	.	.	.	3	100.0
TOTAL	623	94.8	28	5.0	1	0.2	652	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED
CERVICAL CANCER MODULE: FEMALES ONLY BY DEMOGRAPHICS

TABLE 2. HAVE YOU EVER HAD A PAP SMEAR?

HADPAP

	YES		NO		UNKNOWN		***TOTAL***	
	N	%	N	%	N	%	N	%
EDUCA								
<9TH GRADE	29	93.6	1	1.9	1	4.5	31	100.0
SOME HIGH SCHOOL	49	90.7	5	9.3	.	.	54	100.0
HIGH SCHOOL GRADUATE	226	94.8	10	5.2	.	.	236	100.0
SOME TECHNICAL SCHOOL	15	100.0	.	.	.	.	15	100.0
TECHNICAL SCHOOL GRADUATE	13	100.0	.	.	.	.	13	100.0
SOME COLLEGE	148	93.4	9	6.6	.	.	157	100.0
COLLEGE GRADUATE	85	97.0	2	3.0	.	.	87	100.0
POST GRADUATE	56	100.0	.	.	.	.	56	100.0
UNK/REFUSED	2	66.7	1	33.3	.	.	3	100.0
TOTAL	623	94.8	28	5.0	1	0.2	652	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED
CERVICAL CANCER MODULE: FEMALES ONLY BY DEMOGRAPHICS

TABLE 2. HAVE YOU EVER HAD A PAP SMEAR?

	HADPAP							
	YES		NO		UNKNOWN		***TOTAL***	
	************		************		************		************	
	N	%	N	%	N	%	N	%
INCOME								
<$10,000	104	93.5	5	5.2	1	1.3	110	100.0
$10-$15,000	60	92.5	4	7.5	.	.	64	100.0
$15-$20,000	64	93.8	3	6.2	.	.	67	100.0
$20-$25,000	54	95.1	2	4.9	.	.	56	100.0
$25-$35,000	104	100.0	.	.	.	.	104	100.0
$35-$50,000	64	99.5	1	0.5	.	.	65	100.0
UNK/REFUSED	109	87.6	13	12.4	.	.	122	100.0
>$50,000	64	100.0	.	.	.	.	64	100.0
TOTAL	623	94.8	28	5.0	1	0.2	652	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED
CERVICAL CANCER MODULE: FEMALES ONLY BY DEMOGRAPHICS

TABLE 3. WHEN DID YOU HAVE YOUR LAST PAP SMEAR ?

	LASTPAP											
	WITHIN PAST YEAR		WITHIN PAST TWO YEARS		WITHIN PAST FIVE YEARS		MORE THAN FIVE YEARS		UNK/REFUSED		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%	N	%
AGE GROUP												
18-24	62	94.0	3	5.2	1	0.7	.	.	.	.	66	100.0
25-34	112	75.7	20	14.9	7	4.4	6	5.0	.	.	145	100.0
35-44	98	64.6	24	19.3	9	7.9	11	8.2	.	.	142	100.0
45-54	61	70.6	12	12.4	7	7.1	7	8.2	1	1.8	88	100.0
55-64	40	65.8	6	8.1	7	9.9	10	16.2	.	.	63	100.0
65 +	54	45.9	16	12.7	9	7.6	33	27.5	7	6.3	119	100.0
_RACEGR												
WHITE	290	70.0	52	11.9	31	6.8	49	10.2	5	1.0	427	100.0
BLACK	5	100.0	.	.	.	.	.	.	.	.	5	100.0
HISPANIC	116	69.0	25	14.8	8	4.4	17	10.7	2	1.0	168	100.0
OTHER	15	72.0	2	10.6	1	6.8	1	3.1	1	7.5	20	100.0
UNK/REFUSED	1	26.3	2	73.7	.	.	.	.	.	.	3	100.0
TOTAL	427	69.9	81	12.9	40	6.1	67	10.0	8	1.2	623	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED
CERVICAL CANCER MODULE: FEMALES ONLY BY DEMOGRAPHICS

TABLE 3. WHEN DID YOU HAVE YOUR LAST PAP SMEAR ?

	LASTPAP											
	WITHIN PAST YEAR		WITHIN PAST TWO YEARS		WITHIN PAST FIVE YEARS		MORE THAN FIVE YEARS		UNK/REFUSED		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%	N	%
EDUCA												
<9TH GRADE	12	47.2	5	14.2	1	2.1	10	32.4	1	4.1	29	100.0
SOME HIGH SCHOOL	24	51.2	7	14.9	8	17.3	9	13.6	1	3.1	49	100.0
HIGH SCHOOL GRADUATE	157	71.0	28	12.5	17	7.1	22	8.9	2	0.5	226	100.0
SOME TECHNICAL SCHOOL	12	81.0	.	.	1	3.3	2	15.8	.	.	15	100.0
TECHNICAL SCHOOL GRADUATE	9	62.9	2	16.6	.	.	2	20.5	.	.	[illegible]	100.0
SOME COLLEGE	108	73.2	20	14.1	7	4.1	13	8.6	.	.	148	100.0
COLLEGE GRADUATE	66	79.0	9	9.0	3	3.1	4	5.3	3	3.6	85	100.0
POST GRADUATE	38	69.0	10	18.4	3	5.5	4	5.9	1	1.2	56	100.0
UNK/REFUSED	1	50.0	.	.	.	.	1	50.0	.	.	2	100.0
TOTAL	427	69.9	81	12.9	40	6.1	67	10.0	8	1.2	623	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED
CERVICAL CANCER MODULE: FEMALES ONLY BY DEMOGRAPHICS

TABLE 3. WHEN DID YOU HAVE YOUR LAST PAP SMEAR ?

	LASTPAP											
	WITHIN PAST YEAR		WITHIN PAST TWO YEARS		WITHIN PAST FIVE YEARS		MORE THAN FIVE YEARS		UNK/REFUSED		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%	N	%
INCOME												
<$10,000	63	62.0	12	13.2	8	6.7	19	16.8	2	1.2	104	100.0
$10-$15,000	39	68.7	8	13.7	6	9.9	6	6.7	1	1.0	60	100.0
$15-$20,000	49	73.4	4	6.0	7	10.0	4	10.6	.	.	64	100.0
$20-$25,000	37	66.6	8	14.9	2	5.4	7	13.0	.	.	54	100.0
$25-$35,000	75	74.8	17	15.4	5	4.5	7	5.3	.	.	104	100.0
$35-$50,000	50	77.7	6	9.7	2	3.0	6	9.6	.	.	64	100.0
UNK/REFUSED	65	63.8	17	16.3	7	5.8	15	9.2	5	4.9	109	100.0
>$50,000	49	74.8	9	9.9	3	5.4	3	9.9	.	.	64	100.0
TOTAL	427	69.9	81	12.9	40	6.1	67	10.0	8	1.2	623	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED
CERVICAL CANCER MODULE: FEMALES ONLY BY DEMOGRAPHI

TABLE 4. HAVE YOU HAD A HYSTERECTOMY ?

	HADHYST							
	YES		NO		UNKNOWN		***TOTAL***	
	N	%	N	%	N	%	N	%
AGE GROUP								
18-24	.	.	66	100.0	.	.	66	100.0
25-34	9	6.8	136	93.2	.	.	145	100.0
35-44	23	14.0	119	86.0	.	.	142	100.0
45-54	31	36.8	57	63.2	.	.	88	100.0
55-64	25	39.6	38	60.4	.	.	63	100.0
65 +	51	41.5	67	57.9	1	0.6	119	100.0
_RACEGR								
WHITE	102	21.3	324	78.5	1	0.1	427	100.0
BLACK	1	27.9	4	72.1	.	.	5	100.0
HISPANIC	32	18.6	136	81.4	.	.	168	100.0
OTHER	4	20.7	16	79.3	.	.	20	100.0
UNK/REFUSED	.	.	3	100.0	.	.	3	100.0
TOTAL	139	20.5	483	79.4	1	0.1	623	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED
CERVICAL CANCER MODULE: FEMALES ONLY BY DEMOGRAPHICS

TABLE 4. HAVE YOU HAD A HYSTERECTOMY ?

	HADHYST							
	YES		NO		UNKNOWN		***TOTAL***	
	N	%	N	%	N	%	N	%
EDUCA								
<9TH GRADE	10	34.3	19	65.7	.	.	29	100.0
SOME HIGH SCHOOL	17	33.4	32	66.6	.	.	49	100.0
HIGH SCHOOL GRADUATE	55	22.1	171	77.9	.	.	226	100.0
SOME TECHNICAL SCHOOL	4	18.4	11	81.6	.	.	15	100.0
TECHNICAL SCHOOL GRADUATE	4	30.3	9	69.7	.	.	13	100.0
SOME COLLEGE	26	14.7	121	84.9	1	0.4	148	100.0
COLLEGE GRADUATE	11	11.1	74	88.9	.	.	85	100.0
POST GRADUATE	11	23.7	45	76.3	.	.	56	100.0
UNK/REFUSED	1	50.0	1	50.0	.	.	2	100.0
TOTAL	139	20.5	483	79.4	1	0.1	623	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED
CERVICAL CANCER MODULE: FEMALES ONLY BY DEMOGRAPHICS

TABLE 4. HAVE YOU HAD A HYSTERECTOMY ?

	HADHYST							
	YES		NO		UNKNOWN		***TOTAL***	
	************		************		************		************	
	N	%	N	%	N	%	N	%
INCOME								
<$10,000	26	24.1	78	75.9	.	.	104	100.0
$10-$15,000	12	16.2	48	83.8	.	.	60	100.0
$15-$20,000	16	20.2	48	79.8	.	.	64	100.0
$20-$25,000	12	25.1	42	74.9	.	.	54	100.0
$25-$35,000	14	13.2	90	86.8	.	.	104	100.0
$35-$50,000	16	23.4	48	76.6	.	.	64	100.0
UNK/REFUSED	31	24.7	77	74.8	1	0.5	109	100.0
>$50,000	12	17.6	52	82.4	.	.	64	100.0
TOTAL	139	20.5	483	79.4	1	0.1	623	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED
AIDS MODULE BY DEMOGRAPHICS

TABLE 1. COMPARED TO MOST PEOPLE, HOW MUCH WOULD YOU SAY YOU KNOW ABOUT AIDS ?

		KNOWAIDS											
		A LOT		SOME		A LITTLE		NOTHING		UNK/REFUSED		***TOTAL***	
		N	%	N	%	N	%	N	%	N	%	N	%
SEX	AGE GROUP												
MALE	18-24	25	46.7	21	39.2		12.5	1	1.7	.	.	54	100.0
	25-34	44	32.9	51	39.8	29	23.3	4	3.5	1	0.4	129	100.0
	35-44	51	37.3	50	47.7	15	13.5	1	1.0	1	0.5	118	100.0
	45-54	26	35.4	22	29.9	17	28.0	2	3.7	3	3.0	70	100.0
	55-64	17	26.5	20	39.8	14	29.6	1	2.0	1	2.0	53	100.0
	65 +	19	25.1	23	34.0	21	29.3	6	8.5	4	3.1	73	100.0
FEMALE	18-24	35	46.4	33	41.4	8	8.3	1	1.2	4	2.8	81	100.0
	25-34	70	45.3	59	40.1	16	11.9	2	0.8	3	1.9	150	100.0
	35-44	65	42.3	60	44.0	13	10.4	4	2.2	2	1.1	144	100.0
	45-54	38	40.8	35	36.8	12	16.1	1	1.7	4	4.6	90	100.
	55-64	28	42.3	22	28.2	12	17.0	2	5.0	5	7.5	69	100.0
	65 +	35	28.0	36	23.9	44	29.6	14	10.5	11	8.1	140	100.0
TOTAL		453	38.1	432	37.8	208	18.2	39	3.2	39	2.6	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED
AIDS MODULE BY DEMOGRAPHICS

TABLE 1. COMPARED TO MOST PEOPLE, HOW MUCH WOULD YOU SAY YOU KNOW ABOUT AIDS ?

	KNOWAIDS											
	A LOT		SOME		A LITTLE		NOTHING		UNK/REFUSED		***TOTAL***	
	************		************		************		************		************		************	
	N	%	N	%	N	%	N	%	N	%	N	%
SEX												
MALE	182	34.8	187	39.2	103	21.6	15	3.2	10	1.2	497	100.0
FEMALE	271	41.3	245	36.6	105	15.0	24	3.3	29	3.9	674	100.0
AGE GROUP												
18-24	60	46.5	54	40.3	15	10.4	2	1.4	4	1.4	135	100.0
25-34	114	39.1	110	40.0	45	17.6	6	2.1	4	1.2	279	100.0
35-44	116	39.8	110	45.9	28	11.9	5	1.6	3	0.8	262	100.0
45-54	64	38.2	57	33.4	29	21.9	3	2.7	7	3.8	160	100.0
55-64	45	34.9	42	33.7	26	22.9	3	3.6	6	4.9	122	100.0
65 +	54	26.7	59	28.3	65	29.5	20	9.6	15	5.9	213	100.0
_RACEGR												
WHITE	334	42.3	298	38.7	121	15.3	13	1.5	21	2.2	787	100.0
BLACK	7	55.1	4	29.4	3	15.5	.	.	.	.	14	100.0
HISPANIC	100	30.8	110	34.6	76	25.7	22	5.8	13	3.1	321	100.0
OTHER	9	18.4	19	51.8	7	10.9	4	12.9	4	6.0	43	100.0
UNK/REFUSED	3	51.0	1	13.0	1	23.8	.	.	1	12.2	6	100.0
TOTAL	453	38.1	432	37.8	208	18.2	39	3.2	39	2.6	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED
AIDS MODULE BY DEMOGRAPHICS

TABLE 1. COMPARED TO MOST PEOPLE, HOW MUCH WOULD YOU SAY YOU KNOW ABOUT AIDS ?

	KNOWAIDS											
	A LOT		SOME		A LITTLE		NOTHING		UNK/REFUSED		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%	N	%
EDUCA												
<9TH GRADE	12	14.8	13	19.5	18	37.1	12	21.2	6	7.3	61	100.0
SOME HIGH SCHOOL	19	26.6	30	31.2	28	28.7	9	10.0	4	3.4	90	100.0
HIGH SCHOOL GRADUATE	115	29.5	162	42.0	89	22.3	13	3.0	16	3.1	395	100.0
SOME TECHNICAL SCHOOL	9	42.6	9	33.8	7	20.2	1	1.7	1	1.7	27	100.0
TECHNICAL SCHOOL GRADUATE	6	34.4	8	39.3	4	17.7	.	.	2	8.7	20	100.0
SOME COLLEGE	131	46.9	105	38.6	32	12.2	1	0.5	6	1.8	275	100.0
COLLEGE GRADUATE	83	46.7	64	40.5	18	10.0	3	1.2	3	1.5	171	100.0
POST GRADUATE	78	57.7	41	32.5	10	9.7	.	.	.	.	129	100.0
UNK/REFUSED	.	.	.	.	2	66.7	.	.	1	33.3	3	100.0
TOTAL	453	38.1	432	37.8	208	18.2	39	3.2	39	2.6	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTE
AIDS MODULE BY DEMOGRAPHICS

TABLE 1. COMPARED TO MOST PEOPLE, HOW MUCH WOULD YOU SAY YOU KNOW ABOUT AIDS ?

	KNOWAIDS											
	A LOT		SOME		A LITTLE		NOTHING		UNK/REFUSED		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%	N	%
INCOME												
<$10,000	47	30.7	50	31.7	43	25.7	10	6.6	10	5.2	160	100.0
$10-$15,000	39	33.7	50	44.2	17	19.5	1	0.5	3	2.1	110	100.0
$15-$20,000	48	36.2	43	36.4	24	19.8	6	5.4	4	2.3	125	100.0
$20-$25,000	38	32.9	40	41.1	24	22.6	2	1.6	3	1.8	107	100.0
$25-$35,000	86	48.7	64	36.3	25	13.9	2	0.9	1	0.3	178	100.0
$35-$50,000	56	39.1	66	48.6	15	10.6	.	.	2	1.7	139	100.0
UNK/REFUSED	72	33.4	64	31.8	44	20.4	18	8.4	16	6.1	214	100.0
>$50,000	67	46.6	55	38.4	16	15.0	.	.	.	.	138	100.0
TOTAL	453	38.1	432	37.8	208	18.2	39	3.2	39	2.6	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED
AIDS MODULE BY DEMOGRAPHICS

TABLE 2. WHAT ARE YOUR CHANCES OF GETTING THE AIDS VIRUS ?

		CHANCES											
		HIGH		MEDIUM		LOW		NONE		UNK/REFUSED		***TOTAL***	
SEX	AGE GROUP	N	%	N	%	N	%	N	%	N	%	N	%
MALE	18-24	2	3.3	9	16.7	21	36.7	21	42.5	1	0.8	54	100.0
	25-34	2	1.3	8	4.2	31	23.7	83	67.3	5	3.5	129	100.0
	35-44	1	1.0	3	1.4	31	24.1	78	69.1	5	4.3	118	100.0
	45-54	.	.	1	0.4	14	19.9	51	73.1	4	6.6	70	100.0
	55-64	1	1.0	.	.	10	16.3	41	81.6	1	1.0	53	100.0
	65 +	.	.	1	1.5	10	14.3	57	79.5	5	4.6	73	100.0
FEMALE	18-24	1	2.4	2	1.8	26	36.1	44	53.5	8	6.3	81	100.0
	25-34	3	1.9	4	2.3	48	29.9	94	65.1	1	0.8	150	100.0
	35-44	2	1.5	4	3.3	36	21.2	95	70.3	7	3.7	144	100.0
	45-54	2	0.9	2	2.3	19	19.5	58	67.5	9	9.8	90	100.0
	55-64	.	.	4	10.0	11	14.9	50	70.1	4	5.0	69	100.0
	65 +	2	1.1	1	1.6	13	9.1	104	74.2	20	14.0	140	100.0
TOTAL		16	1.3	39	3.9	270	23.2	776	66.8	70	4.8	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED
AIDS MODULE BY DEMOGRAPHICS

TABLE 2. WHAT ARE YOUR CHANCES OF GETTING THE AIDS VIRUS ?

	CHANCES											
	HIGH		MEDIUM		LOW		NONE		UNK/REFUSED		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%	N	%
SEX												
MALE	6	1.2	22	4.6	117	23.5	331	67.2	21	3.5	497	100.0
FEMALE	10	1.4	17	3.2	153	22.9	445	66.5	49	6.0	674	100.0
AGE GROUP												
18-24	3	2.9	11	9.2	47	36.4	65	48.0	9	3.6	135	100.0
25-34	5	1.6	12	3.2	79	26.8	177	66.2	6	2.1	279	100.0
35-44	3	1.2	7	2.4	67	22.6	173	69.7	12	4.0	262	100.0
45-54	2	0.4	3	1.4	33	19.7	109	70.2	13	8.3	160	100.0
55-64	1	0.5	4	5.3	21	15.6	91	75.5	5	3.1	122	100.0
65 +	2	0.6	2	1.6	23	11.4	161	76.5	25	9.9	213	100.0
_RACEGR												
WHITE	10	1.0	20	2.6	217	28.3	514	65.4	26	2.8	787	100.0
BLACK	.	.	.	.	2	8.1	10	79.3	2	12.6	14	100.0
HISPANIC	4	1.5	17	6.2	43	14.4	222	70.1	35	7.9	321	100.0
OTHER	2	5.9	2	10.2	6	11.4	28	64.0	5	8.6	43	100.0
UNK/REFUSED	.	.	.	.	2	25.1	2	48.1	2	26.8	6	100.0
TOTAL	16	1.3	39	3.9	270	23.2	776	66.8	70	4.8	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED
AIDS MODULE BY DEMOGRAPHICS

TABLE 2. WHAT ARE YOUR CHANCES OF GETTING THE AIDS VIRUS ?

	CHANCES											
	HIGH ************		MEDIUM ************		LOW ************		NONE ************		UNK/REFUSED ************		***TOTAL*** ************	
	N	%	N	%	N	%	N	%	N	%	N	%
EDUCA												
<9TH GRADE	1	1.2	3	8.8	9	13.6	34	58.7	14	17.6	61	100.0
SOME HIGH SCHOOL	2	2.0	6	7.0	15	19.9	58	64.4	9	6.8	90	100.0
HIGH SCHOOL GRADUATE	3	1.2	11	3.9	75	21.5	282	68.4	24	5.0	395	100.0
SOME TECHNICAL SCHOOL	.	.	.	.	9	38.3	17	58.2	1	3.5	27	100.0
TECHNICAL SCHOOL GRADUATE	1	2.8	.	.	6	29.9	11	58.6	2	8.7	20	100.0
SOME COLLEGE	5	1.6	13	4.6	63	20.9	184	69.5	10	3.5	275	100.0
COLLEGE GRADUATE	2	0.9	5	2.8	50	29.8	106	63.2	8	3.3	171	100.0
POST GRADUATE	2	1.4	1	0.4	43	28.9	82	69.0	1	0.4	129	100.0
UNK/REFUSED	.	.	.	.	.	.	2	66.7	1	33.3	3	100.0
TOTAL	16	1.3	39	3.9	270	23.2	776	66.8	70	4.8	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED
AIDS MODULE BY DEMOGRAPHICS

TABLE 2. WHAT ARE YOUR CHANCES OF GETTING THE AIDS VIRUS ?

CHANCES

	HIGH		MEDIUM		LOW		NONE		UNK/REFUSED		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%	N	%
INCOME												
<$10,000	2	0.9	8	8.6	28	18.3	110	66.7	12	5.5	160	100.0
$10-$15,000	3	4.2	6	5.7	32	26.6	67	62.2	2	1.4	110	100.0
$15-$20,000	.	.	6	5.3	33	24.4	75	62.4	11	7.9	125	100.0
$20-$25,000	2	1.3	4	4.4	23	20.8	74	70.1	4	3.3	107	100.0
$25-$35,000	3	1.5	7	3.5	47	26.3	117	67.2	4	1.6	178	100.0
$35-$50,000	1	0.6	1	0.8	36	27.6	98	68.7	3	2.3	139	100.0
UNK/REFUSED	4	1.9	5	3.3	36	19.6	137	63.8	32	11.4	214	100.0
>$50,000	1	0.3	2	1.1	35	23.3	98	73.6	2	1.7	138	100.0
TOTAL	16	1.3	39	3.9	270	23.2	776	66.8	70	4.8	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED
AIDS MODULE BY DEMOGRAPHICS

TABLE 3. HAS CONCERN ABOUT AIDS CHANGED YOUR LIFE IN ANY WAY ?

		CHNGLIFE							
		YES		NO		UNKNOWN		***TOTAL***	
		************		************		************		************	
		N	%	N	%	N	%	N	%
SEX	AGE GROUP								
MALE	18-24	31	57.5	23	42.5	.	.	54	100.0
	25-34	38	27.2	88	70.6	3	2.2	129	100.0
	35-44	33	25.7	81	70.9	4	3.4	118	100.0
	45-54	20	29.2	48	68.6	2	2.2	70	100.0
	55-64	9	15.3	44	84.7	.	.	53	100.0
	65 +	5	4.6	65	93.1	3	2.3	73	100.0
FEMALE	18-24	39	44.9	38	51.7	4	3.3	81	100.0
	25-34	62	37.6	84	58.5	4	3.8	150	100.0
	35-44	47	30.8	95	67.7	2	1.5	144	100.0
	45-54	21	21.0	63	72.1	6	6.9	90	100.0
	55-64	11	13.7	53	77.2	5	9.1	69	100.0
	65 +	13	10.2	114	79.6	13	10.2	140	100.0
TOTAL		329	28.3	796	68.1	46	3.6	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED
AIDS MODULE BY DEMOGRAPHICS

TABLE 3. HAS CONCERN ABOUT AIDS CHANGED YOUR LIFE IN ANY WAY ?

	CHNGLIFE							
	YES		NO		UNKNOWN		***TOTAL***	
	N	%	N	%	N	%	N	%
SEX								
MALE	136	28.3	349	69.9	12	1.8	497	100.0
FEMALE	193	28.2	447	66.4	34	5.4	674	100.0
AGE GROUP								
18-24	70	51.2	61	47.1	4	1.7	135	100.0
25-34	100	32.4	172	64.5	7	3.0	279	100.0
35-44	80	28.3	176	69.3	6	2.4	262	100.0
45-54	41	24.9	111	70.4	8	4.6	160	100.0
55-64	20	14.5	97	80.7	5	4.8	122	100.0
65 +	18	7.8	179	85.4	16	6.8	213	100.0
_RACEGR								
WHITE	193	24.3	576	73.6	18	2.1	787	100.0
BLACK	8	46.6	6	53.4	.	.	14	100.0
HISPANIC	114	34.8	185	58.8	22	6.4	321	100.0
OTHER	13	39.4	25	52.0	5	8.6	43	100.0
UNK/REFUSED	1	12.1	4	75.7	1	12.2	6	100.0
TOTAL	329	28.3	796	68.1	46	3.6	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED
AIDS MODULE BY DEMOGRAPHICS

TABLE 3. HAS CONCERN ABOUT AIDS CHANGED YOUR LIFE IN ANY WAY ?

	CHNGLIFE							
	YES		NO		UNKNOWN		***TOTAL***	
	************		************		************		************	
	N	%	N	%	N	%	N	%
EDUCA								
<9TH GRADE	8	12.2	43	70.7	10	17.1	61	100.0
SOME HIGH SCHOOL	30	32.6	53	61.1	7	6.3	90	100.0
HIGH SCHOOL GRADUATE	115	30.1	266	66.4	14	3.5	395	100.0
SOME TECHNICAL SCHOOL	8	30.7	19	69.3	.	.	27	100.0
TECHNICAL SCHOOL GRADUATE	5	25.5	13	65.9	2	8.7	20	100.0
SOME COLLEGE	82	30.1	186	67.6	7	2.2	275	100.0
COLLEGE GRADUATE	47	27.5	120	70.5	4	2.0	171	100.0
POST GRADUATE	32	21.2	96	77.9	1	0.9	129	100.0
UNK/REFUSED	2	66.7	.	.	1	33.3	3	100.0
TOTAL	329	28.3	796	68.1	46	3.6	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED
AIDS MODULE BY DEMOGRAPHICS

TABLE 3. HAS CONCERN ABOUT AIDS CHANGED YOUR LIFE IN ANY WAY ?

	CHNGLIFE							
	YES		NO		UNKNOWN		***TOTAL***	
	N	%	N	%	N	%	N	%
INCOME								
<$10,000	47	28.7	102	63.8	11	7.5	160	100.0
$10-$15,000	42	41.4	66	57.2	2	1.4	110	100.0
$15-$20,000	36	24.6	85	71.3	4	4.1	125	100.0
$20-$25,000	36	31.4	68	66.3	3	2.3	107	100.0
$25-$35,000	42	25.6	136	74.4	.	.	178	100.0
$35-$50,000	44	29.8	91	66.8	4	3.4	139	100.0
UNK/REFUSED	54	27.8	138	63.8	22	8.4	214	100.0
>$50,000	28	21.3	110	78.7	.	.	138	100.0
TOTAL	329	28.3	796	68.1	46	3.6	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED
AIDS MODULE BY DEMOGRAPHICS

TABLE 4. HAVE YOU HAD YOUR BLOOD TESTED FOR THE AIDS VIRUS ?

		AIDSTEST							
		YES		NO		UNKNOWN		***TOTAL***	
		N	%	N	%	N	%	N	%
SEX	AGE GROUP								
MALE	18-24	18	37.5	36	62.5	.	.	54	100.0
	25-34	36	28.5	91	70.2	2	1.3	129	100.0
	35-44	35	29.1	76	64.6	7	6.3	118	100.0
	45-54	11	14.8	55	80.8	4	4.4	70	100.0
	55-64	10	14.3	41	82.7	2	3.1	53	100.0
	65 +	9	12.4	57	79.9	7	7.7	73	100.0
FEMALE	18-24	17	20.1	59	76.0	5	3.9	81	100.0
	25-34	31	20.3	118	78.9	1	0.8	150	100.0
	35-44	25	17.0	115	80.4	4	2.6	144	100.0
	45-54	9	8.0	76	86.8	5	5.2	90	100.0
	55-64	9	12.4	56	81.7	4	5.8	69	100.0
	65 +	8	6.5	119	83.9	13	9.7	140	100.0
TOTAL		218	19.7	899	76.5	54	3.9	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED
AIDS MODULE BY DEMOGRAPHICS

TABLE 4. HAVE YOU HAD YOUR BLOOD TESTED FOR THE AIDS VIRUS ?

	AIDSTEST							
	YES		NO		UNKNOWN		***TOTAL***	
	************		************		************		************	
	N	%	N	%	N	%	N	%
SEX								
MALE	119	24.7	356	71.8	22	3.5	497	100.0
FEMALE	99	14.9	543	80.8	32	4.2	674	100.0
AGE GROUP								
18-24	35	28.8	95	69.2	5	2.0	135	100.0
25-34	67	24.4	209	74.5	3	1.0	279	100.0
35-44	60	23.0	191	72.6	11	4.4	262	100.0
45-54	20	11.3	131	83.9	9	4.8	160	100.0
55-64	19	13.3	97	82.2	6	4.5	122	100.0
65 +	17	9.0	176	82.2	20	8.8	213	100.0
_RACEGR								
WHITE	153	21.4	604	75.2	30	3.4	787	100.0
BLACK	4	39.4	9	53.3	1	7.4	14	100.0
HISPANIC	55	16.0	247	79.6	19	4.4	321	100.0
OTHER	5	12.1	34	81.9	4	6.0	43	100.0
UNK/REFUSED	1	14.6	5	85.4	.	.	6	100.0
TOTAL	218	19.7	899	76.5	54	3.9	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED
AIDS MODULE BY DEMOGRAPHICS

TABLE 4. HAVE YOU HAD YOUR BLOOD TESTED FOR THE AIDS VIRUS ?

	AIDSTEST							
	YES		NO		UNKNOWN		***TOTAL***	
	N	%	N	%	N	%	N	%
EDUCA								
<9TH GRADE	6	11.7	49	81.2	6	7.2	61	100.0
SOME HIGH SCHOOL	20	26.4	66	70.4	4	3.2	90	100.0
HIGH SCHOOL GRADUATE	56	14.8	319	80.8	20	4.4	395	100.0
SOME TECHNICAL SCHOOL	6	24.7	20	71.6	1	3.7	27	100.0
TECHNICAL SCHOOL GRADUATE	3	16.1	14	69.0	3	14.9	20	100.0
SOME COLLEGE	54	21.5	212	75.6	9	2.9	275	100.0
COLLEGE GRADUATE	38	21.3	125	75.1	8	3.6	171	100.0
POST GRADUATE	35	28.8	92	69.8	2	1.4	129	100.0
UNK/REFUSED	.	.	2	66.7	1	33.3	3	100.0
TOTAL	218	19.7	899	76.5	54	3.9	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED
AIDS MODULE BY DEMOGRAPHICS

TABLE 4. HAVE YOU HAD YOUR BLOOD TESTED FOR THE AIDS VIRUS ?

	AIDSTEST							
	YES		NO		UNKNOWN		***TOTAL***	
	N	%	N	%	N	%	N	%
INCOME								
<$10,000	28	21.0	121	73.6	11	5.5	160	100.0
$10-$15,000	25	24.9	83	74.3	2	0.8	110	100.0
$15-$20,000	23	19.3	100	79.4	2	1.3	125	100.0
$20-$25,000	19	17.2	83	78.8	5	4.0	107	100.0
$25-$35,000	30	19.9	146	79.3	2	0.9	178	100.0
$35-$50,000	33	22.0	101	74.3	5	3.7	139	100.0
UNK/REFUSED	33	15.2	159	76.6	22	8.2	214	100.0
>$50,000	27	20.6	106	75.4	5	4.0	138	100.0
TOTAL	218	19.7	899	76.5	54	3.9	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED
AIDS MODULE BY DEMOGRAPHICS

TABLE 5. WAS IT WHEN YOU DONATED BLOOD OR WAS IT SOME OTHER TIME ?

		DONATED									
		WHEN DONATED BLOOD		SOME OTHER TIME		BOTH		UNK/REFUSED		***TOTAL***	
SEX	AGE GROUP	N	%	N	%	N	%	N	%	N	%
MALE	18-24	7	40.0	11	60.0	.	.	.	.	18	100.0
	25-34	10	28.7	25	69.8	1	1.6	.	.	36	100.0
	35-44	11	33.1	23	65.2	1	1.7	.	.	35	100.0
	45-54	3	25.0	7	55.0	1	20.0	.	.	11	100.0
	55-64	.	.	10	100.0	.	.	.	.	10	100.0
	65 +	2	18.8	7	81.3	.	.	.	.	9	100.0
FEMALE	18-24	1	5.9	16	94.1	.	.	.	.	17	100.0
	25-34	6	18.9	24	77.4	1	3.8	.	.	31	100.0
	35-44	7	32.8	18	67.2	.	.	.	.	25	100.0
	45-54	3	28.6	5	64.3	1	7.1	.	.	9	100.0
	55-64	3	40.0	4	46.7	1	6.7	1	6.7	9	100.0
	65 +	2	25.0	5	58.3	.	.	1	16.7	8	100.0
TOTAL		55	26.9	155	70.0	6	2.4	2	0.7	218	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED
AIDS MODULE BY DEMOGRAPHICS

TABLE 5. WAS IT WHEN YOU DONATED BLOOD OR WAS IT SOME OTHER TIME ?

	DONATED									
	WHEN DONATED BLOOD		SOME OTHER TIME		BOTH		UNK/REFUSED		***TOTAL***	
	************		************		************		************		************	
	N	%	N	%	N	%	N	%	N	%
SEX										
MALE	33	29.9	83	67.7	3	2.4	.	.	119	100.0
FEMALE	22	22.1	72	73.7	3	2.4	2	1.8	99	100.0
AGE GROUP										
18-24	8	28.2	27	71.8	.	.	.	.	35	100.0
25-34	16	24.6	49	72.9	2	2.5	.	.	67	100.0
35-44	18	33.0	41	65.9	1	1.0	.	.	60	100.0
45-54	6	26.3	12	58.4	2	15.3	.	.	20	100.0
55-64	3	19.8	14	73.6	1	3.3	1	3.3	19	100.0
65 +	4	21.3	12	72.0	.	.	1	6.8	17	100.0
_RACEGR										
WHITE	32	23.6	113	72.0	6	3.4	2	1.0	153	100.0
BLACK	1	16.0	3	84.0	.	.	.	.	4	100.0
HISPANIC	22	40.9	33	59.1	.	.	.	.	55	100.0
OTHER	.	.	5	100.0	.	.	.	.	5	100.0
UNK/REFUSED	.	.	1	100.0	.	.	.	.	1	100.0
TOTAL	55	26.9	155	70.0	6	2.4	2	0.7	218	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED
AIDS MODULE BY DEMOGRAPHICS

TABLE 5. WAS IT WHEN YOU DONATED BLOOD OR WAS IT SOME OTHER TIME ?

	DONATED									
	WHEN DONATED BLOOD		SOME OTHER TIME		BOTH		UNK/REFUSED		***TOTAL***	
	************		************		************		************		************	
	N	%	N	%	N	%	N	%	N	%
EDUCA										
<9TH GRADE	2	17.4	4	82.6	.	.	.	.	6	100.0
SOME HIGH SCHOOL	5	31.7	14	64.3	.	.	1	4.0	20	100.0
HIGH SCHOOL GRADUATE	13	18.0	41	77.5	1	3.5	1	1.0	56	100.0
SOME TECHNICAL SCHOOL	3	63.0	3	37.0	.	.	.	.	6	100.0
TECHNICAL SCHOOL GRADUATE	.	.	3	100.0	.	.	.	.	3	100.0
SOME COLLEGE	14	30.9	36	64.6	4	4.5	.	.	54	100.0
COLLEGE GRADUATE	9	24.6	29	75.4	.	.	.	.	38	100.0
POST GRADUATE	9	30.9	25	67.2	1	1.9	.	.	35	100.0
TOTAL	55	26.9	155	70.0	6	2.4	2	0.7	218	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED
AIDS MODULE BY DEMOGRAPHICS

TABLE 5. WAS IT WHEN YOU DONATED BLOOD OR WAS IT SOME OTHER TIME ?

	DONATED									
	WHEN DONATED BLOOD		SOME OTHER TIME		BOTH		UNK/REFUSED		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%
INCOME										
<$10,000	3	13.9	23	80.6	.	.	2	5.5	28	100.0
$10-$15,000	8	35.0	16	57.1	1	7.9	.	.	25	100.0
$15-$20,000	6	27.9	16	67.2	1	4.9	.	.	23	100.0
$20-$25,000	3	14.9	15	82.1	1	3.0	.	.	19	100.0
$25-$35,000	8	31.5	21	66.8	1	1.7	.	.	30	100.0
$35-$50,000	9	26.8	23	71.2	1	1.9	.	.	33	100.0
UNK/REFUSED	7	17.4	26	82.6	.	.	.	.	33	100.0
>$50,000	11	42.9	15	55.6	1	1.5	.	.	27	100.0
TOTAL	55	26.9	155	70.0	6	2.4	2	0.7	218	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED
AIDS MODULE BY DEMOGRAPHICS

TABLE 6. HAVE YOUR EVER PERSONALLY KNOWN ANYONE WITH THE AIDS VIRUS INFECTION OR WITH AIDS?

		WITHAIDS							
		YES		NO		UNKNOWN		***TOTAL***	
		N	%	N	%	N	%	N	%
SEX	AGE GROUP								
MALE	18-24	5	5.8	49	94.2	.	.	54	100.0
	25-34	10	8.8	117	89.8	2	1.3	129	100.0
	35-44	11	8.7	104	89.1	3	2.2	118	100.0
	45-54	2	3.0	66	94.8	2	2.2	70	100.0
	55-64	2	2.0	50	96.9	1	1.0	53	100.0
	65 +	5	5.4	65	90.7	3	3.9	73	100.0
FEMALE	18-24	8	10.0	69	87.2	4	2.8	81	100.0
	25-34	27	18.0	120	80.0	3	1.9	150	100.0
	35-44	30	19.2	111	78.9	3	1.9	144	100.0
	45-54	16	13.8	69	80.5	5	5.7	90	100.0
	55-64	9	12.4	57	83.4	3	4.1	69	100.0
	65 +	6	4.8	123	86.6	11	8.6	140	100.0
TOTAL		131	10.1	1000	87.1	40	2.8	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED
AIDS MODULE BY DEMOGRAPHICS

TABLE 6. HAVE YOUR EVER PERSONALLY KNOWN ANYONE WITH THE AIDS VIRUS INFECTION OR WITH AIDS?

	WITHAIDS							
	YES		NO		UNKNOWN		***TOTAL***	
	************		************		************		************	
	N	%	N	%	N	%	N	%
SEX								
MALE	35	6.3	451	92.1	11	1.7	497	100.0
FEMALE	96	13.6	549	82.5	29	3.9	674	100.0
AGE GROUP								
18-24	13	7.9	118	90.7	4	1.4	135	100.0
25-34	37	13.5	237	84.9	5	1.6	279	100.0
35-44	41	14.0	215	84.0	6	2.0	262	100.0
45-54	18	8.5	135	87.4	7	4.0	160	100.0
55-64	11	7.5	107	89.8	4	2.7	122	100.0
65 +	11	5.1	188	88.4	14	6.5	213	100.0
_RACEGR								
WHITE	103	11.8	665	85.9	19	2.2	787	100.0
BLACK	2	13.5	12	86.5	.	.	14	100.0
HISPANIC	22	6.1	282	90.1	17	3.8	321	100.0
OTHER	2	6.5	37	87.5	4	6.0	43	100.0
UNK/REFUSED	2	37.3	4	62.7	.	.	6	100.0
TOTAL	131	10.1	1000	87.1	40	2.8	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED
AIDS MODULE BY DEMOGRAPHICS

TABLE 6. HAVE YOUR EVER PERSONALLY KNOWN ANYONE WITH THE AIDS VIRUS INFECTION OR WITH AIDS?

	WITHAIDS							
	YES		NO		UNKNOWN		***TOTAL***	
	************		************		************		************	
	N	%	N	%	N	%	N	%
EDUCA								
<9TH GRADE	.	.	57	95.0	4	5.0	61	100.0
SOME HIGH SCHOOL	1	1.2	84	95.0	5	3.8	90	100.0
HIGH SCHOOL GRADUATE	32	7.4	351	90.1	12	2.5	395	100.0
SOME TECHNICAL SCHOOL	3	9.7	24	90.3	.	.	27	100.0
TECHNICAL SCHOOL GRADUATE	5	21.5	13	69.9	2	8.7	20	100.0
SOME COLLEGE	32	11.4	236	86.5	7	2.1	275	100.0
COLLEGE GRADUATE	31	17.4	134	79.6	6	3.0	171	100.0
POST GRADUATE	27	17.4	99	79.8	3	2.8	129	100.0
UNK/REFUSED	.	.	2	66.7	1	33.3	3	100.0
TOTAL	131	10.1	1000	87.1	40	2.8	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED
AIDS MODULE BY DEMOGRAPHICS

TABLE 6. HAVE YOUR EVER PERSONALLY KNOWN ANYONE WITH THE AIDS VIRUS INFECTION OR WITH AIDS?

	WITHAIDS							
	YES		NO		UNKNOWN		***TOTAL***	
	************		************		************		************	
	N	%	N	%	N	%	N	%
INCOME								
<$10,000	7	5.1	146	91.7	7	3.2	160	100.0
$10-$15,000	14	11.3	94	87.9	2	0.8	110	100.0
$15-$20,000	13	8.5	110	89.6	2	1.8	125	100.0
$20-$25,000	12	9.3	92	88.2	3	2.5	107	100.0
$25-$35,000	27	15.0	149	84.2	2	0.8	178	100.0
$35-$50,000	20	12.4	115	84.4	4	3.1	139	100.0
UNK/REFUSED	18	6.4	178	86.8	18	6.8	214	100.0
>$50,000	20	12.6	116	86.4	2	1.1	138	100.0
TOTAL	131	10.1	1000	87.1	40	2.8	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 1. DO YOU KNOW HOW TO EXAMINE YOUR BREASTS FOR LUMPS?

KNOW HOW TO PERFORM SELF BREAST EXAM

	YES ************		NO ************		DON'T KNOW ************		REFUSED ************		***TOTAL*** ************	
	N	%	N	%	N	%	N	%	N	%
AGE GROUP										
18-24	66	84.2	11	12.4	2	1.8	2	1.6	81	100.0
25-34	279	94.6	12	3.9	2	1.0	1	0.4	294	100.0
35-44	145	90.9	9	6.9	2	0.9	3	1.3	159	100.0
45-54	114	80.1	18	13.4	6	4.3	2	2.2	140	100.0
RACE GROUP										
WHITE	417	93.0	23	4.3	7	1.7	4	1.0	451	100.0
BLACK	6	100.0	.	.	.	.	.	.	6	100.0
HISPANIC	160	85.9	20	11.8	5	1.7	2	0.5	187	100.0
OTHER	19	65.6	6	28.0	.	.	2	6.4	27	100.0
UNK/REFUSED	2	73.7	1	26.3	.	.	.	.	3	100.0
TOTAL	604	89.7	50	7.6	12	1.6	8	1.1	674	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 1. DO YOU KNOW HOW TO EXAMINE YOUR BREASTS FOR LUMPS?

	KNOW HOW TO PERFORM SELF BREAST EXAM									
	YES		NO		DON'T KNOW		REFUSED		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%
EDUCATION LEVEL										
< 9TH GRADE	26	77.2	7	17.3	2	3.4	1	2.0	36	100.0
SOME HIGH SCHOOL	44	75.1	12	22.2	1	1.7	1	1.0	58	100.0
HIGH SCHOOL GRADUATE	220	89.4	17	7.4	4	1.9	3	1.4	244	100.0
SOME TECHNICAL SCHOOL	15	100.0	.	.	.	.	.	.	15	100.0
TECHNICAL SCHOOL GRADUATE	13	91.6	.	.	.	.	1	8.4	14	100.0
SOME COLLEGE	149	94.4	9	4.8	1	0.8	.	.	159	100.0
COLLEGE GRADUATE	80	90.1	5	6.6	1	1.1	2	2.2	88	100.0
POST GRADUATE	55	97.7	.	.	2	2.3	.	.	57	100.0
UNK/REFUSED	2	66.7	.	.	1	33.3	.	.	3	100.0
TOTAL	604	89.7	50	7.6	12	1.6	8	1.1	674	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 1. DO YOU KNOW HOW TO EXAMINE YOUR BREASTS FOR LUMPS?

KNOW HOW TO PERFORM SELF BREAST EXAM

	YES		NO		DON'T KNOW		REFUSED		***TOTAL***	
	************		************		************		************		************	
	N	%	N	%	N	%	N	%	N	%
INCOME LEVEL										
<$10,000	99	82.5	11	12.8	2	2.3	3	2.4	115	100.0
$10-$15,000	57	85.7	8	12.2	1	2.1	.	.	66	100.0
$15-$20,000	62	93.5	4	3.9	1	1.8	1	0.8	68	100.0
$20-$25,000	53	89.6	4	7.8	.	.	2	2.6	59	100.0
$25-$35,000	102	98.9	1	0.6	1	0.5	.	.	104	100.0
$35-$50,000	62	95.8	1	1.3	1	1.3	1	1.7	65	100.0
>$50,000	64	100.0	.	.	.	.	.	.	64	100.0
UNK/REFUSED	105	79.9	21	15.6	6	3.3	1	1.2	133	100.0
TOTAL	604	89.7	50	7.6	12	1.6	8	1.1	674	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 1. DO YOU KNOW HOW TO EXAMINE YOUR BREASTS FOR LUMPS?

KNOW HOW TO PERFORM SELF BREAST EXAM

	YES		NO		DON'T KNOW		REFUSED		***TOTAL***	
	************		************		************		************		************	
	N	%	N	%	N	%	N	%	N	%
EMPLOYMENT STATUS										
EMPLOYED	266	92.3	14	5.2	6	2.2	1	0.2	287	100.0
SELF EMPLOYED	54	93.2	2	4.5	.	.	1	2.2	57	100.0
OUT OF WORK >1 YEAR	16	82.2	4	15.2	.	.	1	2.6	21	100.0
OUT OF WORK <1 YEAR	11	90.0	1	10.0	.	.	.	.	12	100.0
HOMEMAKER	111	90.9	8	7.1	1	0.4	2	1.7	122	100.0
STUDENT	36	94.0	3	6.0	.	.	.	.	39	100.0
RETIRED	110	80.0	16	13.6	5	3.7	3	2.7	134	100.0
UNK/REFUSED	.	.	2	100.0	.	.	.	.	2	100.0
TOTAL	604	89.7	50	7.6	12	1.6	8	1.1	674	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 1. DO YOU KNOW HOW TO EXAMINE YOUR BREASTS FOR LUMPS?

KNOW HOW TO PERFORM SELF BREAST EXAM

	YES		NO		DON'T KNOW		REFUSED		***TOTAL***	
	************		************		************		************		************	
	N	%	N	%	N	%	N	%	N	%
MARITAL STATUS										
MARRIED	344	90.6	22	6.6	5	1.4	5	1.3	376	100.0
DIVORCED	68	93.9	4	5.1	1	1.0	.	.	73	100.0
WIDOWED	81	82.1	13	13.5	4	3.5	1	0.9	99	100.0
SEPARATED	13	86.3	1	4.4	.	.	2	9.3	16	100.0
NEVER MARRIED	85	89.7	7	8.2	2	2.1	.	.	94	100.0
UNMARRIED COUPLE	12	86.4	3	13.6	.	.	.	.	15	100.0
UNK/REFUSED	1	100.0	.	.	.	.	.	.	1	100.0
TOTAL	604	89.7	50	7.6	12	1.6	8	1.1	674	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 2. HOW OFTEN DO YOU EXAMINE YOUR BREASTS?

HOW OFTEN SELF BREAST EXAM DONE

	ONE TO TWO TIMES A DAY		CODE 103		ONE TO SEVEN TIMES A WEEK		ONE TO THIRTY-ONE TIMES A MONTH		ONE TO TWELVE TIMES A YEAR		NEVER		DON'T KNOW/NOT SURE	
	************		************		************		************		************		************		************	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
AGE GROUP														
18-24	3	5.3	.	.	5	5.9	23	26.0	18	24.5	.	.	14	19.5
25-34	8	3.4	.	.	36	11.7	140	47.4	39	13.0	3	1.2	36	12.1
35-44	9	6.0	3	1.4	29	17.6	43	24.9	18	13.5	2	0.4	35	24.0
45-54	8	4.6	1	0.5	25	20.4	35	26.3	7	3.8	1	0.5	33	21.8
RACE GROUP														
WHITE	16	3.4	3	0.6	60	11.9	178	39.0	58	15.0	5	0.9	75	17.6
BLACK	1	22.9	.	.	.	.	3	42.2	.	.	.	.	1	23.5
HISPANIC	10	6.0	1	0.3	33	19.1	55	29.0	20	10.5	.	.	34	17.2
OTHER	1	8.5	.	.	1	4.0	5	13.4	4	16.2	1	1.8	7	21.8
UNK/REFUSED	.	.	.	.	1	24.6	.	.	.	.	.	.	1	49.1
TOTAL	28	4.6	4	0.4	95	13.6	241	34.8	82	13.6	6	0.7	118	17.9

(CONTINUED)

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 2. HOW OFTEN DO YOU EXAMINE YOUR BREASTS?

	HOW OFTEN SELF BREAST EXAM DONE			
	REFUSED		***TOTAL***	
	************		************	
	N	%	N	%
AGE GROUP				
18-24	18	18.7	81	100.0
25-34	32	11.3	294	100.0
35-44	20	12.3	159	100.0
45-54	30	22.0	140	100.0
RACE GROUP				
WHITE	56	11.5	451	100.0
BLACK	1	11.4	6	100.0
HISPANIC	34	17.9	187	100.0
OTHER	8	34.4	27	100.0
UNK/REFUSED	1	26.3	3	100.0
TOTAL	100	14.5	674	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 2. HOW OFTEN DO YOU EXAMINE YOUR BREASTS?

HOW OFTEN SELF BREAST EXAM DONE

	ONE TO TWO TIMES A DAY		CODE 103		ONE TO SEVEN TIMES A WEEK		ONE TO THIRTY-ONE TIMES A MONTH		ONE TO TWELVE TIMES A YEAR		NEVER		DON'T KNOW/NOT SURE	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
EDUCATION LEVEL														
< 9TH GRADE	3	9.2	.	.	9	27.5	5	13.3	1	4.1	.	.	7	21.5
SOME HIGH SCHOOL	4	6.5	.	.	6	9.6	14	27.1	7	10.0	.	.	10	18.3
HIGH SCHOOL GRADUATE	12	6.0	1	0.5	35	14.2	90	34.9	25	10.8	2	0.6	46	18.4
SOME TECHNICAL SCHOOL	1	7.9	.	.	2	9.5	7	40.6	1	11.8	.	.	3	22.6
TECHNICAL SCHOOL GRADUATE	1	4.2	.	.	2	16.0	6	40.1	1	5.7	.	.	2	20.5
SOME COLLEGE	4	2.7	2	0.6	16	11.1	62	38.4	27	20.0	2	0.9	26	15.6
COLLEGE GRADUATE	1	0.7	1	0.6	16	14.5	27	33.0	12	15.1	.	.	18	20.3
POST GRADUATE	2	3.1	.	.	8	12.5	29	46.2	8	18.0	2	3.7	6	14.1
UNK/REFUSED	.	.	.	.	1	33.3	1	33.3	.	.	.	.	.	.
TOTAL	28	4.6	4	0.4	95	13.6	241	34.8	82	13.6	6	0.7	118	17.9

(CONTINUED)

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 2. HOW OFTEN DO YOU EXAMINE YOUR BREASTS?

	HOW OFTEN SELF BREAST EXAM DONE			
	REFUSED		***TOTAL***	
	************		************	
	N	%	N	%
EDUCATION LEVEL				
< 9TH GRADE	11	24.5	36	100.0
SOME HIGH SCHOOL	17	28.4	58	100.0
HIGH SCHOOL GRADUATE	33	14.6	244	100.0
SOME TECHNICAL SCHOOL	1	7.7	15	100.0
TECHNICAL SCHOOL GRADUATE	2	13.6	14	100.0
SOME COLLEGE	20	10.6	159	100.0
COLLEGE GRADUATE	13	15.8	88	100.0
POST GRADUATE	2	2.3	57	100.0
UNK/REFUSED	1	33.3	3	100.0
TOTAL	100	14.5	674	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 2. HOW OFTEN DO YOU EXAMINE YOUR BREASTS?

	HOW OFTEN SELF BREAST EXAM DONE													
	ONE TO TWO TIMES A DAY		CODE 103		ONE TO SEVEN TIMES A WEEK		ONE TO THIRTY-ONE TIMES A MONTH		ONE TO TWELVE TIMES A YEAR		NEVER		DON'T KNOW/NOT SURE	
	************		************		************		************		************		************		************	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
INCOME LEVEL														
<$10,000	4	2.9	.	.	18	16.3	32	28.7	14	12.3	1	0.2	24	18.1
$10-$15,000	.	.	.	.	11	16.0	26	37.8	11	19.1	1	2.0	7	10.0
$15-$20,000	4	7.2	1	0.9	11	17.7	28	41.7	5	8.5	.	.	9	13.0
$20-$25,000	2	4.9	.	.	7	9.0	28	47.7	5	7.8	1	1.7	10	18.5
$25-$35,000	3	3.9	2	1.8	12	10.1	44	41.5	15	14.2	1	1.2	19	19.3
$35-$50,000	4	5.9	.	.	10	17.3	29	40.9	5	9.3	.	.	10	15.8
>$50,000	5	9.7	.	.	11	15.8	23	34.1	14	26.0	1	0.7	8	11.6
UNK/REFUSED	6	3.8	1	0.4	15	9.9	31	22.0	13	12.3	1	0.4	31	26.3
TOTAL	28	4.6	4	0.4	95	13.6	241	34.8	82	13.6	6	0.7	118	17.9

(CONTINUED)

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 2. HOW OFTEN DO YOU EXAMINE YOUR BREASTS?

	HOW OFTEN SELF BREAST EXAM DONE			
	REFUSED		***TOTAL***	
	************		************	
	N	%	N	%
INCOME LEVEL				
<$10,000	22	21.5	115	100.0
$10-$15,000	10	15.0	66	100.0
$15-$20,000	10	11.1	68	100.0
$20-$25,000	6	10.4	59	100.0
$25-$35,000	8	8.0	104	100.0
$35-$50,000	7	10.7	65	100.0
>$50,000	2	2.2	64	100.0
UNK/REFUSED	35	24.9	133	100.0
TOTAL	100	14.5	674	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 2. HOW OFTEN DO YOU EXAMINE YOUR BREASTS?

	HOW OFTEN SELF BREAST EXAM DONE													
	ONE TO TWO TIMES A DAY		CODE 103		ONE TO SEVEN TIMES A WEEK		ONE TO THIRTY-ONE TIMES A MONTH		ONE TO TWELVE TIMES A YEAR		NEVER		DON'T KNOW/NOT SURE	
	************		************		************		************		************		************		************	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
EMPLOYMENT STATUS														
EMPLOYED	12	5.3	1	0.2	34	11.3	122	42.3	35	11.2	4	1.4	46	17.0
SELF EMPLOYED	1	2.4	.	.	12	20.7	20	34.2	6	12.0	1	0.5	11	19.6
OUT OF WORK >1 YEAR	.	.	.	.	6	26.8	4	13.7	3	22.7	.	.	2	11.7
OUT OF WORK <1 YEAR	.	.	.	.	2	13.6	3	27.6	4	35.3	.	.	.	.
HOMEMAKER	6	6.5	.	.	18	14.5	46	33.6	16	13.7	.	.	22	19.6
STUDENT	2	2.8	.	.	2	8.0	14	30.3	11	34.9	.	.	4	12.6
RETIRED	7	3.4	3	2.3	21	15.6	32	24.4	7	5.8	1	0.5	33	23.2
UNK/REFUSED	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TOTAL	28	4.6	4	0.4	95	13.6	241	34.8	82	13.6	6	0.7	118	17.9

(CONTINUED)

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 2. HOW OFTEN DO YOU EXAMINE YOUR BREASTS?

	HOW OFTEN SELF BREAST EXAM DONE			
	REFUSED		***TOTAL***	
	************		************	
	N	%	N	%
EMPLOYMENT STATUS				
EMPLOYED	33	11.4	287	100.0
SELF EMPLOYED	6	10.6	57	100.0
OUT OF WORK >1 YEAR	6	25.1	21	100.0
OUT OF WORK <1 YEAR	3	23.5	12	100.0
HOMEMAKER	14	12.1	122	100.0
STUDENT	6	11.4	39	100.0
RETIRED	30	24.8	134	100.0
UNK/REFUSED	2	100.0	2	100.0
TOTAL	100	14.5	674	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 2. HOW OFTEN DO YOU EXAMINE YOUR BREASTS?

HOW OFTEN SELF BREAST EXAM DONE

	ONE TO TWO TIMES A DAY		CODE 103		ONE TO SEVEN TIMES A WEEK		ONE TO THIRTY-ONE TIMES A MONTH		ONE TO TWELVE TIMES A YEAR		NEVER		DON'T KNOW/NOT SURE	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
MARITAL STATUS														
MARRIED	16	4.7	2	0.4	52	13.3	144	37.1	49	13.0	2	0.4	67	17.9
DIVORCED	3	10.0	.	.	12	17.5	27	36.8	5	6.4	2	2.3	14	16.0
WIDOWED	7	6.9	1	0.9	16	15.1	23	24.9	5	5.5	1	0.9	21	21.5
SEPARATED	.	.	.	.	2	12.4	5	24.4	3	27.2	.	.	1	9.6
NEVER MARRIED	2	1.2	1	0.5	11	11.8	36	31.8	19	25.5	1	1.3	11	14.3
UNMARRIED COUPLE	.	.	.	.	1	12.7	6	34.5	1	8.2	.	.	4	31.0
UNK/REFUSED	.	.	.	.	1	100.0	.	.	.	.	.	.	.	.
TOTAL	28	4.6	4	0.4	95	13.6	241	34.8	82	13.6	6	0.7	118	17.9

(CONTINUED)

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 2. HOW OFTEN DO YOU EXAMINE YOUR BREASTS?

	HOW OFTEN SELF BREAST EXAM DONE			
	REFUSED		***TOTAL***	
	N	%	N	%
MARITAL STATUS				
MARRIED	44	13.3	376	100.0
DIVORCED	10	11.2	73	100.0
WIDOWED	25	24.3	99	100.0
SEPARATED	5	26.4	16	100.0
NEVER MARRIED	13	13.6	94	100.0
UNMARRIED COUPLE	3	13.6	15	100.0
UNK/REFUSED	.	.	1	100.0
TOTAL	100	14.5	674	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 3. ABOUT HOW OFTEN DO YOU HAVE A BREAST EXAM BY A HEALTH PROFESSIONAL?

HOW OFTEN PROFESSIONAL BREAST EXAM DONE

	ONCE A YEAR		TWICE A YEAR		ONCE EVERY TWO YEARS		NEVER		DON'T KNOW		REFUSED		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
AGE GROUP														
18-24	47	60.9	13	13.6	3	3.8	14	18.3	2	1.8	2	1.6	81	100.0
25-34	204	66.6	16	5.9	34	11.9	17	5.7	22	9.5	1	0.4	294	100.0
35-44	98	62.5	21	12.8	14	7.2	10	7.6	11	7.8	5	2.2	159	100.0
45-54	74	51.1	9	6.7	13	9.7	15	11.8	26	18.0	3	2.7	140	100.0
RACE GROUP														
WHITE	290	63.8	40	9.2	45	9.7	30	7.5	41	8.6	5	1.2	451	100.0
BLACK	5	84.3	.	.	.	.	.	.	1	15.7	.	.	6	100.0
HISPANIC	110	58.2	19	10.5	18	9.1	21	12.2	15	9.0	4	1.1	187	100.0
OTHER	17	63.0	.	.	1	2.0	4	14.6	3	14.1	2	6.4	27	100.0
UNK/REFUSED	1	24.6	.	.	.	.	1	49.1	1	26.3	.	.	3	100.0
TOTAL	423	62.2	59	9.1	64	9.0	56	9.3	61	9.1	11	1.4	674	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 3. ABOUT HOW OFTEN DO YOU HAVE A BREAST EXAM BY A HEALTH PROFESSIONAL?

HOW OFTEN PROFESSIONAL BREAST EXAM DONE

	ONCE A YEAR		TWICE A YEAR		ONCE EVERY TWO YEARS		NEVER		DON'T KNOW		REFUSED		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
EDUCATION LEVEL														
< 9TH GRADE	17	51.8	3	10.1	3	5.8	4	10.1	8	20.1	1	2.0	36	100.0
SOME HIGH SCHOOL	32	53.8	2	3.4	4	7.1	11	22.2	8	12.6	1	1.0	58	100.0
HIGH SCHOOL GRADUATE	153	62.4	23	10.2	23	8.9	19	7.1	23	10.0	3	1.4	244	100.0
SOME TECHNICAL SCHOOL	10	74.4	1	3.3	2	6.5	2	15.8	.	.	.	.	15	100.0
TECHNICAL SCHOOL GRADUATE	11	78.8	2	12.7	.	.	.	.	.	.	1	8.4	14	100.0
SOME COLLEGE	97	58.1	15	9.9	19	12.3	13	11.1	13	7.6	2	0.9	159	100.0
COLLEGE GRADUATE	62	69.4	6	6.4	7	8.0	3	4.4	8	9.6	2	2.2	88	100.0
POST GRADUATE	39	71.6	7	12.6	6	7.7	4	6.1	1	1.9	.	.	57	100.0
UNK/REFUSED	2	66.7	.	.	.	.	.	.	.	.	1	33.3	3	100.0
TOTAL	423	62.2	59	9.1	64	9.0	56	9.3	61	9.1	11	1.4	674	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 3. ABOUT HOW OFTEN DO YOU HAVE A BREAST EXAM BY A HEALTH PROFESSIONAL?

HOW OFTEN PROFESSIONAL BREAST EXAM DONE

	ONCE A YEAR		TWICE A YEAR		ONCE EVERY TWO YEARS		NEVER		DON'T KNOW		REFUSED		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
INCOME LEVEL														
<$10,000	63	55.3	12	9.6	6	4.4	14	15.3	17	13.0	3	2.4	115	100.0
$10-$15,000	41	60.9	5	7.3	10	15.4	7	12.3	3	4.1	.	.	66	100.0
$15-$20,000	45	62.1	4	4.3	5	7.6	3	5.2	10	20.1	1	0.8	68	100.0
$20-$25,000	37	62.7	2	3.4	6	9.0	6	12.9	6	9.3	2	2.6	59	100.0
$25-$35,000	71	67.7	10	10.2	15	14.2	4	4.5	3	2.9	1	0.5	104	100.0
$35-$50,000	44	65.3	7	13.7	5	6.7	4	5.3	4	7.2	1	1.7	65	100.0
>$50,000	50	73.7	5	7.7	5	8.0	.	.	3	9.2	1	1.5	64	100.0
UNK/REFUSED	72	56.2	14	11.3	12	8.2	18	13.9	15	8.8	2	1.6	133	100.0
TOTAL	423	62.2	59	9.1	64	9.0	56	9.3	61	9.1	11	1.4	674	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 3. ABOUT HOW OFTEN DO YOU HAVE A BREAST EXAM BY A HEALTH PROFESSIONAL?

HOW OFTEN PROFESSIONAL BREAST EXAM DONE

	ONCE A YEAR		TWICE A YEAR		ONCE EVERY TWO YEARS		NEVER		DON'T KNOW		REFUSED		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
MARITAL STATUS														
MARRIED	248	65.5	29	8.0	40	9.7	28	7.8	25	7.5	6	1.5	376	100.0
DIVORCED	44	61.7	10	10.9	3	4.7	7	8.0	9	14.6	.	.	73	100.0
WIDOWED	54	49.0	7	9.0	11	12.3	6	6.5	19	21.5	2	1.7	99	100.0
SEPARATED	9	45.6	.	.	1	9.6	1	19.7	2	8.0	3	17.1	16	100.0
NEVER MARRIED	58	58.3	11	12.7	7	5.4	13	17.2	5	6.4	.	.	94	100.0
UNMARRIED COUPLE	9	61.8	2	15.4	2	11.9	1	8.2	1	2.7	.	.	15	100.0
UNK/REFUSED	1	100.0	.	.	.	.	.	.	.	.	.	.	1	100.0
TOTAL	423	62.2	59	9.1	64	9.0	56	9.3	61	9.1	11	1.4	674	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 3. ABOUT HOW OFTEN DO YOU HAVE A BREAST EXAM BY A HEALTH PROFESSIONAL?

HOW OFTEN PROFESSIONAL BREAST EXAM DONE

	ONCE A YEAR		TWICE A YEAR		ONCE EVERY TWO YEARS		NEVER		DON'T KNOW		REFUSED		***TOTAL***	
	************		************		************		************		************		************		************	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
EMPLOYMENT STATUS														
EMPLOYED	195	66.2	27	9.3	27	9.5	19	6.5	18	8.3	1	0.2	287	100.0
SELF EMPLOYED	37	64.6	4	5.6	6	8.1	2	2.7	7	16.8	1	2.2	57	100.0
OUT OF WORK >1 YEAR	15	75.6	1	3.7	2	11.7	1	3.7	1	2.7	1	2.6	21	100.0
OUT OF WORK <1 YEAR	7	70.1	1	4.9	1	6.7	2	14.6	1	3.[illegible]	.	.	12	100.0
HOMEMAKER	83	69.7	7	6.5	14	10.0	9	7.3	6	4.5	3	2.0	122	100.0
STUDENT	20	45.9	6	17.6	2	5.9	8	25.2	2	3.5	1	1.9	39	100.0
RETIRED	66	46.7	13	10.8	12	8.6	14	13.3	25	17.3	4	3.3	134	100.0
UNK/REFUSED	.	.	.	.	.	.	1	67.3	1	32.7	.	.	2	100.0
TOTAL	423	62.2	59	9.1	64	9.0	56	9.3	61	9.1	11	1.4	674	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 4. IS THERE A WORKING SMOKE DETECTOR IN THIS HOUSEHOLD?

WORKING SMOKE DETECTOR IN HOUSEHOLD

	YES		NO		DON'T KNOW/NOT SURE		REFUSED		***TOTAL***	
	************		************		************		************		************	
	N	%	N	%	N	%	N	%	N	%
SEX										
MALE	370	74.8	121	24.4	4	0.6	2	0.2	497	100.0
FEMALE	453	68.3	203	28.8	6	1.4	12	1.5	674	100.0
AGE GROUP										
18-24	99	75.2	30	21.3	3	2.5	3	1.1	135	100.0
25-34	402	74.4	132	24.4	5	0.8	2	0.3	541	100.0
35-44	194	68.5	83	30.3	1	0.4	4	0.8	282	100.0
45-54	128	63.1	79	33.9	1	0.9	5	2.2	213	100.0
RACE GROUP										
WHITE	575	75.0	201	23.4	6	1.1	5	0.6	787	100.0
BLACK	11	79.1	3	20.9	.	.	.	.	14	100.0
HISPANIC	207	64.8	106	33.7	2	0.6	6	0.9	321	100.0
OTHER	25	61.0	13	30.7	2	3.4	3	4.9	43	100.0
UNK/REFUSED	5	76.2	1	23.8	.	.	.	.	6	100.0
TOTAL	823	71.5	324	26.7	10	1.0	14	0.9	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 4. IS THERE A WORKING SMOKE DETECTOR IN THIS HOUSEHOLD?

WORKING SMOKE DETECTOR IN HOUSEHOLD

	YES		NO		DON'T KNOW/NOT SURE		REFUSED		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%
EDUCATION LEVEL										
< 9TH GRADE	24	43.0	36	55.9	.	.	1	1.1	61	100.0
SOME HIGH SCHOOL	50	59.0	39	40.5	.	.	1	0.5	90	100.0
HIGH SCHOOL GRADUATE	276	71.9	115	27.3	.	.	4	0.9	395	100.0
SOME TECHNICAL SCHOOL	20	70.8	6	21.2	1	8.0	.	.	27	100.0
TECHNICAL SCHOOL GRADUATE	13	62.0	5	29.4	.	.	2	8.7	20	100.0
SOME COLLEGE	209	76.6	61	21.9	2	0.8	3	0.6	275	100.0
COLLEGE GRADUATE	133	77.6	33	18.8	3	2.6	2	1.0	171	100.0
POST GRADUATE	96	74.6	29	22.6	4	2.8	.	.	129	100.0
UNK/REFUSED	2	66.7	.	.	.	.	1	33.3	3	100.0
TOTAL	823	71.5	324	26.7	10	1.0	14	0.9	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 4. IS THERE A WORKING SMOKE DETECTOR IN THIS HOUSEHOLD?

WORKING SMOKE DETECTOR IN HOUSEHOLD

	YES		NO		DON'T KNOW/NOT SURE		REFUSED		***TOTAL***	
	************		************		************		************		************	
	N	%	N	%	N	%	N	%	N	%
INCOME LEVEL										
<$10,000	83	53.6	72	43.8	1	0.6	4	2.0	160	100.0
$10-$15,000	80	76.5	30	23.5	.	.	.	.	110	100.0
$15-$20,000	89	72.4	33	26.4	2	0.8	1	0.4	125	100.0
$20-$25,000	67	63.4	38	35.3	.	.	2	1.3	107	100.0
$25-$35,000	139	78.4	38	21.4	.	.	1	0.2	178	100.0
$35-$50,000	117	83.5	20	15.0	1	0.7	1	0.8	139	100.0
>$50,000	119	84.0	17	14.2	2	1.8	.	.	138	100.0
UNK/REFUSED	129	61.5	76	33.9	4	2.9	5	1.7	214	100.0
TOTAL	823	71.5	324	26.7	10	1.0	14	0.9	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 4. IS THERE A WORKING SMOKE DETECTOR IN THIS HOUSEHOLD?

WORKING SMOKE DETECTOR IN HOUSEHOLD

	YES		NO		DON'T KNOW/NOT SURE		REFUSED		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%
MARITAL STATUS										
MARRIED	505	75.0	156	23.6	4	0.6	6	0.8	671	100.0
DIVORCED	83	63.1	49	35.9	1	0.4	1	0.6	134	100.0
WIDOWED	62	51.1	49	44.6	1	2.1	3	2.1	115	100.0
SEPARATED	17	70.8	8	21.9	.	.	3	7.3	28	100.0
NEVER MARRIED	133	70.4	52	28.6	2	0.7	1	0.3	188	100.0
UNMARRIED COUPLE	23	70.2	8	21.1	2	8.8	.	.	33	100.0
UNK/REFUSED	.	.	2	100.0	.	.	.	.	2	100.0
TOTAL	823	71.5	324	26.7	10	1.0	14	0.9	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 4. IS THERE A WORKING SMOKE DETECTOR IN THIS HOUSEHOLD?

WORKING SMOKE DETECTOR IN HOUSEHOLD

	YES		NO		DON'T KNOW/NOT SURE		REFUSED		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%
EMPLOYMENT STATUS										
EMPLOYED	417	72.7	142	26.0	5	1.1	2	0.2	566	100.0
SELF EMPLOYED	92	74.1	35	23.8	1	0.8	2	1.3	130	100.0
OUT OF WORK >1 YEAR	25	69.4	9	29.4	.	.	1	1.2	35	100.0
OUT OF WORK <1 YEAR	12	71.9	6	28.1	.	.	.	.	18	100.0
HOMEMAKER	86	70.5	34	27.5	.	.	3	2.0	123	100.0
STUDENT	53	79.6	14	16.6	3	3.3	1	0.6	71	100.0
RETIRED	136	63.9	82	33.4	1	0.8	5	1.9	224	100.0
UNK/REFUSED	2	29.1	2	70.9	.	.	.	.	4	100.0
TOTAL	823	71.5	324	26.7	10	1.0	14	0.9	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 5. DO YOU HAVE ANY CHILDREN UNDER 11 YEARS OF AGE IN THIS HOUSEHOLD?

ANY CHILDREN UNDER 11 YRS IN HOUSEHOLD

	YES		NO		REFUSED		***TOTAL***	
	************		************		************		************	
	N	%	N	%	N	%	N	%
SEX								
MALE	128	27.3	367	72.5	2	0.2	497	100.0
FEMALE	199	32.6	465	66.2	10	1.2	674	100.0
AGE GROUP								
18-24	41	28.1	91	70.8	3	1.1	135	100.0
25-34	259	50.9	281	49.0	1	0.1	541	100.0
35-44	24	10.2	254	89.0	4	0.8	282	100.0
45-54	3	3.6	206	94.5	4	1.9	213	100.0
RACE GROUP								
WHITE	165	22.6	618	76.9	4	0.5	787	100.0
BLACK	9	60.2	5	39.8	.	.	14	100.0
HISPANIC	130	41.5	186	57.7	5	0.7	321	100.0
OTHER	21	53.7	19	41.4	3	4.9	43	100.0
UNK/REFUSED	2	36.4	4	63.6	.	.	6	100.0
TOTAL	327	30.0	832	69.3	12	0.7	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 5. DO YOU HAVE ANY CHILDREN UNDER 11 YEARS OF AGE IN THIS HOUSEHOLD?

	ANY CHILDREN UNDER 11 YRS IN HOUSEHOLD							
	YES		NO		REFUSED		***TOTAL***	
	N	%	N	%	N	%	N	%
EDUCATION LEVEL								
< 9TH GRADE	7	11.2	53	87.7	1	1.1	61	100.0
SOME HIGH SCHOOL	28	36.6	61	62.9	1	0.5	90	100.0
HIGH SCHOOL GRADUATE	137	36.8	255	62.5	3	0.7	395	100.0
SOME TECHNICAL SCHOOL	9	39.4	18	60.6	.	.	27	100.0
TECHNICAL SCHOOL GRADUATE	2	10.8	16	80.5	2	8.7	20	100.0
SOME COLLEGE	73	26.9	199	72.5	3	0.6	275	100.0
COLLEGE GRADUATE	48	28.6	122	71.1	1	0.3	171	100.0
POST GRADUATE	23	19.0	106	81.0	.	.	129	100.0
UNK/REFUSED	.	.	2	66.7	1	33.3	3	100.0
TOTAL	327	30.0	832	69.3	12	0.7	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 5. DO YOU HAVE ANY CHILDREN UNDER 11 YEARS OF AGE IN THIS HOUSEHOLD?

	ANY CHILDREN UNDER 11 YRS IN HOUSEHOLD							
	YES		NO		REFUSED		***TOTAL***	
	N	%	N	%	N	%	N	%
INCOME LEVEL								
<$10,000	42	27.2	114	70.8	4	2.0	160	100.0
$10-$15,000	37	39.1	73	60.9	.	.	110	100.0
$15-$20,000	41	38.4	83	61.3	1	0.4	125	100.0
$20-$25,000	27	29.9	78	68.8	2	1.3	107	100.0
$25-$35,000	59	33.0	118	66.7	1	0.2	178	100.0
$35-$50,000	41	29.5	98	70.5	.	.	139	100.0
>$50,000	33	23.6	105	76.4	.	.	138	100.0
UNK/REFUSED	47	25.0	163	73.5	4	1.5	214	100.0
TOTAL	327	30.0	832	69.3	12	0.7	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 5. DO YOU HAVE ANY CHILDREN UNDER 11 YEARS OF AGE IN THIS HOUSEHOLD?

	ANY CHILDREN UNDER 11 YRS IN HOUSEHOLD							
	YES		NO		REFUSED		***TOTAL***	
	N	%	N	%	N	%	N	%
MARITAL STATUS								
MARRIED	255	38.2	411	61.2	5	0.6	671	100.0
DIVORCED	35	28.9	98	70.5	1	0.6	134	100.0
WIDOWED	6	6.9	107	91.6	2	1.4	115	100.0
SEPARATED	7	34.3	18	58.4	3	7.3	28	100.0
NEVER MARRIED	19	12.6	168	87.1	1	0.3	188	100.0
UNMARRIED COUPLE	5	14.1	28	85.9	.	.	33	100.0
UNK/REFUSED	.	.	2	100.0	.	.	2	100.0
TOTAL	327	30.0	832	69.3	12	0.7	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 5. DO YOU HAVE ANY CHILDREN UNDER 11 YEARS OF AGE IN THIS HOUSEHOLD?

ANY CHILDREN UNDER 11 YRS IN HOUSEHOLD

	YES		NO		REFUSED		***TOTAL***	
	N	%	N	%	N	%	N	%
EMPLOYMENT STATUS								
EMPLOYED	191	36.2	373	63.6	2	0.2	566	100.0
SELF EMPLOYED	39	32.0	90	67.5	1	0.4	130	100.0
OUT OF WORK >1 YEAR	14	47.0	20	51.8	1	1.2	35	100.0
OUT OF WORK <1 YEAR	7	33.4	11	66.6	.	.	18	100.0
HOMEMAKER	53	42.5	67	55.5	3	2.0	123	100.0
STUDENT	14	15.6	56	83.8	1	0.6	71	100.0
RETIRED	8	6.8	212	91.5	4	1.7	224	100.0
UNK/REFUSED	1	16.7	3	83.3	.	.	4	100.0
TOTAL	327	30.0	832	69.3	12	0.7	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 6. WHEN RIDING IN A CAR, HOW OFTEN IS THIS CHILD (THESE CHILDREN) BUCKLED IN A CAR SAFETY SEAT BELT?

HOW OFTEN ARE CHILDREN IN SEAT BELT

	ALL OF THE TIME		MOST OF THE TIME		SOMETIMES		NEVER		DON'T KNOW/NOT SURE		REFUSED		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
SEX														
MALE	105	23.0	17	3.1	5	1.1	.	.	1	0.1	369	72.7	497	100.0
FEMALE	154	24.7	34	5.8	9	1.8	1	0.2	.	.	476	67.5	674	100.0
AGE GROUP														
18-24	36	25.3	3	1.6	1	0.6	1	0.6	.	.	94	71.9	135	100.0
25-34	201	39.0	44	8.8	12	2.9	.	.	1	0.1	283	49.2	541	100.0
35-44	19	8.2	4	1.6	1	0.4	.	.	.	.	258	89.8	282	100.0
45-54	3	3.6	.	.	.	.	.	.	.	.	210	96.4	213	100.0
RACE GROUP														
WHITE	142	19.5	18	2.3	5	0.8	.	.	.	.	622	77.4	787	100.0
BLACK	5	36.1	3	17.8	1	6.3	.	.	.	.	5	39.8	14	100.0
HISPANIC	95	30.5	26	8.0	6	2.4	1	0.3	1	0.2	192	58.6	321	100.0
OTHER	15	40.5	4	9.9	2	3.3	.	.	.	.	22	46.3	43	100.0
UNK/REFUSED	2	36.4	.	.	.	.	.	.	.	.	4	63.6	6	100.0
TOTAL	259	23.9	51	4.5	14	1.4	1	0.1	1	0.1	845	70.0	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 6. WHEN RIDING IN A CAR, HOW OFTEN IS THIS CHILD (THESE CHILDREN) BUCKLED IN A CAR SAFETY SEAT BELT?

HOW OFTEN ARE CHILDREN IN SEAT BELT

	ALL OF THE TIME		MOST OF THE TIME		SOMETIMES		NEVER		DON'T KNOW/NOT SURE		REFUSED		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
EDUCATION LEVEL														
< 9TH GRADE	4	6.6	1	0.5	2	4.1	.	.	.	.	54	88.8	61	100.0
SOME HIGH SCHOOL	21	28.1	6	7.1	1	1.3	.	.	.	.	62	63.4	90	100.0
HIGH SCHOOL GRADUATE	110	29.5	22	5.5	5	1.8	.	.	.	.	258	63.2	395	100.0
SOME TECHNICAL SCHOOL	6	30.4	3	9.0	.	.	.	.	.	.	18	60.6	27	100.0
TECHNICAL SCHOOL GRADUATE	.	.	2	10.8	.	.	.	.	.	.	18	89.2	20	100.0
SOME COLLEGE	53	19.2	13	5.4	5	1.7	1	0.4	.	.	203	73.3	275	100.0
COLLEGE GRADUATE	45	26.7	1	0.7	1	0.8	.	.	1	0.4	123	71.4	171	100.0
POST GRADUATE	20	17.8	3	1.2	.	.	.	.	.	.	106	81.0	129	100.0
UNK/REFUSED	.	.	.	.	.	.	.	.	.	.	3	100.0	3	100.0
TOTAL	259	23.9	51	4.5	14	1.4	1	0.1	1	0.1	845	70.0	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 6. WHEN RIDING IN A CAR, HOW OFTEN IS THIS CHILD (THESE CHILDREN) BUCKLED IN A CAR SAFETY SEAT BELT?

HOW OFTEN ARE CHILDREN IN SEAT BELT

	ALL OF THE TIME		MOST OF THE TIME		SOMETIMES		NEVER		DON'T KNOW/NOT SURE		REFUSED		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
INCOME LEVEL														
<$10,000	33	19.7	7	5.6	2	1.9	.	.	.	.	118	72.8	160	100.0
$10-$15,000	31	33.5	5	4.6	1	1.1	.	.	.	.	73	60.9	110	100.0
$15-$20,000	30	29.3	8	6.0	3	3.0	.	.	.	.	84	61.6	125	100.0
$20-$25,000	21	23.2	4	4.3	2	2.4	.	.	.	.	80	70.1	107	100.0
$25-$35,000	41	23.9	15	8.0	2	0.8	.	.	1	0.3	119	67.0	178	100.0
$35-$50,000	36	26.7	4	2.2	1	0.6	.	.	.	.	98	70.5	139	100.0
>$50,000	24	16.8	6	4.3	1	1.5	1	0.8	.	.	106	76.6	138	100.0
UNK/REFUSED	43	22.2	2	1.7	2	1.1	.	.	.	.	167	75.0	214	100.0
TOTAL	259	23.9	51	4.5	14	1.4	1	0.1	1	0.1	845	70.0	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 6. WHEN RIDING IN A CAR, HOW OFTEN IS THIS CHILD (THESE CHILDREN) BUCKLED IN A CAR SAFETY SEAT BELT?

HOW OFTEN ARE CHILDREN IN SEAT BELT

	ALL OF THE TIME		MOST OF THE TIME		SOMETIMES		NEVER		DON'T KNOW/NOT SURE		REFUSED		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
MARITAL STATUS														
MARRIED	202	30.2	40	5.9	11	1.9	1	0.2	.	.	417	61.9	671	100.0
DIVORCED	26	21.4	7	5.7	1	1.2	.	.	1	0.7	99	71.1	134	100.0
WIDOWED	3	2.5	2	2.7	1	1.7	.	.	.	.	109	93.1	115	100.0
SEPARATED	6	32.5	.	.	1	1.8	.	.	.	.	21	65.7	28	100.0
NEVER MARRIED	18	12.2	1	0.4	.	.	.	.	.	.	169	87.4	188	100.0
UNMARRIED COUPLE	4	10.3	1	3.8	.	.	.	.	.	.	28	85.9	33	100.0
UNK/REFUSED	.	.	.	.	.	.	.	.	.	.	2	100.0	2	100.0
TOTAL	259	23.9	51	4.5	14	1.4	1	0.1	1	0.1	845	70.0	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 6. WHEN RIDING IN A CAR, HOW OFTEN IS THIS CHILD (THESE CHILDREN) BUCKLED IN A CAR SAFETY SEAT BELT?

HOW OFTEN ARE CHILDREN IN SEAT BELT

	ALL OF THE TIME		MOST OF THE TIME		SOMETIMES		NEVER		DON'T KNOW/NOT SURE		REFUSED		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
EMPLOYMENT STATUS														
EMPLOYED	148	28.2	32	5.9	10	2.0	.	.	1	0.1	375	63.8	566	100.0
SELF EMPLOYED	32	26.9	5	3.9	1	0.9	.	.	.	.	92	68.3	130	100.0
OUT OF WORK >1 YEAR	14	47.0	.	.	.	.	.	.	.	.	21	53.0	35	100.0
OUT OF WORK <1 YEAR	5	22.5	.	.	1	5.2	1	5.7	.	.	11	66.6	18	100.0
HOMEMAKER	44	34.2	7	5.9	2	2.4	.	.	.	.	70	57.5	123	100.0
STUDENT	9	11.2	5	4.4	.	.	.	.	.	.	57	84.4	71	100.0
RETIRED	6	5.4	2	1.5	.	.	.	.	.	.	216	93.2	224	100.0
UNK/REFUSED	1	16.7	.	.	.	.	.	.	.	.	3	83.3	4	100.0
TOTAL	259	23.9	51	4.5	14	1.4	1	0.1	1	0.1	845	70.0	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 7. DO YOU KNOW HOW TO FIND THE TELEPHONE NUMBER FOR THE POISON CONTROL CENTER IN YOUR AREA?

CAN FIND POISON CONTROL TELEPHONE NO.

	YES		NO		DON'T KNOW/NOT SURE		REFUSED		***TOTAL***	
	************		************		************		************		************	
	N	%	N	%	N	%	N	%	N	%
SEX										
MALE	119	25.8	8	1.1	1	0.4	369	72.7	497	100.0
FEMALE	168	27.6	30	4.9	.	.	476	67.6	674	100.0
AGE GROUP										
18-24	37	26.1	4	2.1	.	.	94	71.9	135	100.0
25-34	229	45.7	29	5.0	.	.	283	49.3	541	100.0
35-44	18	7.5	5	1.9	1	0.7	258	89.8	282	100.0
45-54	3	3.6	.	.	.	.	210	96.4	213	100.0
RACE GROUP										
WHITE	151	20.8	13	1.7	.	.	623	77.5	787	100.0
BLACK	5	39.8	4	20.4	.	.	5	39.8	14	100.0
HISPANIC	113	36.8	16	4.1	1	0.6	191	58.5	321	100.0
OTHER	16	42.5	5	11.2	.	.	22	46.3	43	100.0
UNK/REFUSED	2	36.4	.	.	.	.	4	63.6	6	100.0
TOTAL	287	26.7	38	3.0	1	0.2	845	70.1	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 7. DO YOU KNOW HOW TO FIND THE TELEPHONE NUMBER FOR THE POISON CONTROL CENTER IN YOUR AREA?

CAN FIND POISON CONTROL TELEPHONE NO.

	YES		NO		DON'T KNOW/NOT SURE		REFUSED		***TOTAL***	
	************		************		************		************		************	
	N	%	N	%	N	%	N	%	N	%
EDUCATION LEVEL										
< 9TH GRADE	6	10.2	1	1.0	.	.	54	88.8	61	100.0
SOME HIGH SCHOOL	24	31.9	4	4.7	.	.	62	63.4	90	100.0
HIGH SCHOOL GRADUATE	115	32.1	22	4.7	.	.	258	63.2	395	100.0
SOME TECHNICAL SCHOOL	6	27.6	3	11.8	.	.	18	60.6	27	100.0
TECHNICAL SCHOOL GRADUATE	1	4.6	1	6.2	.	.	18	89.2	20	100.0
SOME COLLEGE	69	25.0	3	1.1	1	0.8	202	73.1	275	100.0
COLLEGE GRADUATE	44	26.2	3	1.6	.	.	124	72.1	171	100.0
POST GRADUATE	22	18.9	1	0.2	.	.	106	81.0	129	100.0
UNK/REFUSED	.	.	.	.	.	.	3	100.0	3	100.0
TOTAL	287	26.7	38	3.0	1	0.2	845	70.1	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 7. DO YOU KNOW HOW TO FIND THE TELEPHONE NUMBER FOR THE POISON CONTROL CENTER IN YOUR AREA?

CAN FIND POISON CONTROL TELEPHONE NO.

	YES		NO		DON'T KNOW/NOT SURE		REFUSED		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%
INCOME LEVEL										
<$10,000	36	23.1	6	4.1	.	.	118	72.8	160	100.0
$10-$15,000	34	36.5	3	2.6	.	.	73	60.9	110	100.0
$15-$20,000	36	34.4	5	4.0	.	.	84	61.6	125	100.0
$20-$25,000	24	26.3	3	3.6	.	.	80	70.1	107	100.0
$25-$35,000	50	28.5	9	4.5	.	.	119	67.0	178	100.0
$35-$50,000	35	25.3	4	1.9	1	1.5	99	71.3	139	100.0
>$50,000	32	22.8	1	0.8	.	.	105	76.4	138	100.0
UNK/REFUSED	40	22.2	7	2.7	.	.	167	75.0	214	100.0
TOTAL	287	26.7	38	3.0	1	0.2	845	70.1	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 7. DO YOU KNOW HOW TO FIND THE TELEPHONE NUMBER FOR THE POISON CONTROL CENTER IN YOUR AREA?

CAN FIND POISON CONTROL TELEPHONE NO.

	YES		NO		DON'T KNOW/NOT SURE		REFUSED		***TOTAL***	
	************		************		************		************		************	
	N	%	N	%	N	%	N	%	N	%
MARITAL STATUS										
MARRIED	222	33.5	31	4.3	1	0.3	417	61.9	671	100.0
DIVORCED	32	27.6	3	1.3	.	.	99	71.1	134	100.0
WIDOWED	5	5.0	1	1.9	.	.	109	93.1	115	100.0
SEPARATED	6	32.5	1	1.8	.	.	21	65.7	28	100.0
NEVER MARRIED	17	12.1	2	0.5	.	.	169	87.4	188	100.0
UNMARRIED COUPLE	5	14.1	.	.	.	.	28	85.9	33	100.0
UNK/REFUSED	.	.	.	.	.	.	2	100.0	2	100.0
TOTAL	287	26.7	38	3.0	1	0.2	845	70.1	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 7. DO YOU KNOW HOW TO FIND THE TELEPHONE NUMBER FOR THE POISON CONTROL CENTER IN YOUR AREA?

CAN FIND POISON CONTROL TELEPHONE NO.

	YES ************		NO ************		DON'T KNOW/NOT SURE ************		REFUSED ************		***TOTAL*** ************	
	N	%	N	%	N	%	N	%	N	%
EMPLOYMENT STATUS										
EMPLOYED	171	33.0	19	2.8	1	0.4	375	63.8	566	100.0
SELF EMPLOYED	34	27.5	4	3.7	.	.	92	68.8	130	100.0
OUT OF WORK >1 YEAR	13	45.3	1	1.7	.	.	21	53.0	35	100.0
OUT OF WORK <1 YEAR	5	21.8	2	11.6	.	.	11	66.6	18	100.0
HOMEMAKER	44	35.6	9	6.8	.	.	70	57.5	123	100.0
STUDENT	13	14.7	1	0.8	.	.	57	84.4	71	100.0
RETIRED	6	5.5	2	1.3	.	.	216	93.2	224	100.0
UNK/REFUSED	1	16.7	.	.	.	.	3	83.3	4	100.0
TOTAL	287	26.7	38	3.0	1	0.2	845	70.1	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 8. DO YOU NOW HAVE ANY IPECAC SYRUP IN THIS HOUSEHOLD?

HAVE IPECAC SYRUP IN HOUSEHOLD

	YES		NO		DON'T KNOW/NOT SURE		REFUSED		***TOTAL***	
	************		************		************		************		************	
	N	%	N	%	N	%	N	%	N	%
SEX										
MALE	42	8.8	78	16.7	8	1.8	369	72.7	497	100.0
FEMALE	75	12.2	121	20.0	2	0.2	476	67.6	674	100.0
AGE GROUP										
18-24	11	7.6	29	19.7	1	0.8	94	71.9	135	100.0
25-34	98	19.2	152	30.0	8	1.5	283	49.3	541	100.0
35-44	7	2.8	17	7.3	.	.	258	89.8	282	100.0
45-54	1	1.3	1	0.9	1	1.3	210	96.4	213	100.0
RACE GROUP										
WHITE	75	9.8	85	12.3	4	0.4	623	77.5	787	100.0
BLACK	2	18.4	7	41.8	.	.	5	39.8	14	100.0
HISPANIC	32	10.1	92	29.0	6	2.5	191	58.5	321	100.0
OTHER	7	20.9	14	32.8	.	.	22	46.3	43	100.0
UNK/REFUSED	1	24.3	1	12.1	.	.	4	63.6	6	100.0
TOTAL	117	10.5	199	18.4	10	1.0	845	70.1	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 8. DO YOU NOW HAVE ANY IPECAC SYRUP IN THIS HOUSEHOLD?

HAVE IPECAC SYRUP IN HOUSEHOLD

	YES		NO		DON'T KNOW/NOT SURE		REFUSED		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%
EDUCATION LEVEL										
< 9TH GRADE	1	2.0	5	6.9	1	2.3	54	88.8	61	100.0
SOME HIGH SCHOOL	4	4.4	23	29.9	1	2.3	62	63.4	90	100.0
HIGH SCHOOL GRADUATE	38	9.8	97	26.4	2	0.6	258	63.2	395	100.0
SOME TECHNICAL SCHOOL	2	14.7	7	24.7	.	.	18	60.6	27	100.0
TECHNICAL SCHOOL GRADUATE	.	.	2	10.8	.	.	18	89.2	20	100.0
SOME COLLEGE	33	12.6	38	13.4	2	0.9	202	73.1	275	100.0
COLLEGE GRADUATE	23	13.6	20	12.3	4	2.0	124	72.1	171	100.0
POST GRADUATE	16	13.9	7	5.2	.	.	106	81.0	129	100.0
UNK/REFUSED	.	.	.	.	.	.	3	100.0	3	100.0
TOTAL	117	10.5	199	18.4	10	1.0	845	70.1	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 8. DO YOU NOW HAVE ANY IPECAC SYRUP IN THIS HOUSEHOLD?

HAVE IPECAC SYRUP IN HOUSEHOLD

	YES		NO		DON'T KNOW/NOT SURE		REFUSED		***TOTAL***	
	************		************		************		************		************	
	N	%	N	%	N	%	N	%	N	%
INCOME LEVEL										
<$10,000	9	5.7	32	20.4	1	1.2	118	72.8	160	100.0
$10-$15,000	12	11.1	23	24.8	2	3.1	73	60.9	110	100.0
$15-$20,000	13	12.5	28	25.9	.	.	84	61.6	125	100.0
$20-$25,000	12	13.3	15	16.6	.	.	80	70.1	107	100.0
$25-$35,000	24	14.3	33	17.7	2	1.0	119	67.0	178	100.0
$35-$50,000	18	12.0	20	15.4	2	1.3	99	71.3	139	100.0
>$50,000	13	8.7	19	14.5	1	0.4	105	76.4	138	100.0
UNK/REFUSED	16	8.2	29	16.0	2	0.8	167	75.0	214	100.0
TOTAL	117	10.5	199	18.4	10	1.0	845	70.1	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 8. DO YOU NOW HAVE ANY IPECAC SYRUP IN THIS HOUSEHOLD?

HAVE IPECAC SYRUP IN HOUSEHOLD

	YES		NO		DON'T KNOW/NOT SURE		REFUSED		***TOTAL***	
	************		************		************		************		************	
	N	%	N	%	N	%	N	%	N	%
MARITAL STATUS										
MARRIED	97	14.1	150	22.8	7	1.1	417	61.9	671	100.0
DIVORCED	10	9.4	23	17.5	2	2.0	99	71.1	134	100.0
WIDOWED	3	2.5	3	4.4	.	.	109	93.1	115	100.0
SEPARATED	2	13.3	5	21.0	.	.	21	65.7	28	100.0
NEVER MARRIED	4	2.6	14	9.2	1	0.8	169	87.4	188	100.0
UNMARRIED COUPLE	1	2.5	4	11.6	.	.	28	85.9	33	100.0
UNK/REFUSED	.	.	.	.	.	.	2	100.0	2	100.0
TOTAL	117	10.5	199	18.4	10	1.0	845	70.1	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 8. DO YOU NOW HAVE ANY IPECAC SYRUP IN THIS HOUSEHOLD?

	HAVE IPECAC SYRUP IN HOUSEHOLD									
	YES		NO		DON'T KNOW/NOT SURE		REFUSED		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%
EMPLOYMENT STATUS										
EMPLOYED	61	11.8	122	22.9	8	1.4	375	63.8	566	100.0
SELF EMPLOYED	14	10.7	23	19.5	1	1.0	92	68.8	130	100.0
OUT OF WORK >1 YEAR	5	11.6	9	35.3	.	.	21	53.0	35	100.0
OUT OF WORK <1 YEAR	2	7.9	5	25.5	.	.	11	66.6	18	100.0
HOMEMAKER	28	21.0	25	21.5	.	.	70	57.5	123	100.0
STUDENT	3	4.3	11	11.2	.	.	57	84.4	71	100.0
RETIRED	3	2.7	4	2.9	1	1.2	216	93.2	224	100.0
UNK/REFUSED	1	16.7	.	.	.	.	3	83.3	4	100.0
TOTAL	117	10.5	199	18.4	10	1.0	845	70.1	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 9. DO YOU BELIEVE A CHILD INFECTED WITH THE AIDS VIRUS SHOULD BE KEPT OUT OF SCHOOL?

CHILD WITH AIDS KEPT OUT OF SCHOOL

	YES		NO		DON'T KNOW/NOT SURE		REFUSED		***TOTAL***	
	************		************		************		************		************	
	N	%	N	%	N	%	N	%	N	%
SEX										
MALE	52	11.1	351	71.6	90	16.9	4	0.4	497	100.0
FEMALE	47	7.0	496	75.1	108	14.8	23	3.0	674	100.0
AGE GROUP										
18-24	12	8.3	113	86.6	6	3.8	4	1.4	135	100.0
25-34	41	7.8	415	76.8	81	14.9	4	0.5	541	100.0
35-44	22	9.0	196	68.2	54	19.9	10	2.9	282	100.0
45-54	24	13.6	123	56.4	57	26.1	9	4.0	213	100.0
RACE GROUP										
WHITE	64	8.5	587	74.8	124	15.4	12	1.2	787	100.0
BLACK	4	36.4	8	56.8	2	6.7	.	.	14	100.0
HISPANIC	27	8.9	226	72.5	56	16.0	12	2.6	321	100.0
OTHER	4	8.6	22	64.0	14	22.5	3	4.9	43	100.0
UNK/REFUSED	.	.	4	64.0	2	36.0	.	.	6	100.0
TOTAL	99	9.0	847	73.4	198	15.8	27	1.8	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 9. DO YOU BELIEVE A CHILD INFECTED WITH THE AIDS VIRUS SHOULD BE KEPT OUT OF SCHOOL?

CHILD WITH AIDS KEPT OUT OF SCHOOL

	YES		NO		DON'T KNOW/NOT SURE		REFUSED		***TOTAL***	
	************		************		************		************		************	
	N	%	N	%	N	%	N	%	N	%
EDUCATION LEVEL										
< 9TH GRADE	12	21.6	27	44.2	20	32.2	2	2.1	61	100.0
SOME HIGH SCHOOL	14	18.0	54	60.9	19	18.9	3	2.1	90	100.0
HIGH SCHOOL GRADUATE	34	8.8	277	72.1	72	16.9	12	2.2	395	100.0
SOME TECHNICAL SCHOOL	3	9.2	18	71.6	6	19.2	.	.	27	100.0
TECHNICAL SCHOOL GRADUATE	1	5.7	11	52.6	6	33.1	2	8.7	20	100.0
SOME COLLEGE	22	8.2	208	77.4	40	12.8	5	1.6	275	100.0
COLLEGE GRADUATE	8	5.0	144	84.1	17	9.9	2	1.0	171	100.0
POST GRADUATE	5	4.2	106	82.3	18	13.5	.	.	129	100.0
UNK/REFUSED	.	.	2	66.7	.	.	1	33.3	3	100.0
TOTAL	99	9.0	847	73.4	198	15.8	27	1.8	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 9. DO YOU BELIEVE A CHILD INFECTED WITH THE AIDS VIRUS SHOULD BE KEPT OUT OF SCHOOL?

CHILD WITH AIDS KEPT OUT OF SCHOOL

	YES		NO		DON'T KNOW/NOT SURE		REFUSED		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%
INCOME LEVEL										
<$10,000	20	15.4	100	62.9	33	18.4	7	3.3	160	100.0
$10-$15,000	5	5.5	88	79.8	16	14.4	1	0.4	110	100.0
$15-$20,000	14	12.6	92	72.1	18	14.9	1	0.4	125	100.0
$20-$25,000	9	7.6	76	71.9	20	19.3	2	1.3	107	100.0
$25-$35,000	11	7.2	144	80.4	23	12.4	.	.	178	100.0
$35-$50,000	6	4.7	110	78.1	21	15.5	2	1.7	139	100.0
>$50,000	10	5.5	110	81.4	18	13.2	.	.	138	100.0
UNK/REFUSED	24	12.2	127	64.0	49	18.7	14	5.1	214	100.0
TOTAL	99	9.0	847	73.4	198	15.8	27	1.8	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 9. DO YOU BELIEVE A CHILD INFECTED WITH THE AIDS VIRUS SHOULD BE KEPT OUT OF SCHOOL?

CHILD WITH AIDS KEPT OUT OF SCHOOL

	YES		NO		DON'T KNOW/NOT SURE		REFUSED		***TOTAL***	
	************		************		************		************		************	
	N	%	N	%	N	%	N	%	N	%
MARITAL STATUS										
MARRIED	59	9.0	486	72.0	113	17.2	13	1.8	671	100.0
DIVORCED	10	9.8	94	68.9	26	18.8	4	2.5	134	100.0
WIDOWED	11	10.4	66	54.3	33	31.7	5	3.6	115	100.0
SEPARATED	6	31.8	16	51.9	3	9.0	3	7.3	28	100.0
NEVER MARRIED	8	4.5	156	86.9	22	8.1	2	0.6	188	100.0
UNMARRIED COUPLE	5	13.3	28	86.7	.	.	.	.	33	100.0
UNK/REFUSED	.	.	1	43.9	1	56.1	.	.	2	100.0
TOTAL	99	9.0	847	73.4	198	15.8	27	1.8	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 9. DO YOU BELIEVE A CHILD INFECTED WITH THE AIDS VIRUS SHOULD BE KEPT OUT OF SCHOOL?

CHILD WITH AIDS KEPT OUT OF SCHOOL

	YES		NO		DON'T KNOW/NOT SURE		REFUSED		***TOTAL***	
	************		************		************		************		************	
	N	%	N	%	N	%	N	%	N	%
EMPLOYMENT STATUS										
EMPLOYED	44	8.6	429	75.9	84	14.6	9	0.9	566	100.0
SELF EMPLOYED	12	9.4	90	68.9	26	20.4	2	1.3	130	100.0
OUT OF WORK >1 YEAR	6	20.4	24	69.3	4	9.1	1	1.2	35	100.0
OUT OF WORK <1 YEAR	2	11.4	15	82.5	1	6.1	.	.	18	100.0
HOMEMAKER	10	8.8	83	67.1	23	17.8	7	6.2	123	100.0
STUDENT	1	0.8	65	93.9	4	4.6	1	0.6	71	100.0
RETIRED	24	12.4	137	61.4	56	23.7	7	2.5	224	100.0
UNK/REFUSED	.	.	4	100.0	.	.	.	.	4	100.0
TOTAL	99	9.0	847	73.4	198	15.8	27	1.8	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 10. DO YOU BELIEVE PEOPLE INFECTED WITH THE AIDS VIRUS SHOULD BE ALLOWED TO WORK AS A COOK?

PEOPLE WITH AIDS ALLOWED TO WORK AS COOK

	YES		NO		DON'T KNOW/NOT SURE		REFUSED		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%
SEX										
MALE	119	24.1	268	54.3	105	21.0	5	0.6	497	100.0
FEMALE	166	25.1	329	50.0	157	21.9	22	2.9	674	100.0
AGE GROUP										
18-24	44	30.8	62	49.5	25	18.4	4	1.4	135	100.0
25-34	153	27.2	263	50.1	120	22.0	5	0.7	541	100.0
35-44	61	22.9	152	54.1	60	20.4	9	2.7	282	100.0
45-54	27	12.3	120	58.0	57	25.7	9	4.0	213	100.0
RACE GROUP										
WHITE	197	24.7	403	52.3	175	21.7	12	1.3	787	100.0
BLACK	5	35.5	7	52.2	2	12.3	.	.	14	100.0
HISPANIC	72	23.8	165	52.6	72	20.9	12	2.6	321	100.0
OTHER	11	26.9	19	45.0	10	23.2	3	4.9	43	100.0
UNK/REFUSED	.	.	3	51.4	3	48.6	.	.	6	100.0
TOTAL	285	24.6	597	52.1	262	21.5	27	1.8	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 10. DO YOU BELIEVE PEOPLE INFECTED WITH THE AIDS VIRUS SHOULD BE ALLOWED TO WORK AS A COOK?

PEOPLE WITH AIDS ALLOWED TO WORK AS COOK

	YES		NO		DON'T KNOW/NOT SURE		REFUSED		***TOTAL***	
	************		************		************		************		************	
	N	%	N	%	N	%	N	%	N	%
EDUCATION LEVEL										
< 9TH GRADE	12	23.4	28	46.4	19	28.2	2	2.1	61	100.0
SOME HIGH SCHOOL	15	16.6	55	60.7	16	19.5	4	3.2	90	100.0
HIGH SCHOOL GRADUATE	92	24.8	210	54.6	82	18.5	11	2.1	395	100.0
SOME TECHNICAL SCHOOL	3	9.6	17	65.2	7	25.1	.	.	27	100.0
TECHNICAL SCHOOL GRADUATE	2	7.0	9	54.4	7	30.0	2	8.7	20	100.0
SOME COLLEGE	65	23.4	146	53.0	59	22.0	5	1.6	275	100.0
COLLEGE GRADUATE	51	28.2	80	48.8	38	22.0	2	1.0	171	100.0
POST GRADUATE	45	36.5	50	36.5	34	26.9	.	.	129	100.0
UNK/REFUSED	.	.	2	66.7	.	.	1	33.3	3	100.0
TOTAL	285	24.6	597	52.1	262	21.5	27	1.8	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 10. DO YOU BELIEVE PEOPLE INFECTED WITH THE AIDS VIRUS SHOULD BE ALLOWED TO WORK AS A COOK?

PEOPLE WITH AIDS ALLOWED TO WORK AS COOK

	YES		NO		DON'T KNOW/NOT SURE		REFUSED		***TOTAL***	
	************		************		************		************		************	
	N	%	N	%	N	%	N	%	N	%
INCOME LEVEL										
<$10,000	32	19.9	86	56.4	35	20.0	7	3.6	160	100.0
$10-$15,000	31	28.9	53	48.0	25	22.8	1	0.4	110	100.0
$15-$20,000	34	26.2	67	56.8	23	16.6	1	0.4	125	100.0
$20-$25,000	29	25.0	49	48.3	27	25.4	2	1.3	107	100.0
$25-$35,000	44	24.0	88	48.4	46	27.6	.	.	178	100.0
$35-$50,000	37	26.7	67	50.3	33	21.3	2	1.7	139	100.0
>$50,000	43	31.8	75	53.0	20	15.2	.	.	138	100.0
UNK/REFUSED	35	18.7	112	54.3	53	21.8	14	5.1	214	100.0
TOTAL	285	24.6	597	52.1	262	21.5	27	1.8	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 10. DO YOU BELIEVE PEOPLE INFECTED WITH THE AIDS VIRUS SHOULD BE ALLOWED TO WORK AS A COOK?

PEOPLE WITH AIDS ALLOWED TO WORK AS COOK

	YES		NO		DON'T KNOW/NOT SURE		REFUSED		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%
MARITAL STATUS										
MARRIED	159	23.6	363	54.5	135	20.1	14	1.9	671	100.0
DIVORCED	31	23.0	68	51.6	32	23.6	3	1.8	134	100.0
WIDOWED	13	10.9	61	53.3	36	32.3	5	3.6	115	100.0
SEPARATED	3	9.9	16	61.2	6	21.6	3	7.3	28	100.0
NEVER MARRIED	66	33.3	72	41.9	48	24.3	2	0.6	188	100.0
UNMARRIED COUPLE	12	34.4	16	54.1	5	11.5	.	.	33	100.0
UNK/REFUSED	1	43.9	1	56.1	.	.	.	.	2	100.0
TOTAL	285	24.6	597	52.1	262	21.5	27	1.8	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 10. DO YOU BELIEVE PEOPLE INFECTED WITH THE AIDS VIRUS SHOULD BE ALLOWED TO WORK AS A COOK?

PEOPLE WITH AIDS ALLOWED TO WORK AS COOK

	YES		NO		DON'T KNOW/NOT SURE		REFUSED		***TOTAL***	
	************		************		************		************		************	
	N	%	N	%	N	%	N	%	N	%
EMPLOYMENT STATUS										
EMPLOYED	146	24.8	292	53.9	119	20.2	9	1.0	566	100.0
SELF EMPLOYED	30	22.9	70	55.7	28	20.1	2	1.3	130	100.0
OUT OF WORK >1 YEAR	11	38.2	14	35.1	9	25.5	1	1.2	35	100.0
OUT OF WORK <1 YEAR	5	17.5	11	61.8	2	20.7	.	.	18	100.0
HOMEMAKER	33	26.8	55	45.2	28	21.8	7	6.2	123	100.0
STUDENT	32	45.7	26	36.9	12	16.9	1	0.6	71	100.0
RETIRED	28	11.8	126	57.8	63	27.9	7	2.5	224	100.0
UNK/REFUSED	.	.	3	80.4	1	19.6	.	.	4	100.0
TOTAL	285	24.6	597	52.1	262	21.5	27	1.8	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 11. SHOULD A SECRETARY WHO IS INFECTED WITH THE AIDS VIRUS FROM A BLOOD TRANSFUSION BE ALLOWED TO WORK?

SECRETARY WITH AIDS ALLOWED TO WORK

	YES		NO		DON'T KNOW/NOT SURE		REFUSED		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%
SEX										
MALE	374	76.0	48	11.0	68	12.0	7	1.0	497	100.0
FEMALE	512	76.9	58	9.1	81	10.9	23	3.1	674	100.0
AGE GROUP										
18-24	117	87.0	11	9.9	3	1.8	4	1.4	135	100.0
25-34	449	82.6	41	8.2	46	8.5	5	0.7	541	100.0
35-44	206	71.5	32	13.6	33	11.3	11	3.6	282	100.0
45-54	114	54.2	22	9.5	67	32.0	10	4.3	213	100.0
RACE GROUP										
WHITE	635	82.7	49	5.4	90	10.4	13	1.5	787	100.0
BLACK	10	60.6	3	36.2	1	3.2	.	.	14	100.0
HISPANIC	209	64.5	51	19.2	48	13.4	13	2.9	321	100.0
OTHER	27	68.7	3	10.0	9	15.3	4	6.0	43	100.0
UNK/REFUSED	5	87.8	.	.	1	12.2	.	.	6	100.0
TOTAL	886	76.5	106	10.0	149	11.4	30	2.1	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 11. SHOULD A SECRETARY WHO IS INFECTED WITH THE AIDS VIRUS FROM A BLOOD TRANSFUSION BE ALLOWED TO WORK?

SECRETARY WITH AIDS ALLOWED TO WORK

	YES		NO		DON'T KNOW/NOT SURE		REFUSED		***TOTAL***	
	************		************		************		************		************	
	N	%	N	%	N	%	N	%	N	%
EDUCATION LEVEL										
< 9TH GRADE	22	35.0	17	31.8	20	31.1	2	2.1	61	100.0
SOME HIGH SCHOOL	52	58.6	15	17.1	19	21.1	4	3.2	90	100.0
HIGH SCHOOL GRADUATE	280	72.9	43	12.7	58	11.6	14	2.8	395	100.0
SOME TECHNICAL SCHOOL	19	70.1	3	14.2	5	15.6	.	.	27	100.0
TECHNICAL SCHOOL GRADUATE	16	79.4	.	.	2	12.0	2	8.7	20	100.0
SOME COLLEGE	237	87.3	18	6.1	15	5.0	5	1.6	275	100.0
COLLEGE GRADUATE	147	86.6	6	3.2	16	9.2	2	1.0	171	100.0
POST GRADUATE	112	86.4	3	2.9	14	10.7	.	.	129	100.0
UNK/REFUSED	1	33.3	1	33.3	.	.	1	33.3	3	100.0
TOTAL	886	76.5	106	10.0	149	11.4	30	2.1	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 11. SHOULD A SECRETARY WHO IS INFECTED WITH THE AIDS VIRUS FROM A BLOOD TRANSFUSION BE ALLOWED TO WORK?

SECRETARY WITH AIDS ALLOWED TO WORK

	YES		NO		DON'T KNOW/NOT SURE		REFUSED		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%
INCOME LEVEL										
<$10,000	91	58.1	27	20.7	35	17.6	7	3.6	160	100.0
$10-$15,000	89	82.2	9	8.1	11	9.3	1	0.4	110	100.0
$15-$20,000	98	79.3	8	6.2	17	13.6	2	0.9	125	100.0
$20-$25,000	85	79.5	6	5.2	14	14.1	2	1.3	107	100.0
$25-$35,000	156	87.8	10	6.3	12	6.0	.	.	178	100.0
$35-$50,000	120	87.3	10	6.4	7	4.6	2	1.7	139	100.0
>$50,000	120	86.4	8	6.4	9	6.1	1	1.1	138	100.0
UNK/REFUSED	127	59.3	28	16.4	44	18.7	15	5.6	214	100.0
TOTAL	886	76.5	106	10.0	149	11.4	30	2.1	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 11. SHOULD A SECRETARY WHO IS INFECTED WITH THE AIDS VIRUS FROM A BLOOD TRANSFUSION BE ALLOWED TO WORK?

SECRETARY WITH AIDS ALLOWED TO WORK

	YES		NO		DON'T KNOW/NOT SURE		REFUSED		***TOTAL***	
	************		************		************		************		************	
	N	%	N	%	N	%	N	%	N	%
MARITAL STATUS										
MARRIED	518	76.7	60	9.1	77	11.9	16	2.2	671	100.0
DIVORCED	101	74.3	11	11.7	18	11.6	4	2.4	134	100.0
WIDOWED	58	50.2	15	14.1	37	32.1	5	3.6	115	100.0
SEPARATED	20	78.5	2	5.5	3	8.7	3	7.3	28	100.0
NEVER MARRIED	158	83.0	15	11.8	13	4.7	2	0.6	188	100.0
UNMARRIED COUPLE	29	87.5	3	10.0	1	2.5	.	.	33	100.0
UNK/REFUSED	2	100.0	.	.	.	.	.	.	2	100.0
TOTAL	886	76.5	106	10.0	149	11.4	30	2.1	1171	100.0

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NEW MEXICO STATEWIDE SURVEY DATA, 1989 - WEIGHTED

TABLE 11. SHOULD A SECRETARY WHO IS INFECTED WITH THE AIDS VIRUS FROM A BLOOD TRANSFUSION BE ALLOWED TO WORK?

SECRETARY WITH AIDS ALLOWED TO WORK

	YES		NO		DON'T KNOW/NOT SURE		REFUSED		***TOTAL***	
	N	%	N	%	N	%	N	%	N	%
EMPLOYMENT STATUS										
EMPLOYED	460	81.5	46	9.0	51	8.5	9	1.0	566	100.0
SELF EMPLOYED	104	79.9	11	8.6	12	8.9	3	2.5	130	100.0
OUT OF WORK >1 YEAR	25	76.9	5	16.1	4	5.8	1	1.2	35	100.0
OUT OF WORK <1 YEAR	16	89.0	2	11.0	.	.	.	.	18	100.0
HOMEMAKER	86	66.7	10	10.7	19	15.6	8	6.9	123	100.0
STUDENT	67	92.9	3	6.5	.	.	1	0.6	71	100.0
RETIRED	126	57.6	27	12.1	63	27.5	8	2.8	224	100.0
UNK/REFUSED	2	26.3	2	73.7	.	.	.	.	4	100.0
TOTAL	886	76.5	106	10.0	149	11.4	30	2.1	1171	100.0